2003 DODGE VIPER (ZB)









Jeep

CHRYSLER . PLYMOUTH . DODGE . JEEP

THE MOPAR DIFFERENCE

VIN PLATE DECODING INFORMATION


1 2 3 4 5 6 7 8 9 10 11 12 thru 17


Country Make Vehicle Type Other Line Series Body Style Engine Check Digit Model Year Plant Sequence No.

The following table interprets the VIN Plate positions shown above.

Position	Interpretation	Codes = Description
1	Country of Origin	1 = U.S.
2	Make	B = Dodge
3	Vehicle type	3 = Passenger Car
4	Pass. Safety	E = Restraint System Active Driver & Passenger Air Bag (CGW)
5	Vehicle Line	R = Viper
6	Series	6 = Viper SRT-10 (D-S27)
7	Body Style	5 = Convertible - Open Body 6 = 2 Door Specialty Coupe
8	Engine	Z = 8.3L 10 Cyl. Alum Blk (EWC)
9	Check Digit	
10	Model Year	3 = 2003
11	Assembly Plant	V = Conner Avenue
12 thru 17	Vehicle Build Sequence	Model Year Assembly Sequence


Group – 002 Front Suspension & Drive






GROUP 2 - Front Suspension & Drive

Illustration Title	Group-Fig. No.
Front Suspension	
O : E :	F:- 000 440



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	Sales Codes								
	Sport Suspensi	on							
1									ARM, Control
	5290 276AA	1			27				Upper Right
	5290 277AA	1			27				Upper Left
2	6030 099	2							FITTING, Ball Joint, Zirc
3	5200 6405	2							SEAL, Ball Joint
4	6502 698	2							NUT, Hex Flange Lock, Shock Mounting Upper
5	6502 046	4							BOLT, Suspension Upper Arm
6	6036 468AA	4							BOLT, Control Arm Cam
7	6504 189	2							SCREW, Shock Mounting Upper
8	6502 585	4							NUT
9	6036 467AA	4							NUT, Hex Lock, .50-20, Cam Bolt
									Lower Control Arm
10	6036 469AA	4							WASHER, Control Arm, Lower
									Control Arm
11	5290 038AC	2			27				SHOCK ABSORBER, Suspension,
									Front, Right or Left
12	4873 102	1							SPRING, Front Suspension Coil
-13	5290 233AA-	2							BUSHING, Shock Absorber
14	6100 969	2							BOLT, Hex Flange Head, M14x2.
									00x90, Shock Absorber Lower
									Mounting
15	6502 698	4							NUT, Hex Flange Lock, Shock
									Absorber Lower Mounting
16		_							ARM, Control
	5290 691AA	1							Lower Left
47	5290 690AA	1							Lower Right
17	4848 050	2							BUSHING, Control Arm
18									BALL JOINT, Lower Control Arm,
									Serviced with Control Arm Only,
40	4040 474								(NOT SERVICED) (Not Serviced)
-19	4848 171	1							GASKET
20	6030 099	1							FITTING, Ball Joint, Zirc SEAL, Ball Joint
-21 22	5200 6404	1							BRACKET, Shock Mounting
	4709 298	1							Right
	4709 298 4709 299	1							Left
-23	6502 696	3							NUT, Hex Flange Lock, M10x1.5,
20	0002 000	0							Bracket, Control Arm
24									KNUCKLE, Front
2-7	5290 030AB	1							Right
	5290 031AB	1							Left
ODGE VIP	ER (ZB)———— LINE		BODY		ENGINE		TDANG	MISSIO	N
= SRT-10 = Coupe			BODY 27 = Converti 29 = Coupe	ble E\	NC = 8.3L 10	Cyl SFI	DEC = 6 DBB = A	Speed N	Manual

Suspension, Front Figure 002-110




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
25	6035 641	2							NUT, Hex, .625-18, Upper Ball Joi
									to knuckle, Mounting
26	6035 670	4							NUT, Hex, Lower Ball Joint to
									Knuckle, Mounting
-27	4848 166	1							GASKET, Front Wheel Bearing
28	4763 182AB	1							BEARING
-29	6502 136	4							BOLT, Hex Flange Head, M10x1.
									50x55, Hub To Knuckle Mounting
-30	5290 695AA-	1							SEAL, Hub And Bearing
31	6506 557AA	2							NUT AND WASHER, Tie Rod To
									Knuckle
32	5290 035AB	1							STABILIZER BAR, Front Suspens
-33	6100 219	2							NUT, Hex Jam, M10x1.5, Link to E
-34	4404 219AB-	2							RETAINER, Sway Bar, Attaching
35	4643 004	2							BUSHING, Sway Bar
36	4763 147	2							LINK, Sway Eliminator
37	6502 556	2							NUT, Hex, M10-1.5, Sway Bar Lin
									to LCA
38	0120 123	4							PIN, Cotter


DODGE VIPER (ZB)— SERIES L S = SRT-10 D = X = Coupe

LINE BODY 27 = Convertible D = Dodge 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI

Group – 003 Rear Axle






GROUP 3 - Rear Axle


Illustration Title	Group-Fig. No
Rear Axle	
Axle Assembly and Attaching Parts	Fig. 003-110
Differential and Housing	
Differential Assembly, Rear	Fig. 003-210
Rear Axle Shafts	
Shaft, Rear Axle	Fig. 003-410

Axle Assembly and Attaching Parts Figure 003-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5038 025AA	1							DIFFERENTIAL, Rear Axle
2	6100 468	2							BOLT, Hex Head, M16x95
3	6506 890AA	2							WASHER, Flat
4	6100 520	2							NUT, Hex Flange Head Locking,
									M14x2
5	5037 261AA	4							BUSHING, Differential Pinion
									Mounting
6	5037 260AA	2							BUSHING, Axle Mount
7	6504 065	2							NUT AND RETAINER, Hex Flang
									Locking, M12x1.75
8	3420 2606	2							BOLT, Hex Head
9	4626 738AB	2							BUSHING, Axle Mount
OGE VIF	PER (ZB)								
RIES	LINE	_	BODY 27 = Convertib	5	ENGINE VC = 8.3L 1			SMISSIOI Speed I	
SRT-10	D = Dodge		$II - II \cap $		/// <u> </u>	U (.VI GFI	DEC - 6	Checal	Manual

Differential Assembly, Rear Figure 003-210



TEM		PART								
2 1795 175 1 WASHER, Pinion Yoke 3 5093 385AA 1 YOKE, Drive Shaft 4 5019 843AA 1 SEAL, Drive Pinion 5 4746 979 1 BEARING, Drive Pinion 6 4626 710 1 PLUG, Differential Housing 7 4626 696 2 SEAL, Axle Drive Shaft 8 5093 551AA 2 CIRCLIP, Half Shaft 9 5093 550AA 1 SHAFT, Axle Intermediate 10 4864 214 1 SPACER 11 4864 210 1 BEARING, Drive Pinion 12 5093 384AA 1 GEAR KIT, Ring And Pinion 13 5093 386AA 1 GEAR KIT, Ring And Pinion 14 5012 810AC 1 BOLT KIT, Package of 10 15 4864 213 1 BEARING, Differential Case 16 5093 547AA 1 SHAFT, Axle Intermediate 17 4626 707 2 RING, Axle Shaft 18 5093 383AA 1 COVER, Differential 19 J812 9222 1 SHIM KIT, Differential 20 4626 728 1 SHIM KIT, Pinion Shaft	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
2 1795 175 1 WASHER, Pinion Yoke 3 5093 385AA 1 YOKE, Drive Shaft 4 5019 843AA 1 SEAL, Drive Pinion 5 4746 979 1 BEARING, Drive Pinion 6 4626 710 1 PLUG, Differential Housing 7 4626 696 2 SEAL, Axle Drive Shaft 8 5093 551AA 2 CIRCLIP, Half Shaft 9 5093 550AA 1 SHAFT, Axle Intermediate 10 4864 214 1 SPACER 11 4864 210 1 BEARING, Drive Pinion 12 5093 384AA 1 GEAR KIT, Ring And Pinion 13 5093 386AA 1 GEAR KIT, Ring And Pinion 14 5012 810AC 1 BOLT KIT, Package of 10 15 4864 213 1 BEARING, Differential Case 16 5093 547AA 1 SHAFT, Axle Intermediate 17 4626 707 2 RING, Axle Shaft 18 5093 383AA 1 COVER, Differential 19 J812 9222 1 SHIM KIT, Differential 20 4626 728 1 SHIM KIT, Pinion Shaft		•								
3 5093 385AA 1 4 5019 843AA 1 5EAL, Drive Pinion 5 4746 979 1 BEARING, Drive Pinion 6 4626 710 1 PLUG, Differential Housing 7 4626 696 2 SEAL, Axle Drive Shaft CIRCLIP, Half Shaft 9 5093 551AA 2 SHAFT, Axle Intermediate 10 4864 214 1 SPACER 11 4864 210 1 SPACER 11 5093 384AA 1 GEAR KIT, Ring And Pinion 12 5093 386AA 1 GEAR KIT, Package of 10 15 4864 213 1 BOLT KIT, Package of 10 15 4864 213 1 BEARING, Differential Case 16 5093 547AA 1 SHAFT, Axle Intermediate 17 4626 707 2 RING, Axle Shaft COVER, Differential SEAL, Axle Drive Pinion CIRCLIP, Half Shaft SHAFT, Axle Intermediate SPACER 1 BEARING, Differential SHAFT, Axle Intermediate 1 GEAR KIT, Package of 10 1 BOLT KIT, Package of 10 1 BEARING, Differential SHAFT, Axle Intermediate 1 SHAFT,	1	1795 173	1							NUT, Pinion Yoke
4 5019 843AA 1 SEAL, Drive Pinion 5 4746 979 1 BEARING, Drive Pinion 6 4626 710 1 PLUG, Differential Housing 7 4626 696 2 SEAL, Axle Drive Shaft 8 5093 551AA 2 CIRCLIP, Half Shaft 9 5093 550AA 1 SHAFT, Axle Intermediate 10 4864 214 1 SPACER 11 4864 210 1 BEARING, Drive Pinion 12 5093 384AA 1 GEAR KIT, Ring And Pinion 13 5093 386AA 1 CASE, Differential 14 5012 810AC 1 BOLT KIT, Package of 10 15 4864 213 1 BEARING, Differential Case 16 5093 547AA 1 SHAFT, Axle Intermediate 17 4626 707 2 RING, Axle Shaft 18 5093 383AA 1 COVER, Differential 19 J812 9222 1 SHIM KIT, Pinion Shaft	2	1795 175	1							WASHER, Pinion Yoke
5 4746 979 1 BEARING, Drive Pinion 6 4626 710 1 PLUG, Differential Housing 7 4626 696 2 SEAL, Axle Drive Shaft 8 5093 551AA 2 CIRCLIP, Half Shaft 9 5093 550AA 1 SHAFT, Axle Intermediate 10 4864 214 1 SPACER 11 4864 210 1 BEARING, Drive Pinion 12 5093 384AA 1 GEAR KIT, Ring And Pinion 13 5093 386AA 1 CASE, Differential 14 5012 810AC 1 BOLT KIT, Package of 10 15 4864 213 1 BEARING, Differential Case 16 5093 547AA 1 SHAFT, Axle Intermediate 17 4626 707 2 RING, Axle Shaft 18 5093 383AA 1 COVER, Differential 19 J812 9222 1 SHIM KIT, Differential 20 4626 728 1 SHIM KIT, Pinion Shaft	3	5093 385AA	1							YOKE, Drive Shaft
6 4626 710 1 PLUG, Differential Housing 7 4626 696 2 SEAL, Axle Drive Shaft 8 5093 551AA 2 CIRCLIP, Half Shaft 9 5093 550AA 1 SHAFT, Axle Intermediate 10 4864 214 1 SPACER 11 4864 210 1 BEARING, Drive Pinion 12 5093 384AA 1 GEAR KIT, Ring And Pinion 13 5093 386AA 1 CASE, Differential 14 5012 810AC 1 BOLT KIT, Package of 10 15 4864 213 1 BEARING, Differential Case 16 5093 547AA 1 SHAFT, Axle Intermediate 17 4626 707 2 RING, Axle Shaft 18 5093 383AA 1 COVER, Differential 19 J812 9222 1 SHIM KIT, Differential 20 4626 728 1 SHIM KIT, Pinion Shaft	4	5019 843AA	1							SEAL, Drive Pinion
7 4626 696 2 SEAL, Axle Drive Shaft 8 5093 551AA 2 CIRCLIP, Half Shaft 9 5093 550AA 1 SHAFT, Axle Intermediate 10 4864 214 1 SPACER 11 4864 210 1 BEARING, Drive Pinion 12 5093 384AA 1 GEAR KIT, Ring And Pinion 13 5093 386AA 1 CASE, Differential 14 5012 810AC 1 BOLT KIT, Package of 10 15 4864 213 1 BEARING, Differential Case 16 5093 547AA 1 SHAFT, Axle Intermediate -17 4626 707 2 RING, Axle Shaft 18 5093 383AA 1 COVER, Differential 19 J812 9222 1 SHIM KIT, Differential 20 4626 728 1 SHIM KIT, Pinion Shaft	5	4746 979	1							BEARING, Drive Pinion
8 5093 551AA 2 CIRCLIP, Half Shaft 9 5093 550AA 1 SHAFT, Axle Intermediate 10 4864 214 1 SPACER 11 4864 210 1 BEARING, Drive Pinion 12 5093 384AA 1 GEAR KIT, Ring And Pinion 13 5093 386AA 1 CASE, Differential 14 5012 810AC 1 BOLT KIT, Package of 10 15 4864 213 1 BEARING, Differential Case 16 5093 547AA 1 SHAFT, Axle Intermediate -17 4626 707 2 RING, Axle Shaft 18 5093 383AA 1 COVER, Differential 19 J812 9222 1 SHIM KIT, Differential 20 4626 728 1 SHIM KIT, Pinion Shaft	6	4626 710	1							PLUG, Differential Housing
9 5093 550AA 1 SHAFT, Axle Intermediate 10 4864 214 1 SPACER 11 4864 210 1 BEARING, Drive Pinion 12 5093 384AA 1 GEAR KIT, Ring And Pinion 13 5093 386AA 1 CASE, Differential 14 5012 810AC 1 BOLT KIT, Package of 10 15 4864 213 1 BEARING, Differential Case 16 5093 547AA 1 SHAFT, Axle Intermediate -17 4626 707 2 RING, Axle Shaft 18 5093 383AA 1 COVER, Differential 19 J812 9222 1 SHIM KIT, Differential 20 4626 728 1 SHIM KIT, Pinion Shaft	7	4626 696	2							SEAL, Axle Drive Shaft
10	8	5093 551AA	2							CIRCLIP, Half Shaft
11 4864 210 1 BEARING, Drive Pinion 12 5093 384AA 1 GEAR KIT, Ring And Pinion 13 5093 386AA 1 CASE, Differential 14 5012 810AC 1 BOLT KIT, Package of 10 15 4864 213 1 BEARING, Differential Case 16 5093 547AA 1 SHAFT, Axle Intermediate -17 4626 707 2 RING, Axle Shaft 18 5093 383AA 1 COVER, Differential 19 J812 9222 1 SHIM KIT, Differential 20 4626 728 1 SHIM KIT, Pinion Shaft	9	5093 550AA	1							SHAFT, Axle Intermediate
12 5093 384AA 1 GEAR KIT, Ring And Pinion 13 5093 386AA 1 CASE, Differential 14 5012 810AC 1 BOLT KIT, Package of 10 15 4864 213 1 BEARING, Differential Case 16 5093 547AA 1 SHAFT, Axle Intermediate -17 4626 707 2 RING, Axle Shaft 18 5093 383AA 1 COVER, Differential 19 J812 9222 1 SHIM KIT, Differential 20 4626 728 1 SHIM KIT, Pinion Shaft	10	4864 214	1							SPACER
13 5093 386AA 1 CASE, Differential 14 5012 810AC 1 BOLT KIT, Package of 10 15 4864 213 1 BEARING, Differential Case 16 5093 547AA 1 SHAFT, Axle Intermediate -17 4626 707 2 RING, Axle Shaft 18 5093 383AA 1 COVER, Differential 19 J812 9222 1 SHIM KIT, Differential 20 4626 728 1 SHIM KIT, Pinion Shaft	11	4864 210	1							BEARING, Drive Pinion
14 5012 810AC 1 BOLT KIT, Package of 10 15 4864 213 1 BEARING, Differential Case 16 5093 547AA 1 SHAFT, Axle Intermediate -17 4626 707 2 RING, Axle Shaft 18 5093 383AA 1 COVER, Differential 19 J812 9222 1 SHIM KIT, Differential 20 4626 728 1 SHIM KIT, Pinion Shaft	12	5093 384AA	1							GEAR KIT, Ring And Pinion
15 4864 213 1 BEARING, Differential Case 16 5093 547AA 1 SHAFT, Axle Intermediate -17 4626 707 2 RING, Axle Shaft 18 5093 383AA 1 COVER, Differential 19 J812 9222 1 SHIM KIT, Differential 20 4626 728 1 SHIM KIT, Pinion Shaft	13	5093 386AA	1							CASE, Differential
16 5093 547AA 1 SHAFT, Axle Intermediate -17 4626 707 2 RING, Axle Shaft 18 5093 383AA 1 COVER, Differential 19 J812 9222 1 SHIM KIT, Differential 20 4626 728 1 SHIM KIT, Pinion Shaft	14	5012 810AC	1							BOLT KIT, Package of 10
-17 4626 707 2 RING, Axle Shaft 18 5093 383AA 1 COVER, Differential 19 J812 9222 1 SHIM KIT, Differential 20 4626 728 1 SHIM KIT, Pinion Shaft	15	4864 213	1							BEARING, Differential Case
18 5093 383AA 1 COVER, Differential 19 J812 9222 1 SHIM KIT, Differential 20 4626 728 1 SHIM KIT, Pinion Shaft	16	5093 547AA	1							SHAFT, Axle Intermediate
19 J812 9222 1 SHIM KIT, Differential 20 4626 728 1 SHIM KIT, Pinion Shaft	-17	4626 707	2							RING, Axle Shaft
20 4626 728 1 SHIM KIT, Pinion Shaft	18	5093 383AA	1							COVER, Differential
	19	J812 9222	1							SHIM KIT, Differential
21 4626 709 9 BOLT, Differential Cover	20	4626 728	1							SHIM KIT, Pinion Shaft
	21	4626 709	9							BOLT, Differential Cover

DODGE VIPER (ZB)—
SERIES L
S = SRT-10 D
X = Coupe

LINE D = Dodge BODY 27 = Convertible 29 = Coupe


ENGINE EWC = 8.3L 10 Cyl SFI

i igule o	05-410									
	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		5038 200AA	2							SHAFT, Axle Half
	2									BOOT KIT, Half Shaft, (NOT SERVICED) (Not Serviced)
2										
	DODGE VIPE	FR (7B)								
	DODGE VIPE SERIES S = SRT-10 X = Coupe	LINE D = Dodge	2	BODY 27 = Convert 29 = Coupe	ible EV	ENGINE VC = 8.3L 10	O Cyl SFI	TRANS DEC = 6 DBB = A	SMISSION S Speed N	N Manual I

Group – 004 Parking Brake









004–100 Parking Brake Lever and Cables		

Lever Assembly and Cables Figure 004-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
I I E IVI	NUMBER	QII	LINE	SERIES	Ворт	ENGINE	IKANS	I Kilwi	DESCRIF HON
1	5290 976AA	1							LEVER, Park Brake
2									SCREW, Tap/Hex Flg Hd Type
									Serrations .250-14x.875, (NOT
_		_							SERVICED) (Not Serviced)
3	6101 467	1							NUT, Hex Flange, M8x1.25
4									PIN, (NOT SERVICED) (Not Serviced)
5									CABLE, Parking Brake
J	5290 284AB	1			27				Right
	5290 285AB	1			27				Left
6									SCREW, .250-14x.875, (NOT
									SERVICED) (Not Serviced)
	ED (7B)								
OGE VIP RIES SRT-10	ER (ZB) LINE) D = Dodge		BODY 27 = Convertib		ENGINE WC = 8.3L 10			SMISSION	

Caliper, Parking Brake Figure 004-115



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CALIPER, Disc Brake
	5093 308AA	1							Right
	5093 309AA	1							Left
2	5093 307AA	1							PAD KIT, Disc Brake, Right And Le
3	5093 311AA	1							BOOT KIT, Repair, Right or Left
4	6507 582AA	2							SCREW, Socket Head, M8x1.25x6
5	6507 581AA	2							BOLT, Hex Head, M10x1.25x80
OGE VIP	ER (ZB)								
RIES SRT-10 Coupe	LINE D = Dodge	e 2 2	BODY 7 = Convertil 9 = Coupe	ble EV	ENGINE VC = 8.3L 10	Cyl SFI	TRANS DEC = 6 DBB = A	MISSIOI Speed I Il Manua	Manual


Group – 005 Service Brakes



005–100 Front Brakes	005–200 Rear Brakes	005–300 Power Brake Booster	005–400 Brake Master Cylinder
005–500 Brake Lines and Hoses	005–600 Brake Pedals		
a			

GROUP 5 - Service Brakes

Illustration Title	Group-Fig. No.
Front Brakes	
Brakes, Front	Fig. 005-110
Rear Brakes	
Brakes, Rear	Fig. 005-210
Power Brake Booster	
Booster, Power Brake	Fig. 005-310
Brake Master Cylinder	
Master Cylinder, Brake	Fig. 005-410
Brake Lines and Hoses	
Lines And Hoses, Front	Fig. 005-510
Lines and Hoses, Rear	Fig. 005-515
Brake Pedals	
Pedal. Brake	Fig. 005-610




	PART	1 '	1											
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION					
1	5093 291AA	2							PAD KIT, Disc Brake, Contains-Pads					
2									PISTON KIT, Front Brake					
	5093 294AA	1						Contains 2-Pistons [44mm Dia						
									Boots, Seals					
	5093 295AA	1						Contains 2-Pistons [40mm Di						
									Boots, Seals					
3	5093 296AA	1						BOOT KIT, disc brake, Conta						
								-44mm Dia] and [2-40mm Dia						
								Boots						
4									CALIPER, Disc Brake					
	5093 292AA	1						Black in Color, Right						
	5093 293AA	1						Black in Color, Left						
	5136 152AA	1			27			Red in Color, Right						
	5136 153AA	1			27				Red in Color, Left					
5	6507 587AA	4							SCREW, Cap, Caliper to Knuckle					
6	5093 297AA	2							BLEEDER SCREW, Brake					
7	5093 302AA	1						PIN KIT, Disc Brake						
8	5135 210AA	1					 _		TUBE, Brake					
9	5093 303AA	1							CLIP, Brake Caliper					
10	5290 394AA	2							ROTOR, Brake					
11	4763 182AB	1							BEARING					
12	6033 702	6							BOLT, D Head, .50-20x2.00					
13	5290 695AA	1							SEAL, Tone Wheel					
14	4848 166	1							GASKET, Front Wheel Bearing					
15									KNUCKLE, Front					
	5290 030AC	1							Right					
	5290 031AC	1							Left					
16	6502 136	4							BOLT, Hex Flange Head, M10x1.					
									50x55, Knuckle/Hub Assembly					
17	4854 411AA	2							RING, Tone					
18	5290 042AA	2							BOLT, Tone Wheel Retainer					
19	6502 294	2							NUT, Hex Flange, M22x1.25					
-20	5290 952AA-	2							SENSOR, Anti-Lock Brakes					

DODGE VIPER (ZB)—
SERIES L
S = SRT-10 D =
X = Coupe

LINE D = Dodge BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5093 291AA	2							PAD KIT, Disc Brake, Contains: 4-
									Pads, Right And Left
2	5093 303AA	1							CLIP, Brake Caliper
3									PISTON KIT, Front Brake
	5093 300AA	1							Contains: 2-Pistons [42mm DIA],
									Seals
	5093 301AA	1							Contains: 2-Pistons [38mm DIA],
									Seals
4	5093 299AA	1							BOOT KIT, disc brake, Contains; [2
									-42MM Dia] and [2-38mm Dia]
									Boots
5									CALIPER, Disc Brake
	5093 304AA	1							Black in Color, Left
	5093 305AA	1							Black in Color, Right
	5136 154AA	1			27				Red in Color, Right
	5136 155AA	1			27				Red in Color, Left
-6	6507 587AA-	4							SCREW, Cap, Caliper Attaching
7	5093 297AA	2							BLEEDER SCREW, Brake
8	5093 302AA	1							PIN KIT, Disc Brake, Contains: 4-
									Pins
9									KNUCKLE, Rear
	5086 730AA	1							Contains: Knuckle, Balljoint,
									Gasket, Seal, Right
	5086 731AA	1							Contains: Knuckle, Balljoint,
									Gasket, Seal, Left
10	6035 642	4							SCREW AND WASHER, Hex Head
									Locking, .50-20x2.25 Grade 8
11	5200 6404	1							SEAL, Ball Joint
12	6030 099	1							FITTING, Ball Joint, Zirc
13	4848 716	1							HUB AND BEARING, Brake
14	4848 171	1							GASKET
15	6035 642	4							SCREW AND WASHER, Hex Head
									Locking, .50-20x2.25 Grade 8
16	5290 393AA	2							ROTOR, Brake
17	6500 336	2							PIN, Cotter, M5x36.00
18	4293 167	2							NUT AND WASHER PACKAGE,
									Front Hub
19	6502 294	2							NUT, Hex Flange, M22x1.25
20	6502 293	2							WASHER, Flat, M23x43x4
-21	5290 248AA-	2							SENSOR, Anti-Lock Brakes
									,


DODGE VIPER (ZB)—
SERIES L
S = SRT-10 D =
X = Coupe

LINE D = Dodge ENGINE EWC = 8.3L 10 Cyl SFI

TRANSMISSION DEC = 6 Speed Manual DBB = All Manual

BODY 27 = Convertible 29 = Coupe

Booster, Power Brake Figure 005-310




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5093 050AA	1							BOOSTER, Power Brake
-2	4883 813AA-	1							GROMMET, Brake Booster Check
									Valve
3	4485 530	1							CHECK VALVE, Brake Booster
4	J400 3909	4							NUT, Hex Flange With Serration,
									Booster To Dash
5									BOOT, Brake Booster Push Rod,
									(NOT SERVICED) (Not Serviced
6	4723 642	1							SEAL, Brake Booster To Dash
-7	4294 036	1							CLIP, Master Cylinder Push Rod
8	4723 395	1							SEAL, Master Cylinder To Booste
9									NUT, Hex Lock, M8x1.25, (NOT
									SERVICED) (Not Serviced)
10	5037 138AB	1							HOSE, Brake Booster Vacuum
-11	J400 3909	4							NUT, Hex Flange With Serration,
									Booster Mounting
-12	6033 369	2			27				CLAMP, Hose, Brake Booster
									Vacuum Hose

DODGE VIPER (ZB)— SERIES L S = SRT-10 D = X = Coupe

LINE D = Dodge BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI

Master Cylinder, Brake Figure 005-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5093 049AA	1							MASTER CYLINDER, Brake
2	4683 656	<u>1</u> 1							CAP, Master Cylinder Reservoir
3	5072 995AA	1							RESERVOIR, Brake Master Cylin
-4	4723 395	1							SEAL, Master Cylinder To Booste
5	4723 394	2							PIN, Master Cylinder Reservoir
-6	4723 389	2							GROMMET, Master Cylinder
									Reservoir
7									NUT, Hex Lock, M8x1.25, (NOT SERVICED) (Not Serviced)
8	5093 251AA	1							SWITCH, Brake Fluid Level


S = SRT-10 X = Coupe

D = Dodge

27 = Convertible 29 = Coupe

DEC = 6 Speed Manual DBB = All Manual

Lines And Hoses, Front Figure 005-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									HOSE, Front Wheel Disc
	5290 043AA	1							Left
	5290 044AA	1							Right
2	6100 575	4							BOLT AND CONED WASHER, Hex
									Head, M8x25x17, Brake Hose To
									Frame
3	6502 136	2							BOLT, Hex Flange Head, M10x1.
									50x55, Brake Line Attaching To
									Knuckle
4	6502 114	8							WASHER, Brake Hose, 4-Front, 4-
									Rear
5	6505 801AA	4							BOLT, Banjo
6	5290 080AA	1							TUBE, Brake, Right Front
7	4683 653	2							CLIP, Tube, Right Front Brake Tub
8	5093 035AA	1							HYDRAULIC CONTROL UNIT, Ant
									Lock Brake System
9	5066 605AA	1							MODULE, Anti-Lock Brake System
10	5290 080AA	1							TUBE, Brake, Right Front
11	5290 083AA	1							TUBE, Brake, Master Cylinder to
									ABS
12	5290 147AA	1							TUBE, Brake, Rear Brake to Modul
13	5290 081AA	1							TUBE, Brake, Left Front
14	5290 082AA	1							TUBE, Brake, Master Cylinder to
									Module
15	6506 358AA	3							SCREW, Shoulder, ICU to Bracket
16	5264 880AA	3							ISOLATOR, Anti Lock Brake Unit
17	4683 556	2							CLIP, Tube, Front, Right and Left
18	5290 248AA	2							SENSOR, Anti-Lock Brakes
19	5039 000AA	2							CLIP, Tube, Brake Line Attaching

DODGE VIPER (ZB)— SERIES L S = SRT-10 D = X = Coupe

LINE D = Dodge BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI

Lines and Hoses, Rear Figure 005-515




	PART													
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION					
1								HOSE, Brake						
	5290 112AA	1							Right					
	5290 113AA	1							Left					
2	6100 575	4							BOLT AND CONED WASHER, Hex					
									Head, M8x25x17, Brake Hose To					
									Frame					
3	6502 114	8						WASHER, Brake Hose, Brake H						
									To Caliper					
4	6505 801AA	4							BOLT, Banjo					
5	5290 857AA	1							TUBE, Brake					
6	4683 653	2							CLIP, Tube					
7	0154 910AA	2			27				SCREW, Clip Attaching Rear Tube					
8	5290 103AA	1							TUBE, Brake					
9	5085 043AA	5			27				CLIP, Fuel Bundle					
10	5290 248AA	2							SENSOR, Anti-Lock Brakes					
11	6101 737	2			27			SCREW, M6x1.0x18						

DODGE VIPER (ZB)— SERIES L S = SRT-10 D = X = Coupe LINE D = Dodge

BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI




1 5290 8900 -2 5604 2383 3 6102 1670 4 J400 3909 5 6 5029 2110 7 4294 036 8 6101 444 9 5029 2060 10 5083 3440 11		NUMBER	QTY	LINE	SERIES					
-2 5604 2383 3 6102 1677 4 J400 3909 5 6 5029 2117 7 4294 036 8 6101 444 9 5029 2067 10 5083 3447	90AA				SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-2 5604 2383 3 6102 1677 4 J400 3909 5 6 5029 2117 7 4294 036 8 6101 444 9 5029 2067 10 5083 3447	90AA									
3 6102 1677 4 J400 3909 5 6 5029 2117 7 4294 036 8 6101 444 9 5029 2067 10 5083 3447		00 890AA	1							PEDAL, Brake, Clutch, and
3 6102 1677 4 J400 3909 5 6 5029 2117 7 4294 036 8 6101 444 9 5029 2067 10 5083 3447										Accelerator
4 J400 3909 5 6 5029 2111 7 4294 036 8 6101 444 9 5029 2066 10 5083 3446 11	387	4 2387	1							SWITCH, Electric Pedal Adjust
5 6 5029 211/7 4294 036 8 6101 444 9 5029 206/10 5083 344/11	67AA	2 167AA	2							NUT AND WASHER, Sled
6 5029 2117 7 4294 036 8 6101 444 9 5029 2067 10 5083 3447	909	0 3909	4							NUT, Hex Flange With Serration
7 4294 036 8 6101 444 9 5029 206, 10 5083 344,										SCREW, M5X0.8X10.00, (NOT
7 4294 036 8 6101 444 9 5029 206, 10 5083 344,										SERVICED) (Not Serviced)
8 6101 444 9 5029 206/ 10 5083 344/ 11	11AA	9 211AA	1							BRACKET, Wiring Harness
9 5029 206/ 10 5083 344/ 11	36	4 036	1							CLIP, Master Cylinder Push Rod
10 5083 344 <i>i</i> 11	44	1 444	2							NUT AND WASHER, Hex, M6x1.0
10 5083 344 <i>i</i> 11										Gas Pedal To Floor
11	06AB	29 206AB	1							BRACKET, Stop Lamp Switch
	44AA	3 344AA	1							SWITCH PACKAGE, Stop Lamp
12 5102 045										WIRING, Instrument Panel, See
12 5102.045										Electrical Group 008, (NOT
12 5102 045										SERVICED) (Not Serviced)
12 3102 043/	45AA	2 045AA	1			27				PAD, Brake Pedal
13 5102 046	46AA	2 046AA	1			27				PAD, Clutch Pedal
14 5102 047		2 047AA	1			27				PAD, Accelerator Pedal
	47AA									


DODGE VIPER (ZB)— SERIES L S = SRT-10 D = X = Coupe

LINE D = Dodge BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI

Group – 006 Clutch






GROUP 6 - Clutch

Illustration Title	Group-Fig. No.
Clutch	
Clutch	Fig. 006-110
Clutch Housing	
Cylinder Assembly, Clutch Housing & Concentric Slave	Fig. 006-210
Clutch Controls	
Clutch Actuation System	Fig. 006-310
Clutch Pedals	
Clutch Pedal	Fia. 006-410

Clutch Figure 006-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales Co	odes:								
	3.3L V-10 Engin	ie							
1	· ·								ENGINE, Complete, See Engine
									Group, (NOT SERVICED) (Not
									Serviced)
2	5037 226AB	1				EWC			FLYWHEEL
3	6035 811	8				EWC			BOLT, Hex Head, .437-20x1.50
4	4848 708AC	1				EWC			PLATE, Clutch Pressure, Clutch K
									Includes Pressure Plate & Clutch
									Disc
5	6036 611AA	8				EWC			BOLT
6	0153 371	4							BOLT, Hex Head, .375-16x2.25,
									Transmission To Engine Top
7	0154 927AA	4							SCREW, Transmission To Engine
_		_							Pan
8	0181 148	2							SCREW, Hex Head, .437-14x2.75
0	0447.000	0							Transmission To Engine Dowels
9	9417 838	2							WASHER, Flat
10									TRANSMISSION, 6 speed, See Transmission Group, (NOT
									SERVICED) (Not Serviced)
									CERTICED) (Not Certiced)

ENGINE EWC = 8.3L 10 Cyl SFI


BODY 27 = Convertible 29 = Coupe

DODGE VIPER (ZB)—
SERIES L
S = SRT-10 D
X = Coupe


LINE D = Dodge

Cylinder Assembly, Clutch Housing & Concentric Slave Figure 006-210

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales Co	de:								
[DEC]=6	Speed Manual	Transn	nission						
1									TRANSMISSION, See Transmission Group, (NOT SERVICED) (Not
									Serviced)
2	5093 034AA	1					DEC		HOUSING, Clutch
3	5037 330AD	1							COVER, Transmission Dust
4	6100 296	2							BOLT, Hex Head
5	6035 666	2							SCREW, Hex Flange Head, .25- 20x1.00
6	5037 357AA	1							CYLINDER, Clutch Slave




DODGE VIPER (ZB)—
SERIES L
S = SRT-10 D
X = Coupe BODY 27 = Convertible 29 = Coupe TRANSMISSION DEC = 6 Speed Manual DBB = All Manual ENGINE EWC = 8.3L 10 Cyl SFI LINE D = Dodge

Clutch Actuation System Figure 006-310

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:Clu	itch Interlock S	Switch S	enviced W	ith Hydraul	lic Actuato	r			
1	4642 666AC 6101 650	1 2	ervicea vv	itri Hydradi	iic Actuato				ACTUATOR, Hydraulic Clutch SCREW AND WASHER, M5X. 80X20.00
DODGE VIPE SERIES S = SRT-10 X = Coupe	R (ZB) LINE D = Dodge	e 2°	BODY 7 = Converti 9 = Coupe	ble EV	ENGINE VC = 8.3L 10) Cyl SFI	TRANS DEC = 6 DBB = Al	MISSIOI Speed M Il Manua	N Manual I

Clutch Pedal Figure 006-410




ITEM	PART	OTV	LINE	OFDIFO	DODY	FNOINE	TDANO	TDIM	DECORPORA
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5290 890AA	1							PEDAL, Brake, Clutch, and
									Accelerator
-2	5604 2387	1							SWITCH, ELECTRIC PEDAL
									ADJUST
3	6102 167AA	2							NUT AND WASHER, Sled
4	J400 3909	4							NUT, Hex Flange With Serration
5									SCREW, [M5X0.8X10.00], (NOT
									SERVICED) (Not Serviced)
6	5029 211AA	1							BRACKET, Wiring Harness
7	4294 036	1							CLIP
8	6101 444	2							NUT AND WASHER, Hex, M6x1.0,
									Gas Pedal To Floor
9	5029 206AB	1							BRACKET, Stop Lamp Switch
10	5083 344AA	1							SWITCH PACKAGE, Stop Lamp
11									WIRING, Instrument Panel, See
									Electrical Group, (NOT SERVICED)
									(Not Serviced)
12	5102 046AA	1							PAD, Clutch Pedal
13	5102 045AA	1							PAD, Brake Pedal
14	5102 047AA	1							PAD, Accelerator Pedal

DODGE VIPER (ZB)— SERIES L S = SRT-10 D = X = Coupe LINE D = Dodge

BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI

Group – 007 Cooling




007–100 Radiator and Related Parts	007–200 Water Pump and Related Parts	007–300 Tank, Coolant Engine	007–400 Pulleys and Related Parts
007-500 Drive Belts			

GROUP 7 - Cooling

Illustration Litle	Group-Fig. No
Radiator and Related Parts Radiator And Related Parts Radiator Air Baffles	Fig. 007-110 Fig. 007-120
Water Pump and Related Parts Water Pump And Related Parts	Fig. 007-210
Tank, Coolant Engine Coolant Reserve and Pressurized Coolant Tank	Fig. 007-310
Pulleys and Related Parts Pulleys, Drive	Fig. 007-410
Drive Belts Belts, Drive	Fia. 007-510

Radiator And Related Parts Figure 007-110




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	Sales Codes:								
[EWC] =	8.3L V10 SFI								
1	5037 344AA	1				EWC			THERMOSTAT, 185 Degrees
2	5037 173AA	1				EWC			GASKET, Thermostat
3	5037 174AB	1				EWC			HOUSING, Thermostat
4	55035 944AB	1				EWC			NIPPLE, Heater Inlet
5									SCREW AND WASHER, [M6X1.
									00X55.00], (NOT SERVICED) (No
									Serviced)
6	5264 985AA	1							HOSE, Radiator Inlet
7	5200 6750	2							CLAMP, Radiator
8	6101 308	2							NUT, U, M6x1
9	5264 986AA	1							HOSE, Radiator Outlet
10	5264 994AB	1							RADIATOR, Engine Cooling
-11	52029 087AA-	1							DRAINCOCK, Radiator
-12	5290 670AA-	1							SEAL, Radiator Upper
13									SEAL, Radiator Side, Serviced with
									Radiator, (NOT SERVICED) (Not
									Serviced)
14	4809 071	2							ISOLATOR, Radiator, Lower
15	5202 7827	2							ISOLATOR, Radiator, Upper
16	5290 099AA	1							FAN MODULE, Radiator Cooling
17	5290 176AA	1							WIRING, Fan Motor
-18	52079 928AA-	1							CLIP, Line
-19	0153 355	2							U-NUT, .25-20
-20	5290 177AA-	1							CLIP, Power Steering Return Hose
-21	6504 118	8							U-NUT, M6 x 1.00, M6x1.00,
									Radiator attaching

DODGE VIPER (ZB)—
SERIES L
S = SRT-10 D
X = Coupe LINE D = Dodge

BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI

Radiator Air Baffles Figure 007-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•					•	•		
1	4708 180	2							SCREW, Splash Shield
2	6506 504AA	4							SCREW TAPPING & WASHER, Hex
									Head, Type AB Flat Washer
3	5290 668AA	1							BAFFLE, Radiator Air
-4	5037 353AA-	1							LABEL, Fan Caution
5	6501 067	2							PIN, Push, M6.3x20.5
6	5264 984AA	1							DUCT, Air, Brake Cooling - Rt.
7	5264 983AA	1							DUCT, Air, Brake Cooling - Lt.
8	5029 154AB	1							FASCIA, Front, Primed


DODGE VIPER (ZB)—
SERIES L
S = SRT-10 D =
X = Coupe LINE

D = Dodge

BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI


Water Pump And Related Parts Figure 007-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			<u> </u>						
	ales Codes:								
	8.3L V10 SFI					=:			
1 2	5037 164AB	1				EWC			PUMP, Water, With Pulley HUB, Water Pump Pulley, (NOT SERVICED) (Not Serviced)
3	5037 171AB	1				EWC			GASKET, Water Pump
4	6034 530	6				EWC			SCREW, Hex Head, .312-18x.75
5	6035 558	1				EWC			SCREW, Hex Flange Head, .375- 16x1.50
					-				
-> \/IDI	(35)								
DGE VIPE ERIES	ER (ZB)———— LINE		BODY		ENGINE		TRANS	SMISSIO	N

Coolant Reserve and Pressurized Coolant Tank Figure 007-310

PART




ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	Sales Codes:								
[EWC] =	8.3L V10 SFI								
1	5043 002AA	1							BOTTLE, Pressurized Coolant
-2	4266 423	1							HOSE, Overflow, Roll Stock
3	4596 198	1							CAP, Radiator
4	6503 698	3							SCREW AND WASHER, Truss
									Head, M6-1.00x30.00
5	6503 422	2							CLAMP, Supply Hose, 26 mm
									Diameter
6	6502 018	2							CLAMP, Hose, M28.9 x 1.60
7	5037 987AA	1							HOSE, Heater Return
8	5264 929AA	1							HOSE, Heater Supply
9	5290 217AA	1							CLIP, Heater Hose
10	5264 931AA	1							HOSE, Coolant Bottle Inlet
11	5290 218AA	1							HOSE, Oil Cooler Return
12	5290 014AA	1							COOLER, Engine Oil

DODGE VIPER (ZB)— SERIES L S = SRT-10 D X = Coupe

BODY 27 = Convertible 29 = Coupe LINE D = Dodge


ENGINE EWC = 8.3L 10 Cyl SFI



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11 = 141	HOMBER	I	FII4E	OLIVILO	505.	LITOINE	IIIAIIO	1111111	DEGGMI HON
	ales Codes:								
WC] =	8.3L V10 SFI								
1	4792 581AA	1				EWC			PULLEY, Idler
2	5037 204AA	1				EWC			PULLEY, Crankshaft
-3	3300 2201	1				EWC			BUSHING, Idler Pulley
4	5086 500AA	1				EWC			TENSIONER PACKAGE, Belt
5	6502 135	1				EWC			NUT, Hex Flange, M10x1.5
6	6034 530	6				EWC			SCREW, Hex Head, .312-18x.75
7	5037 206AB	1				EWC			BELT, Accessory Drive
8	5037 164AB	1				EWC			PUMP, Water, With Pulley
D GE VIPE	ER (ZB)		BODY		ENGINE			SMISSION	

Belts, Drive Figure 007-510


	PART			,		1			
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: 0	. 0-1								
	ales Codes: 8.3L V10 SFI								
	5037 206AB					EWC			BELT, Accessory Drive
									•
DODGE VIPE SERIES	ER (ZB)———— LINE		BODY		ENGINE		TRANS	SMISSIO	N
S = SRT-10	D = Dodge		27 = Convertib	ole F\	WC = 8.3L 10	0 Cvl SFI	DEC = 6	Speed Manua	Manual




AR = Use as required -= Non illustrated part # = New this model year

Group – 008


Electrical





Group – 008

Electrical




GROUP 8 - Electrical

Illustration Title	Group-Fig. No
Starters	
Starter	Fig. 008-105
Alternators	
Alternators	Fig. 008-205
Modules	F: 000 10F
Modules	Fig. 008-405
Relays	F: - 000 F0F
Power Distribution Center, [Relays, and Fuses]	Fig. 008-505
Sensors	Fi- 000 005
Sensors, Power Train	Fig. 008-605 Fig. 008-610
Single Board Engine Controllers	1 ig. 000 010
Single Board Controllers	Fig. 008-705
Switches	1 ig. 000 700
Switches Instrument Panel and Console	Fig. 008-805
Switches Drivetrain	Fig. 008-810
Switches Body	Fig. 008-815
Horns	
Horns	Fig. 008-905
Battery Tray and Cables	
Battery Tray and Cables	Fig. 008-1005
Lamps - Front, Rear and Courtesy	
Lamps and Wiring - Front	Fig. 008-1105
Lamps and Wiring - Rear	Fig. 008-1110
Courtesy Lamps	Fig. 008-1115
Wiring-Engine & Related Parts	Fig. 000 400
Wiring - Engine and Related Parts	Fig. 008-1205
Wiring-Headlamp to Dash Wiring - Headlamp to Dash	Fig. 008-1305
·	Fig. 008-1303
Wiring-Instrument Panel Wiring - Instrument Panel	Fig. 008-1405
	1 lg. 000-1400
Wiring-Body & Accessories Wiring - Body and Accessories	Fig. 008-1505
•	1 ig. 000-1000
Wiring Repair Connector Repair Package	Fig. 008-1605
	1 ig. 000-1000
Spark Plugs-Cables-Coils Spark Plugs - Cables - Coil	Fig. 008-1905
opanii lago cablos con	. ig. 555 1560

Starter Figure 008-105


		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1	5037 199AA	1				EWC			STARTER
	-2	0154 935AA-	2			27	EWC			SCREW, SCREW
_										



SERIES LINE
S = SRT-10 D = Doo
X = Coupe BODY 27 = Convertible 29 = Coupe ENGINE EWC = 8.3L 10 Cyl SFI

D = Dodge

Alternators Figure 008-205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11 - 141	NOMBER	Q I I	LINE	OLIVILO	БОБТ	LIVOINE	TRANG	11111111	DECOMI HON
WB= 8	.0L V10 SFI								
1	5037 198AA	1				EWC			ALTERNATOR, Electrical
2	5037 086AA	1				EWC			PULLEY, Idler
3	5037 036AC	1				EWC			COVER, Timing Case
4	5086 500AA	1				EWC			TENSIONER PACKAGE, Belt
5	5037 206AB	1				EWC			BELT, Accessory Drive
-6	6035 558	1				EWC			SCREW, Hex Flange Head, .375-
									16x1.50, Alternator mounting
-7	3300 2201	1				EWC			BUSHING, Idler Pulley
-8									WIRING, Alternator, Serviced in
									headlamp to dash harness, (NO
									SERVICED) (Not Serviced)
-9	6506 929AA-	1				EWC			NUT, Hex Flange Lock, M8x1.25,
									Alternator Bracket to Cable
-10	6505 128AA-	1			27	EWC			BOLT, Alternator mounting

 DODGE VIPER (ZB)

 SERIES
 LINE


 S = SRT-10
 D = Doo

 X = Coupe
 D = Doo


BODY 27 = Convertible 29 = Coupe D = Dodge

ENGINE EWC = 8.3L 10 Cyl SFI

Modules Figure 008-405



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4865 531AC	1			27				AIR BAG, Passenger
2									SCREW, Round Head, .164-15x1.00,
									(NOT SERVICED) (Not Serviced)
3	4865 582AB	1							MODULE, Air Bag Control
-4	6102 254AA-	4			27				BOLT AND WASHER, Hex Head,
									M6x-1.00x55, Air Bag Module
									attaching
5	4815 551AC	1							MODULE, Radio Antenna
6									SCREW, Tapping, .19-16x1.75,
									(NOT SERVICED) (Not Serviced)
7	TQ87 DX9AA	1							AIR BAG, Driver
8	4686 669AB	1							MODULE, Keyless Entry Receiver
9	4602 260AA	2							TRANSMITTER, Keyless Entry
-10	4815 227AF-	1							MODULE, Low Tire Pressure
									Warning
-11	4865 524AF-	1			27				MODULE, Body Controller
-12	4865 944AA-	1							MODULE, HID Bulb Powerpack




DODGE VIPER (ZB)— SERIES L S = SRT-10 D = X = Coupe


LINE D = Dodge BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI

Power Distribution Center, [Relays, and Fuses] Figure 008-505




Sensors, Power Train Figure 008-605



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	N V40 CEI								
	L V10 SFI ANUAL 6-SPEE	<u> </u>							
DEC= 1817 1	4686 360AB	1			27	EWC			SENSOR, Throttle Position
2	4609 153AE	1			27 27	EWC			SENSOR, Crankshaft Position
3	5245 084	1			21	EWC			SENSOR, Camshaft
4	4686 684AA	1				EWC			SENSOR, Map
-5	6035 957AA-	2				EWC			SCREW, Map Sensor Wiring
6	56041 699AA	2				EWC			SENSOR, Oxygen, Upstream
7	56041 706AA	2				EWC			SENSOR, Oxygen, Downstream
-8	6016 152	2			27	EWC			CLIP, Front Oxygen Sensor Wiring
-9	5073 039AA-	2			21	LVVO			STRAP, Tie, Front Oxygen Sensor
-9	3073 033AA-	2							Engine Mount
10									SENSOR, Vehicle Speed, (NOT
10									REQUIRED)
-11	4606 487AB-	1			27	EWC			SENSOR, Charge Air Temp
-11	4000 407 AD-	'			21	EVVC			SENSOR, Charge All Temp
ODGE VIPI	ER (ZB)————————————————————————————————————		BODY		ENGINE			SMISSIO	

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5004.4050								05N00D D # T
1	5604 1053	1							SENSOR, Battery Temperature
2	5290 952AA	2			27				SENSOR, Anti-Lock Brakes
3	5290 248AA	2			27				SENSOR, Anti-Lock Brakes
-4	52088 990AA-	1							SENSOR, Tire Pressure, valve stem




DODGE VIPER (ZB)— SERIES L S = SRT-10 D = X = Coupe

LINE D = Dodge BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI

Single Board Controllers Figure 008-705

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									MODULE, Powertrain Control
	4865 501AE	1			27				Up to 11/06/02
	4865 501AF	1			27				After 11/06/02
2									SCREW, Hex Flange Head, [m5x.
									80x55], (NOT SERVICED) (Not
									Serviced)
3	6503 746	2							U NUT, M5x0.80
4									WIRING, Headlamp to Dash, See 8
									1305, (NOT SERVICED) (Not
									Serviced)
5									WIRING, Engine, See 8-1205, (NO
									SERVICED) (Not Serviced)




DODGE VIPER (ZB)— SERIES L S = SRT-10 D = X = Coupe

LINE D = Dodge BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI

Switches Instrument Panel and Console Figure 008-805




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•								
E\\/P_ 9	0L V10 SFI								
	DEC= MANUAL 6-SPEED								
1	4671 789AC	1							CLOCKSPRING
2	4071 703710	•							SWITCH, Ignition
2	4685 719AC	1							Steering Column
	1000 / 10/10	<u>·</u> 1			27				Cteering Column
-3	6035 021	1							SCREW, Pan Head Tapping, .125-
· ·		·							40x.437, Ignition Switch mounting
4	5066 185AA	1							SWITCH, Multifunction, Lighting
									control
-5	4671 714AA-	1							FLASHER, Plugs in multifunction
									switch
-6	4794 302AA-	1							FOAM, Multifunction Switch
-7	6036 075AA-	1							SCREW, Pan Head, Multifunction
									Switch
-8	6503 395	2							SCREW AND WASHER, Self
									Tapping, M4x.7x14, Multifunction
									Switch
9	5019 710AA	1							SWITCH, Intermittent Wiper
10	4865 875AA	1							SWITCH, Passenger Airbag Disarm
-11	6032 452	3							SCREW, Self Piercing, .164-15x.625,
									Passenger Air Bag Disable Switch
									mounting
12	5083 344AA	1							SWITCH PACKAGE, Stop Lamp
-13	5029 206AB-	1							BRACKET, Stop Lamp Switch
14	53007 944AB	1							SWITCH, Clutch Starter Interlock
15									SWITCH, Electric Back Light, (NOT
									REQUIRED)
-16	4565 022	1							SWITCH AND LAMP, Glove Box
-17	5604 2387	1							SWITCH, Pedal Adjuster
-18									SWITCH, Remote Radio
	4685 728AB-	1							Right
	4685 729AB-	1							Left
-19	4865 676AC-	1			27				SWITCH, Ignition, Instrument Panel
									mounted


DODGE VIPER (ZB)—
SERIES L
S = SRT-10 D
X = Coupe

LINE D = Dodge BODY 27 = Convertible 29 = Coupe ENGINE EWC = 8.3L 10 Cyl SFI

Switches Drivetrain Figure 008-810




	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		5000 00044								014/17011 4 /0 1
_	2	5093 082AA	1							SWITCH, A/C Low Pressure Cut Off SENSOR, Coolant Temperature
	_	5269 870AB	1				EWC			Coolant temp
			1				EWC			Oil temp
_	3									SWITCH, Oil Pressure, (NOT
	4	50000 007AD	4				EW/C			REQUIRED)
	4 5	56028 807AB 4626 593	1 1				EWC	DEC		SENDING UNIT, Oil Pressure SWITCH, Back Up Lamp
_		1020 000	•							
_										
_										
_										
_										
_										
_										
_										
SI S :	DDGE VIPE ERIES = SRT-10 = Coupe	ER (ZB) LINE D = Dodge	e 2	BODY 27 = Converti 29 = Coupe	ible E\	ENGINE VC = 8.3L 10	0 Cyl SFI	TRANS DEC = 6 DBB = A	MISSION Speed N	Manual



00-015	,								
	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4608 505AC	1							SWITCH, Mirror
2									NUT, (NOT REQUIRED)
3	4687 594	1							SWITCH, Door Ajar
4	4685 435	1							SWITCH, Covertible top
-5	4865 875AA-	1							SWITCH, Passenger Airbag Disarn
-6	5093 227AA-	1							HOUSING, Switch, Window switch
-7	4608 633AD-	2							SWITCH, Single Gang Power
									Window
-8	4865 870AB-								SWITCH, Door Handle, Inside
-9	5083 970AA-				27				BEZEL, Switch
-10	4685 841AB-	1							SWITCH, Door Lock, Door Key
									Position
-11	5293 090AC-								SWITCH, Outside Door Handle
-12	4687 594AB-	1							SWITCH, Underhood, Hood Ajar
I ODGE VI I SERIES	PER (ZB)———— LINE		BODY		ENGINE		TRANS	MISSIO	N
S = SRT-1	0 D = Dodge		27 = Convertib	ble E\	NC = 8.3L 1	0 Cyl SFI	DEC = 6	Speed I	Manual
(= Coupe)	2	29 = Coupe				DBB = A	II Manua	NI .

Horns Figure 008-905

-2 4760 943AD- 1 HORN AND BRACKET, Low N 3 SCREW, .250-14x.875, Horn Attaching, (NOT SERVICED) Serviced) WIRING, Headlamp to Dash, S 1305, (NOT SERVICED) (No		PART								
-2 4760 943AD- 1 HORN AND BRACKET, Low N 3 SCREW, .250-14x.875, Horn Attaching, (NOT SERVICED) Serviced) WIRING, Headlamp to Dash, S 1305, (NOT SERVICED) (No	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-2 4760 943AD- 1 HORN AND BRACKET, Low N 3 SCREW, .250-14x.875, Horn Attaching, (NOT SERVICED) Serviced) WIRING, Headlamp to Dash, S 1305, (NOT SERVICED) (No										
3 SCREW, .250-14x.875, Horn Attaching, (NOT SERVICED) Serviced) WIRING, Headlamp to Dash, S 1305, (NOT SERVICED) (No	1	4760 944AD	1							HORN AND BRACKET, High Note
Attaching, (NOT SERVICED) Serviced) WIRING, Headlamp to Dash, S 1305, (NOT SERVICED) (No	-2	4760 943AD-	1							HORN AND BRACKET, Low Note
Serviced) 4 WIRING, Headlamp to Dash, S 1305, (NOT SERVICED) (No	3									SCREW, .250-14x.875, Horn
4 WIRING, Headlamp to Dash, S 1305, (NOT SERVICED) (No										Attaching, (NOT SERVICED) (No
1305, (NOT SERVICED) (No										Serviced)
, ,	4									WIRING, Headlamp to Dash, See
Serviced)										1305, (NOT SERVICED) (Not
										Serviced)




DODGE VIPER (ZB)— SERIES L S = SRT-10 D = X = Coupe


LINE D = Dodge BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI

Battery Tray and Cables Figure 008-1005



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5290 220AA	1							RETAINER, Battery Hold Down
2	6500 584	1			27				SCREW AND WASHER, Hex Head,
									M8x1.25x30, Battery Retainer
3	4865 468AE	1			27				WIRING, Body
4									WIRING, Battery Negative
	4865 977AB	1			27				Up to 05/07/03
	4865 977AC	1			27				After 05/07/03
5									WIRING, Battery Positive, Serviced
									in Body Harness only, (NOT
									SERVICED) (Not Serviced)
-6	4848 923AA-	1							LABEL, Battery
7									TRAY, Battery, Serviced in frame
									assembly, (NOT SERVICED) (Not
									Serviced)
8	5602 8194	1							SENSOR, Battery Temperature
9									CLIP, [9MM], (NOT SERVICED) (Not
									Serviced)
10	4364 944	1			27				BATTERY
-11	5029 087AA-	1							COVER, Battery



DODGE VIPER (ZB)— SERIES L S = SRT-10 D = X = Coupe

LINE D = Dodge BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI

Lamps and Wiring - Front Figure 008-1105

7 7 0 1 4	7
12	12

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
ACR=C0	OMPETITION GF	ROUP							
1 5029 226AA 2 LAI		LAMP, Front Fog							
-2	L000 9145	2							BULB, Fog Lamp, 50 Watt
-3	4865 822AA-	1			27				PANEL, Fog Lamp
4	5029 228AA	2							BRACKET, Fog Lamp
-5									SCREW, Hex Head Tapping, .19-
									16x1, (NOT SERVICED) (Not
									Serviced)
-6									SEAL, Fog Lamp, Serviced in Fog
									Lamp Assembly, (NOT SERVICED
									(Not Serviced)
7									HEADLAMP
	4865 484AC	1			27				Right
	4865 485AC	1			27				Left
-8									BULB, Headlamp
	4865 941AA-	1							Right or Left
	L000 9005	1							Low Beam
	L0900 5XSLL-	1			27				High Beam
-9	0153 624	1							BULB, W3W
-10	L002 825W5W	1 1							BULB, W10/5, Side marker, Right or
									Left
-11	L0041 57NAK-	1							BULB, 4157 NAK
12	4865 895AB	1							WIRING, Headlamp Jumper, Right o
									Left
-13	L000 0194	1							BULB, 194, Side Marker
-14	L003 157K	1							BULB, 3157K
-15	5029 065AA-	1							SOCKET, Headlamp

X = Coupe

DODGE VIPER (ZB)— SERIES L S = SRT-10 D LINE

D = Dodge

BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI

Lamps and Wiring - Rear Figure 008-1110

	(15)	
5		5

TEM		PART								
A865 486AC 1	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
A865 486AC 1										
A865 486AC 1	1									LAMP. Tail Stop Turn
A865 487AC 1		4865 486AC	1							<u> </u>
## A865 487AE 1 27 After 01/27/03, Right ## A865 487AE 1 27 After 01/27/03, Left ## OF A STAN STAN STAN STAN STAN STAN STAN ST		4865 487AC	1							
A865 487AE 1 27		4865 486AE	1			27				After 01/27/03, Right
Tail Lamp to Quarter Panel 3 L003 057K 1 4 5003 368AA- 2 2 27 VENT, Tail lamp 5 LAMP, Back-Up and Turn Signal 4865 488AB 1 Up to 05/01/03, Right 4865 489AB 1 Up to 05/01/03, Right 4865 489AC 1 27 After 05/01/03, Right 6 L0003 457AK- 1 27 BULB, 3457AK 7 L003 757A 1 27 BULB, 3757APY27/7W 8 WIRING, Taillamp 4865 896AB 1 Right 1 Left 9 6502 589 6 NUT, Wing, M6, Licens Lamp attaching 10 4642 929AB 2 27 LAMP, License Plate 5 CREW, Tapping, .19-16x.75, License Lamp Attaching, (NOT SERVICED) (Not Serviced) 10 4645 897AC- 1 27 WIRING, High Mounted Stop Lamp 13 L000 0168 2 BULB, 168 14 4865 897AC- 1 27 WIRING, High Mounted Stop Lamp 15 4865 655AB 1 27 WIRING, High Mounted Stop Lamp 16 6101 447 4 27 WIRING, High Mounted Stop Lamp 17 4815 972AB- AR SHIM, Tail Lamp SEAL, Tail Lamp Socket		4865 487AE	1			27				-
-3 L003 057K 1 -4 5003 368AA- 2 2 27 VENT, Tail lamp 5 LAMP, Back-Up and Turn Signal Up to 05/01/03, Right Up to 05/01/03, Left Up to 05/01/03, Right Up	-2	6100 876	6			27				
Color										Tail Lamp to Quarter Panel
Color	-3	L003 057K	1							BULB, 3057K, Right or Left
4865 488AB 1 4865 489AB 1 4865 489AB 1 4865 489AC 1 27 After 05/01/03, Right 4865 489AC 1 27 After 05/01/03, Left 4865 489AC 1 27 After 05/01/03, Left 6 L0003 457AK- 1 27 BULB, 3457AK 6 L0003 757A 1 27 BULB, 3757APY27/7W 8 Right 6 Hospital	-4	5003 368AA-	2			27				-
A865 489AB 1	5									LAMP, Back-Up and Turn Signal
A865 488AC 1 27		4865 488AB	1							Up to 05/01/03, Right
4865 489AC 1 27 After 05/01/03, Left -6 L0003 457AK- 1 27 BULB, 3457AK -7 L003 757A 1 27 BULB, 3757APY27/7W 8 Right -9 6502 589 6 NUT, Wing, M6, Licens Lamp attaching 10 4642 929AB 2 27 LAMP, License Plate -11 SCREW, Tapping, .19-16x.75, License Lamp Attaching, (NOT SERVICED) (Not Serviced) -12 6034 537 4 NUT, U Type, .190-16, License Lamp attaching -13 L000 0168 2 BULB, 168 -14 4865 897AC- 1 27 WIRING, High Mounted Stop Lamp -15 4865 655AB 1 27 LAMP, High Mounted Stop Lamp -16 6101 447 4 27 NUT, CHMSL to Deck Lid attaching -17 4815 972AB- AR SHIM, Tail Lamp -18 4399 599 1		4865 489AB	1							Up to 05/01/03, Left
-6 L0003 457AK- 1 27 BULB, 3457AK -7 L003 757A 1 27 BULB, 3757APY27/7W 8 WIRING, Taillamp 4865 896AB 1 Right Left -9 6502 589 6 NUT, Wing, M6, Licens Lamp attaching 10 4642 929AB 2 27 LAMP, License Plate SCREW, Tapping, .19-16x.75, License Lamp Attaching (NOT SERVICED) (Not Serviced) -12 6034 537 4 NUT, U Type, .190-16, License Lamp attaching -13 L000 0168 2 BULB, 168 -14 4865 897AC- 1 27 WIRING, High Mounted Stop Lamp -15 4865 655AB 1 27 LAMP, High Mounted Stop -16 6101 447 4 27 NUT, CHMSL to Deck Lid attaching -17 4815 972AB- AR -18 4399 599 1		4865 488AC	1			27				After 05/01/03, Right
-7 L003 757A 1 27 BULB, 3757APY27/7W 8		4865 489AC	1			27				After 05/01/03, Left
Wirth Number Wirth Number Wirth Number Wirth Number	-6	L0003 457AK-	- 1			27				BULB, 3457AK
Right Left -9 6502 589 6 NUT, Wing, M6, Licens Lamp	-7	L003 757A	1			27				BULB, 3757APY27/7W
1 Left NUT, Wing, M6, Licens Lamp attaching 10 4642 929AB 2 27 LAMP, License Plate -11 SCREW, Tapping, .19-16x.75, License Lamp Attaching, (NOT SERVICED) (Not Serviced) -12 6034 537 4 NUT, U Type, .190-16, License Lamp attaching -13 L000 0168 2 BULB, 168 -14 4865 897AC- 1 27 WIRING, High Mounted Stop Lamp -15 4865 655AB 1 27 WIRING, High Mounted Stop Lamp -16 6101 447 4 27 NUT, CHMSL to Deck Lid attaching -17 4815 972AB- AR -18 4399 599 1	8									WIRING, Taillamp
-9 6502 589 6 NUT, Wing, M6, Licens Lamp attaching 10 4642 929AB 2 27 LAMP, License Plate -11 SCREW, Tapping, .19-16x.75, License Lamp Attaching, (NOT SERVICED) (Not Serviced) -12 6034 537 4 NUT, U Type, .190-16, License Lamp attaching -13 L000 0168 2 BULB, 168 -14 4865 897AC- 1 27 WIRING, High Mounted Stop Lamp -15 4865 655AB 1 27 LAMP, High Mounted Stop -16 6101 447 4 27 NUT, CHMSL to Deck Lid attaching -17 4815 972AB- AR -18 4399 599 1		4865 896AB	1							Right
attaching 10 4642 929AB 2 27 LAMP, License Plate SCREW, Tapping, .19-16x.75, License Lamp Attaching, (NOT SERVICED) (Not Serviced) -12 6034 537 4 NUT, U Type, .190-16, License Lamp attaching -13 L000 0168 2 BULB, 168 -14 4865 897AC- 1 27 WIRING, High Mounted Stop Lamp 15 4865 655AB 1 27 LAMP, High Mounted Stop Lamp -16 6101 447 4 27 NUT, CHMSL to Deck Lid attaching -17 4815 972AB- AR SHIM, Tail Lamp SEAL, Tail Lamp Socket SCREW, Tapping, .19-16x.75, LAMP, License Plate SCREW, Tapping, .19-16x.75, License Lamp Attaching Attaching -18 4399 599 1 SEAL, Tail Lamp Socket -19 SEAL, Tail Lamp Socket -10 SCREW, Tapping, .19-16x.75, LAMP, License Plate LAMP, License Plate LAMP, License Plate LAMP, License Lamp Attaching Attaching -10 SCREW, Tapping, .19-16x.75, License Lamp Attaching Attaching -10 SCREW, Tapping, .19-16x.75, License Lamp Attaching Attaching -10 SCREW, Tapping, .19-16x.75, License Lamp -10 SCREW, License			1							Left
10 4642 929AB 2 27 LAMP, License Plate -11 SCREW, Tapping, .19-16x.75,	-9	6502 589	6							NUT, Wing, M6, Licens Lamp
-11 SCREW, Tapping, .19-16x.75,										attaching
License Lamp Attaching, (NOT SERVICED) (Not Serviced) -12 6034 537 4 NUT, U Type, .190-16, License Lamp attaching -13 L000 0168 2 BULB, 168 -14 4865 897AC- 1 27 WIRING, High Mounted Stop Lamp 15 4865 655AB 1 27 LAMP, High Mounted Stop -16 6101 447 4 27 NUT, CHMSL to Deck Lid attaching -17 4815 972AB- AR SHIM, Tail Lamp -18 4399 599 1 SEAL, Tail Lamp Socket	10	4642 929AB	2			27				LAMP, License Plate
SERVICED) (Not Serviced) -12 6034 537 4 NUT, U Type, .190-16, License Lamp attaching -13 L000 0168 2 BULB, 168 -14 4865 897AC- 1 27 WIRING, High Mounted Stop Lamp 15 4865 655AB 1 27 LAMP, High Mounted Stop -16 6101 447 4 27 NUT, CHMSL to Deck Lid attaching -17 4815 972AB- AR SHIM, Tail Lamp -18 4399 599 1 SEAL, Tail Lamp Socket	-11									SCREW, Tapping, .19-16x.75,
-12 6034 537 4 NUT, U Type, .190-16, License Lamp attaching -13 L000 0168 2 BULB, 168 -14 4865 897AC- 1 27 WIRING, High Mounted Stop Lamp 15 4865 655AB 1 27 LAMP, High Mounted Stop -16 6101 447 4 27 NUT, CHMSL to Deck Lid attaching -17 4815 972AB- AR SHIM, Tail Lamp -18 4399 599 1 SEAL, Tail Lamp Socket										License Lamp Attaching, (NOT
attaching -13 L000 0168 2 BULB, 168 -14 4865 897AC- 1 27 WIRING, High Mounted Stop Lamp 15 4865 655AB 1 27 LAMP, High Mounted Stop -16 6101 447 4 27 NUT, CHMSL to Deck Lid attaching -17 4815 972AB- AR SHIM, Tail Lamp -18 4399 599 1 SEAL, Tail Lamp Socket										SERVICED) (Not Serviced)
-13 L000 0168 2 -14 4865 897AC- 1 15 4865 655AB 1 27 WIRING, High Mounted Stop Lamp 16 6101 447 4 27 LAMP, High Mounted Stop NUT, CHMSL to Deck Lid attaching High Mounted Stop NUT, CHMSL to Deck Lid attaching SHIM, Tail Lamp SEAL, Tail Lamp Socket	-12	6034 537	4							NUT, U Type, .190-16, License Lamp
-14 4865 897AC- 1 27 WIRING, High Mounted Stop Lamp 15 4865 655AB 1 27 LAMP, High Mounted Stop -16 6101 447 4 27 NUT, CHMSL to Deck Lid attaching -17 4815 972AB- AR SHIM, Tail Lamp -18 4399 599 1 SEAL, Tail Lamp Socket										attaching
15 4865 655AB 1 27 LAMP, High Mounted Stop -16 6101 447 4 27 NUT, CHMSL to Deck Lid attaching -17 4815 972AB- AR SHIM, Tail Lamp -18 4399 599 1 SEAL, Tail Lamp Socket	-13	L000 0168	2							BULB, 168
-16 6101 447 4 27 NUT, CHMSL to Deck Lid attaching -17 4815 972AB- AR SHIM, Tail Lamp -18 4399 599 1 SEAL, Tail Lamp Socket	-14	4865 897AC-	1							
-17 4815 972AB- AR SHIM, Tail Lamp -18 4399 599 1 SEAL, Tail Lamp Socket	15	4865 655AB	1							LAMP, High Mounted Stop
-18 4399 599 1 SEAL, Tail Lamp Socket	_		4			27				NUT, CHMSL to Deck Lid attaching
	-17	4815 972AB-	AR							SHIM, Tail Lamp
-19 4523 097 1 SOCKET, Turn Signal Lamp	-18									-
	-19	4523 097	1							SOCKET, Turn Signal Lamp

 DODGE VIPER (ZB)

 SERIES
 LINE

 S = SRT-10
 D = Doo


 X = Coupe
 D = Doo

D = Dodge

BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI

Courtesy Lamps Figure 008-1115



BODY 27 = Convertible

29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI

LINE


X = Coupe

D = Dodge

TRANSMISSION DEC = 6 Speed Manual DBB = All Manual

DESCRIPTION

Wiring - Engine and Related Parts Figure 008-1205



ITEM									
	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EWB=8.0	L V10 SFI								
1									WIRING, Engine
	5037 287AD	1			27	EWC			Up to 04/04/03
	5030 250AA	1			27	EWC			After 04/04/03
-2									WIRING, Alternator, Serviced in
									Headlamp to Dash Harness, (NO
									SERVICED) (Not Serviced)
-3									BRACKET, Wire Harness
	5037 356AA-	1				EWC			
	4848 779AC-	2			27	EWC			Manifold
-4	4865 977AB-	1			27				WIRING, Battery Negative
-5	5037 139AB-	1				EWC			WIRING, Engine Ground
-6	4865 928AB-	1			27				WIRING, Transmission
								·	


DODGE VIPER (ZB)— SERIES L S = SRT-10 D = X = Coupe

LINE D = Dodge BODY 27 = Convertible 29 = Coupe


ENGINE EWC = 8.3L 10 Cyl SFI

Wiring - Headlamp to Dash Figure 008-1305

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NUMBER	QIT	LINE	SERIES	ВОДТ	ENGINE	IRANS	IKIW	DESCRIPTION
1	4865 470AF	1			27				WIRING, Headlamp and Dash
	5029 211AA-								BRACKET, Wiring Harness
	,								
OODGE VIPE	ER (ZB)								
SERIES S = SRT-10	LINE	,	BODY 27 = Converti	iblo El	ENGINE WC = 8.3L 10	o Cyl SEI	TRANS	MISSIO	N Manual
X = Coupe	D = Douge	; 2	27 = Converti 29 = Coupe	DIE LV	/VC = 0.3L T	J Cyl SF1	DEC = 6 DBB = A	i Deeu i Il Manua	viariuai il




Wiring - Instrument Panel Figure 008-1405



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			l l						
1	4865 471AE	1			27				WIRING, Instrument Panel
2									BLOCK, Fuse, Serviced in
									Instrument Panel Harness, (NOT
									SERVICED) (Not Serviced)
-3	4848 579	1							LABEL, Fuse Block
-3 -4	4671 714AB-								FLASHER
-5	4606 418AA-	2							RELAY, Electrical, Up/Down Windo Relay
ODGE VIPE SERIES	LINE		BODY		ENGINE		TRANS	MISSIO	N
= SRT-10 = Coupe	D = Dodge	e 2 2	27 = Convertib 29 = Coupe	ole EV	VC = 8.3L 10	Cyl SFI	DEC = 6 DBB = A	Speed N	Manual

Wiring - Body and Accessories Figure 008-1505



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IIEW	NOWBER	QII	LINE	SERIES	ВОВТ	ENGINE	INANO	IKIW	DESCRIPTION
1									WIRING, Body
	4801 247AC	1			27				Up to 01/07/03, Right
	4865 468AE	1			27				Up to 02/10/03
	4801 247AD	1			27				After 01/07/03
	4865 468AG	1			27				After 02/10/03
-2	4865 928AB-	1			27				WIRING, Transmission
-3									WIRING, Battery Positive, Serviced
									in body harness only, (NOT
									SERVICED) (Not Serviced)
-4	4865 977AB-	1			27				WIRING, Battery Negative
-5									WIRING, Door
	4865 466AD-	1			27				Right
	4865 467AC-	1			27				Left
-6	5029 269AD-	1			27				WIRING, Console
-7									WIRING, A/C and HEATER
	4865 886AA-	1			27				
	5093 250AA-	1							Sub Harness

DODGE VIPER (ZB)— SERIES L S = SRT-10 D = X = Coupe


LINE D = Dodge

BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI

Connector Repair Package Figure 008-1605


									ı	
		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1									WIRING PACKAGE, Underhood
										Connector Repair, For Electrical
										Connector Repair Information visit
										the World Wide Web at http://dto.vftis.com/mopar/disclaimer.asp
		5013 930AD-	1							vitis.com/mopai/disclaimer.asp
		5083 235AA-								Update kit
	-2	5019 912AA-								TOOL, Crimping
	-3	5014 757AD-	1							MANUAL, Connector Repair
	-4									WIRING KIT, Electric Repair
		5073 029AA-								With crimping tool Splicing Kit
	_	5080 522AA-								Splicing Kit
	5	5083 221AA-	1							WIRING KIT, 22 Way, Female, Radio
	-6									Repair STRAP, Ground
	O	5029 027AB-	1			27				Hood silencer pad right
		5029 214AB-				27				Hood silencer pad left
										·
For Electrical Connector Repair Information visit										
Tot Electrical Confidence Repair information visit										
the World Wide Web at										
the frond fride free at										
http://dto.vftis.com/mopar/disclaimer.asp										
										_
	_									
	DODGE VIP SERIES	ER (ZB)———— LINE		BODY		ENGINE		TRANS	MISSIO	 N
	S = SRT-10	D = Dodge	2	7 = Convert	ble EV	VC = 8.3L 10	0 Cyl SFI	DEC = 6	Speed I	Manual
	X = Coupe		2	9 = Coupe				DBB = A	ii Manua	II




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NB=8 (DL V10 SFI								
1	5245 237AB	4				EWC			SEPERATOR, Ignition Cable
2	5093 789AA	1				EWC			CABLE PACKAGE, Ignition
3									WIRE, Spark Plug
	5037 178AC	1			27	EWC			[#2]
	5037 179AC	1			27	EWC			[#4]
	5037 180AC	1			27	EWC			[#6]
	5037 181AC	1			27	EWC			[#8]
	5037 182AC	1			27	EWC			[#10]
	5037 184AC	1			27	EWC			[#1]
	5037 185AC	1			27	EWC			[#3]
	5037 186AC	1			27	EWC			[#5]
	5037 187AC	1			27	EWC			[#7]
	5037 188AC	1			27	EWC			[#9]
4	SP0RC 12EC	C 10			27	EWC			SPARK PLUG
-5	5037 104AB-	10				EWC			SHIELD, Heat
6	5603 2520	1				EWC			COIL, Ignition, Six lead
7	5603 2521	1				EWC			COIL, Ignition, Four lead
-8	6034 526	8				EWC			SCREW AND WASHER, Coil
									attaching
-9	0154 777	8			27	EWC			SCREW AND WASHER, Hex He

Group – 08A


Instrument Panel and Radios and Consoles





GROUP 8A - Instrument Panel and Radios and Consoles

Illustration Title	Group-Fig. No.
Instrument Panel Instrument Panel	Fig. 08A-105
Instrument Panel Cluster	
Gauge Cluster	Fig. 08A-205
Radio, Antenna, and Speakers	
Radio	Fig. 08A-305
Antenna-Speakers	Fig. 08A-310
Consoles	
Console	Fig. 08A-405




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	TS33 DX9AB	1							INSTRUMENT PANEL AND PAD,
	1000 DAGAD								Upper
2	4865 531AC	1			27				AIR BAG, Passenger
-3	4865 530AA-	1			21				CHUTE, Airbag
-4	4865 532AA-	1							SUPPORT, Instrument Panel, Cross
•	1000 002701	•							beam
5	WA87 DX9AA	1							BEZEL, Instrument Cluster
6	XT23 DX9AA	1							BEZEL, Instrument Panel, Center
-7	UB76 DX9AA-								BEZEL, Instrument Panel, Pedal
									Adjuster Switch
8	XT19 DX9AA	1							PANEL, Instrument, Left
9	XT21 DX9AA	1							PANEL, Instrument, Center
10	4865 866AA	1							PANEL, Instrument, Right
11	QN25 DX9AB	1							LATCH, Glovebox Door
12	XT27 DX9AA	1							DOOR, Glove Box
13	4865 536AA	1							PANEL, Glove Box, Inner door
-14	4524 343	2			27				BUMPER, Glove Box Door
-15	4565 022	1							SWITCH AND LAMP, Glove Box
16	4865 537AA	1							HINGE, Glovebox
17	5029 142AA	1							BIN, Glove box
-18	4698 884	1							STRIKER, Glove Box Door Latch
-19	6034 833	2							CLIP, Push, .164-7.5, Striker
									attaching
-20	55055 900AA-	2							BUMPER, Glove Box Door
-21	4678 070	1							STRAP, Glove Box
22	XT29 DX9AA	1							COVER, Instrument Panel, Steering
									Column Opening
-23	4865 860AA-	4							SUPPORT, Instrument Panel, Radio
									Bracket
-24	5029 016AA-	1							BRACKET, Relay, Instrument panel
									wiring relay bank
-25									GRILLE, Speaker
	TV67 DX9AA-								Tweeter,Right
	TV68 DX9AA-								Tweeter,Left
-26	5029 098AA-	1							BRACE, Instrument Panel to Floor


DODGE VIPER (ZB)— SERIES L S = SRT-10 D = X = Coupe LINE D = Dodge

BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI

Gauge Cluster Figure 08A-205







J0A-2U:									
	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CLUSTER, Instrument Panel
	4865 589AD	1			27				MPH
2	4865 626AD	1			27				KPH GAUGE PACK
2	4865 612AD	1			27				GAUGE PACK
	4865 627AD	<u>'</u> 1			27				Canada, Mexico
-3	1000 021713	•							SCREW, Tapping
	6101 946	4							Cluster mounting
		5							Gauge Pack Mounting
-4									LENS, Instrument Cluster
	5093 045AA-	1							Cluster
	5093 046AA-	1							Gauge pack
5									BULB, Instrument Panel
	5093 040AA-	1							12v 1.7 Watt Blue Socket 5 in the
	5002 044 A A	4							Cluster 4 in the Gauge Pack LCD Bulb 14v 1.4 Watt 1 in the
	5093 041AA-	1							Cluster
	5093 042AA-	6							Tellrale Bulbs 14v 1.4 Watt 6 in th
	3033 0 1 277	U							Cluster
									Cluster
DODGE VI	PER (ZB)								
SERIES S = SRT-1	LINE 0 D = Dodge	, i	BODY 27 = Convertil	nle E\	ENGINE VC = 8.3L 1	0 Cvl SFI	TRANS DEC = 6	MISSIOI Speed I	
X = Coupe			29 = Coupe	U.U L\	– U.UL T	o oyi oi i	DBB = A		

Radio **Figure 08A-305**

_	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
DD11 DD			550 14//05	_					
1 RBH=PR	EMIUM, ALPIN 56038 622AC		REO W/CL)					RADIO, AM/FM with CD and
'	30000 022/10	' '							Equalizer
-2	6101 946	4							SCREW, Tapping
-3	4865 860AA-	4							SUPPORT, Instrument Panel, Rad
									support
ODGE VIPE	ER (ZB)				FNOINT			- MICCIC:	
SERIES S = SRT-10	LINE D = Dodge	e 2	BODY 7 = Converti	ble EV	ENGINE VC = 8.3L 10	Cyl SFI	DEC = 6	MISSIOI Speed N	Manual
C = Coupe		_	9 = Coupe			-	DBB = A	II Manua	1



RBH




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4815 551AC	1							MODULE, Radio Antenna
2	6101 826	1							SCREW, M6x1x20, Antenna Module
									mounting
3	5029 994AA	2							SPEAKER, Door
-4	5083 940AA-	1							BRACKET, Speaker, Right or Left,
									Door
5	SL12 DX9AA	2							GRILLE, Speaker, Door Speakers
6									SCREW, [0.164-18x1.], (NOT
									SERVICED) (Not Serviced)
7	4865 995AC	1			27				SPEAKER, Sub Woofer
-8	WC09 DX9AA-	· 1							GRILLE, Speaker, Subwoofer
9	6505 336AA	2							SCREW AND WASHER, Head Head
									Lock, M8-1.25x30.00, Subwoofer
									mounting
10	6504 572	1							NUT AND WASHER, Hex Nut-Coned
									Washer, M8 x 1.25, Subwoofer
									mounting
11	4865 994AC	1							AMPLIFIER, Radio
12	6504 572	3							NUT AND WASHER, Hex Nut-Coned
									Washer, M8 x 1.25, Amplifier
									mounting
-13	4865 745AC-	2			27				SPEAKER, Tweeter, Instrument
									Panel Mounted
-14									GRILLE, Speaker
	TV67 DX9AA-	1							Right,Instrument Panel
	TV68 DX9AA-	1							Left,Instrument Panel
-15	UX00 DX9AA-	1							GRILLE, Speaker, Bulkhead Quarter
									Trim
-16	4865 939AA-	2							SPEAKER, Rear, Bulkhead Quarter

DODGE VIPER (ZB)— SERIES L S = SRT-10 D = X = Coupe

LINE D = Dodge BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI

Console Figure 08A-405




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5029 072AB	1			27				PANEL, Bulkhead Trim
2	TS04 DX9AB	1			27				PANEL, Bulkhead Trim
3	XN88 DX9AA	1							BASE, Floor Console
4	XP18 1X9AA	1							BEZEL, Console Shifter
5									LID, Center Console Storage
	XN89 DX9AA	1							Up to 03/25/03
	XN89 DX9AC	1			27				After 03/25/03
-6	5093 434AA-	2							SCREW, Console, Lid Hinge
-7	4685 370AB-	1							KNOB AND ELEMENT, Cigar Lighter
-8									BASE, Cigar Lighter
	4793 551	1							Under Console Lid
	5029 097AC-	1			27				Console Bezel mounted
-9	4793 555	1							RING, Cigar Lighter Mounting
-10	XP20 1X9AA-	1							BOOT, Parking Brake Lever
11	5093 230AA	1							RING, Shift boot
-12	5037 319AA-	1							BOOT, Gearshift, Inner
-13	XP19 1X9AA-	1							BOOT, Gearshift, Outer
-14									RIVET, Blind Bulb, [.250 x .367],
									(NOT SERVICED) (Not Serviced)
-15	4608 633AB-	2							SWITCH, Window, Power window
-16	5093 227AA-	1							HOUSING, Switch, Window switch
-17	4865 875AA-	1							SWITCH, Passenger Airbag Disarm
18	WC09 DX9AA	. 1							GRILLE, Speaker
19	WC09 DX9AA	. 1							GRILLE, Speaker, Subwoofer
20	SL12 DX9AA	2							GRILLE, Speaker
21	6102 103AA	4							SCREW AND WASHER, Hex Head,
									M6x1x20, Bulkhead support
									attachinh
22	0152 493	2							NUT, U-nut Bulkhead panel attaching
23	6032 058	2							NUT, Snap In
24	6031 869	2							NUT, Push, .19
25									PLUG, Trim Panel, (NOT
									SERVICED) (Not Serviced)
26									STRIKER, Console Lid Catch,
									Serviced in Console Base, (NOT
									SERVICED) (Not Serviced)
-27	5093 220AA-	1							MAT, Floor Console
-28	5029 529AA-	1			27				ASH RECEIVER, Floor Console


DODGE VIPER (ZB)— SERIES L S = SRT-10 D = X = Coupe

LINE D = Dodge BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI

Group – 009 Engine Mounting






GROUP 9 - Engine Mounting

Illustration Litle	Group-Fig. No
Engine Mounting	
Engine Mounting	Fig. 009-110
Engine Mounting - Transmission	Fig. 009-120

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	ales Code								
	8.3L V10 SFI I					514/0			000574111 51 11 1 055
1	6035 558	6				EWC			SCREW, Hex Flange Head, .375-16x1.50
2									BRACKET, Isolator
	5037 298AA	1				EWC			Right
•	1010 510	1				EWC			Left
3	4643 546	1				EWC			SHIELD, Heat, Right & Left
4	4642 617AB	1				EWC			INSULATOR, Engine Mount, Left
5	4643 530AB	1				EWC			INSULATOR, Engine Mount, Right
-6	6102 067AA-	2							BOLT, Engine Mount To Rail
ODGE VIPI	ER (ZB)								

Engine Mounting - Transmission Figure 009-120

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4643 318	1							MOUNT, Transmission
2	6501 596	2							SCREW AND WASHER, Hex Head
									M10x1.5x45
3	6101 058	4							BOLT AND WASHER, Hex Head,
									M10x1.50x20
4	6101 761	1							NUT, Coned Washer, M10 x 1.50
5	5037 263AA	1							CROSSMEMBER, Transmission
-6	6035 864	2							NUT, Engine Isolator To Frame



DODGE VIPER (ZB)— SERIES L S = SRT-10 D


X = Coupe


LINE D = Dodge BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI


Group – 8.3L

Engine 8.3L Ten Cylinder [EWC]





Group – 8.3LEngine 8.3L Ten Cylinder [EWC]





GROUP 8.3L - Engine 8.3L Ten Cylinder [EWC]

Illustration Title	Group-Fig. No.
Engine Identification I.D. Location [EWC]	Fig. 8.3L-110
Cylinder Head	9
Cylinder Head and Covers [EWC]	Fig. 8.3L-210
Cylinder Block Block, Cylinder [EWC]	Fig. 8.3L-310
Crankshaft, Piston and Torque Converter Crankshaft and Pistons [EWC]	Fig. 8.3L-410
Camshafts & Valves Camshafts and Valves [EWC]	Fig. 8.3L-510
Timing Belt and Cover Timing Belt and Cover [EWC]	Fig. 8.3L-610
Engine Oiling Engine Oiling [EWC]	Fig. 8.3L-710
Manifolds Manifolds, Intake and Exhaust [EWC]	Fig. 8.3L-810
Crankcase Ventilation Crankcase Ventilation [EWC]	Fig. 8.3L-910
Oil Cooler [EWC]	Fig. 8.3L-1110


I.D. Location [EWC] Figure 8.3L-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NOMBER	Q I I	LINE	DEINIEG	I BODT	LINGINE	IIIAIIO	1 IXIII	DESCRIPTION
Engine ID	is located or	the left	hank at th	ne rear of t	he block iu	st below th	e head		
NOTE: Sa		1 110 1011	barnt at ti	10 1001 01 1	no biook ja	0. 20.01	o noda		
[EWC] = 8	3.3L V10 SFI	Engine							
1									LABEL, Engine Identification, (NC
									SERVICED) (Not Serviced)
NODOE \#85	·D (ZD)								
ODGE VIPE	R (ZB)———— LINE		BODY		ENGINE		TRANS	SMISSIO	N
SERIES S = SRT-10	D = Dodg		27 = Convert		WC = 8.3L 1			Speed I	





Cylinder Head and Covers [EWC] Figure 8.3L-210



|--|

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	ales Code								
[EWC] =	8.3L V10 SFI E	ngine							
-1	5086 535AC-	1				EWC			GASKET PACKAGE, Engine Lower
2									BLOCK, Cylinder, (NOT SERVICED)
									(Not Serviced)
-3	5102 003AA-	1				EWC			BLOCK, Short
4	J400 5149	4				EWC			DOWEL, Oil Pump
-5	5245 055	2				EWC			DOWEL, Front Cover
-6	5245 058	4				EWC			DOWEL, Rear Oil Seal Retainer
-7	6036 308AA-	10				EWC			PLUG, Cylinder Block Gallery
8	6034 166	8				EWC			PLUG, Cylinder Block Oil Hole
9	4429 678	2				EWC			PIN, Dowel
10	6035 469	8				EWC			STUD, .562-12x5.670
-11									BOLT, Bearing Cap
	6035 470	12				EWC			[.375-16X2.25]
	6035 665	4				EWC			[.500-13X4.25]
12	4663 941	2				EWC			PLUG, Core, 1.00 Diameter


DODGE VIPER (ZB)— SERIES L S = SRT-10 D LINE X = Coupe

D = Dodge

BODY 27 = Convertible 29 = Coupe


ENGINE EWC = 8.3L 10 Cyl SFI

Crankshaft and Pistons [EWC] Figure 8.3L-410



17514	PART	OTV		050150	DODY	ENOINE	TDANO		DECORURTION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: C	Dalaa Oada								
	Sales Code: 8.3L V10 SFI E	Engine							
[LVVC] – 1	5037 226AB	-iigiiie 1				EWC			FLYWHEEL
-2	2843 214	1				EWC			GEAR, Flywheel Ring
3	5037 050AB	1				EWC			CRANKSHAFT
4	6035 811	8				EWC			BOLT, Hex Head, .437-20x1.50
-5	6035 666	8				EWC			SCREW, Hex Flange Head, .25-
									20x1.00
6	5037 053AB	1				EWC			RETAINER, Crankshaft Rear Oil
									Seal
7	5037 300AA	1				EWC			SEAL, Rear Main Crankshaft
8	4428 037	1				EWC			GEAR, Ring
9	5037 056AB	1				EWC			GASKET, Rear Oil Seal Retainer
10	5093 018AA	10				EWC			BEARING, Connecting Rod, STD.
11	5093 019AA	10				EWC			BEARING KIT, Connecting Rod, .0
									mm U/S
12	5093 020AA	10				EWC			BEARING KIT, Connecting Rod, .2
									mm U/S
13									BOLT, Connecting Rod, Serviced
									Piston, Pin, and Rod, (NOT
									SERVICED) (Not Serviced)
14									PISTON PIN AND ROD, STD
	5086 573AA	5				EWC			With Bolts, Left
	5086 574AA	5				EWC			With Bolts, Right
15						=:			PISTON PIN AND ROD, .010" O/S
	5086 575AA	5				EWC			With Bolts, Left
40	5086 576AA	5				EWC			With Bolts, Right
16									BEARING PACKAGE, Crankshaft,
	4883 681AA	AR				EWC			Main Bearing Standard +.030 Inch Outside
	4003 00 IAA	AK				EVVC			Diamter
	4883 682AA	AR				EWC			[001 Inch Undersize +.030 Inc
	4003 002AA	AIN				EVVC			Outside Diamter]
	4883 683AA	AR				EWC			[002 Inch Undersize +.030 Inc
	4000 000/1/1	7111				LVVO			Outside Diamter]
	4883 684AA	AR				EWC			[010 Inch Undersize +.030 Inc
	1000 00 17 11 1	7.11.				20			Outside Diamter]
17									BEARING PACKAGE, Crankshaft,
									Standard, Main Bearing
	4723 536	AR				EWC			[1,2,4,5,6] Magenta standard
	4723 538	AR				EWC			[1,2,4,5,6] White standard
	4723 541	AR				EWC			[1,2,4,5,6] Orange standard
	4740 292	1				EWC			[1,2,4,5,6] Black standard
	()								
ODGE VIP SERIES	PER (ZB)———— LINE		BODY		ENGINE		TRANS	MISSIO	N
= SRT-10		. 2	27 = Convert	ible F\	NC = 8.3L 10	CVLSEI	DEC = 6		

Crankshaft and Pistons [EWC] Figure 8.3L-410



18 19	4883 374AA 5096 020AA 5096 022AA	1 AR		.	ļ			
19	5096 020AA							
19	5096 020AA	AR				EWC		[1,2,4,5,6] Yellow standard
19						EWC		BEARING PACKAGE, Cranksh
	E006 022 A A							.009" U/S, Main Bearing, [1,2
		AR				EWC		BEARING PACKAGE, Cranksh
20	0000 0227 01	,						.010" U/S, Main Bearing, [1,2,
	5096 024AA	AR				EWC		BEARING PACKAGE, Cranksh
20	0000 02 17 0 1	7 (1)						.011" U/S, Main Bearing, [1,2,
21								BEARING PACKAGE, Cranksh
21								Thrust Bearing
	4883 685AA	1				EWC		Standard +.030 Inch Outside
	+003 003AA	'				LVVO		Diameter
	4883 686AA	1				EWC		[001 Inch Undersize +.030
	4003 000AA	'				EVVC		
	4002 6074 4					EWC		Outside Diameter]
	4883 687AA	1				EWC		[002 Inch Undersize +.030
	4000 000 4 4	4				EMO.		Outside Diameter]
	4883 688AA	1				EWC		[010 Inch Undersize +.030
								Outside Diamter]
22								BEARING PACKAGE, Cranksh
								Thrust, Standard Size, Thrust
								Bearing
	4723 537	AR				EWC		Magenta standard
	4723 540	AR				EWC		White standard
	4723 542	AR				EWC		Orange standard
	4740 293	AR				EWC		Black standard
	4883 375AA	1				EWC		Yellow standard
23	5096 021AA	1				EWC		BEARING PACKAGE, Cranksh
								thrust, .009" U/S, Thrust Bear
24	5096 023AA	AR				EWC		BEARING PACKAGE, Cranksh
								thrust, .010" U/S, Thrust Bear
25	5096 025AA	AR				EWC		BEARING PACKAGE, Cranksh
								thrust, .011" U/S, Thrust Bear
26								CAP, Serviced in Block, (NOT
								SERVICED) (Not Serviced)
27	6034 749	1				EWC		KEY, Crankshaft Sprocket
28	5245 110	1				EWC		DAMPER, Crankshaft
29	6036 207AA	1				EWC		BOLT, Hex Head
30	6035 470	12				EWC	 	BOLT, Bearing Cap
31	6035 665	4				EWC		BOLT, Bearing Cap
32	6035 469	8				EWC		STUD, .562-12x5.670
33	53009 181AB	1				EWC		BEARING, Pilot
34	5086 536AA	1				EWC		PISTON RING SET, COMPLET
								ENGINE, STD.
-35	5086 537AA-	1				EWC		PISTON RING SET, COMPLET
								ENGINE, .010" O/S
OGE VIPE	ER (ZB)———— LINE		BODY		ENGINE		 SMISSIO	

SERIES S = SRT-10 X = Coupe

LINE D = Dodge

BODY 27 = Convertible 29 = Coupe


ENGINE EWC = 8.3L 10 Cyl SFI



Crankshaft and Pistons [EWC] Figure 8.3L-410

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-36	5086 538AA-	1				EWC			PISTON RING SET, COMPLETE ENGINE, .020" O/S
(34) (25) (1) (8) (4) (4)										
15 23										
3										
(33)										
27										
(a) (16) (13) (13) (14) (15) (16) (17) (18) (18) (18) (18) (18) (18) (18) (18										
19 (14)15										
29										
30 6										
32 31										
	DODGE VIPE	R (ZB)								
	DODGE VIPE SERIES S = SRT-10 X = Coupe	LINE D = Dodge	e 2 ⁻ 29	BODY 7 = Converti 9 = Coupe	ble EV	ENGINE VC = 8.3L 10) Cyl SFI	TRANS DEC = 6 DBB = Al	MISSION Speed N II Manual	N Manual I

Camshafts and Valves [EWC] Figure 8.3L-510




QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
ngine							
20				EWC			ROCKER ARM, Valve
10				EWC			PEDESTAL, Rocker Arm Shaft
20				EWC			SCREW
40				EWC			LOCK, Valve Spring Retainer
20				EWC			RETAINER, Valve Spring
20				EWC			SPRING, Valve
20				EWC			SEAT, Valve Spring
800 9886 10 EWC				SEAL, Valve Guide, Intake			
10	EWC				SEAL, Valve Guide, Exhaust		
00 3016 AR EWC			SEAL, Valve Guide, .015" Oversize,				
			Repair, [.015 Inch Oversize]				
10				EWC			VALVE, Intake, Standard
10				EWC			VALVE, Exhaust, Standard
1				EWC			DOWEL, .25x.62
20				EWC			TAPPET, Hyd. Roller
1				EWC			CAMSHAFT, Engine
1				EWC			CAMSHAFT, Engine, .002" O/S
							Journal
AA 1 EWC			CAMSHAFT, Engine, .003" O/S				
							Journal
1				EWC			CAMSHAFT, Engine, .030" O/S
							Journal
20				EWC			PUSH ROD, Valve
10				EWC			YOKE, Tappet Aligning
10				EWC			BOLT, Hex Head, .25-20x1.00
		_					

DODGE VIPER (ZB)—
SERIES L
S = SRT-10 D
X = Coupe


LINE D = Dodge BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI

Timing Belt and Cover [EWC] Figure 8.3L-610




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	ales Code:								
[EWC] =	8.3L V10 SFI	Engine							
1	0220 800	2				EWC			SCREW, Hex Head, .312-18x.75
2	5245 359	1				EWC			PLATE, Camshaft Thrust
3	5086 533AA	1				EWC			CHAIN PACKAGE, Timing, Package
									contains: Chain and Gears
4	0154 261	3				EWC			BOLT
5	6034 749	1				EWC			KEY, Crankshaft Sprocket
6	5037 067AC	1				EWC			GASKET, Chain Case Cover
7	0154 934AA	3				EWC			SCREW AND WASHER
8	5245 135	1				EWC			SEAL, Timing Case Cover
-9	6035 666	8				EWC			SCREW, Hex Flange Head, .25-
									20x1.00
10	5037 036AC	1				EWC			COVER, Timing Case
-11	6034 248	8				EWC			BOLT, Chain Case Cover attaching
-12	6036 427AA-	2				EWC			BOLT, Chain Case Cover attaching



DODGE VIPER (ZB)—
SERIES L
S = SRT-10 D
X = Coupe BODY 27 = Convertible 29 = Coupe TRANSMISSION DEC = 6 Speed Manual DBB = All Manual LINE ENGINE EWC = 8.3L 10 Cyl SFI D = Dodge

Engine Oiling [EWC] Figure 8.3L-710



NOTE: Sales Code EWC = 8.3L V10 SFI Engine 1		PART								
[EWC] = 8.3L V10 SFI Engine 1	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EWC = 8.3L V10 SFI Engine		•								
EWC = 8.3L V10 SFI Engine	NOTE: 5	Sales Code								
1 5037 047AA 1 EWC CAP, Oil Pressure Relief Valve 2 5037 046AB 1 EWC SPRING, Oil Pressure Relief Valve 3 5037 045AB 1 EWC PLUNGER, Oil Pressure Relief Valve 4 5037 036AC 1 EWC COVER, Timing Case 5 5245 525AC 1 EWC ROTOR SET, Oil Pump 6 5037 048AB 1 EWC COVER, Engine Oil Pump 7 6034 475 7 EWC SCREW, Torx Head, .25-20x.75 8 5037 214AC 1 EWC INDICATOR, Engine Oil Level 9 5037 215AC 1 EWC TUBE, Engine Oil Indicator 10 5037 312AD 1 EWC PICKUP, Engine Oil 11 0154 601 15 EWC SCREW, Pan Head, .19-24x.5 12 6032 920 1 EWC SEAL, Oil Pick Up Tube 13 5037 333AA 1 EWC GONNECTOR, Oil Filter 15 5037 316AB 1 EWC			Engine							
2 5037 046AB 1 EWC SPRING, Oil Pressure Relief Valve 3 5037 045AB 1 EWC PLUNGER, Oil Pressure Relief Valve 4 5037 036AC 1 EWC COVER, Timing Case 5 5245 525AC 1 EWC ROTOR SET, Oil Pump 6 5037 048AB 1 EWC COVER, Engine Oil Pump 7 6034 475 7 EWC SCREW, Torx Head, .25-20x.75 8 5037 214AC 1 EWC INDICATOR, Engine Oil Level 9 5037 215AC 1 EWC TUBE, Engine Oil Indicator 10 5037 312AD 1 EWC PICKUP, Engine Oil 11 0154 601 15 EWC SCREW, Pan Head, .19-24x.5 12 6032 920 1 EWC SCREW, Pan Head, .19-24x.5 13 5037 333AA 1 EWC FILTER, Engine Oil 14 5300 7563 1 EWC CONNECTOR, Oil Filter 15 5037 16AB 1 EWC GASKET, Oil Pan 17 5037 159AC 1 EWC SCREW, Hex Flange Head, .25- 20x1.00 19 4763 738 1 EWC SEAL, Drain Plug 20 6035 417 1 EWC SEAL, Drain Plug 20 6035 417 1 EWC PLUG, Oil Drain 21 5037 158AC 1 EWC PLUG, Oil Drain			•				FWC			CAP, Oil Pressure Relief Valve
3 5037 045AB 1 EWC PLUNGER, Oil Pressure Relief Val. 4 5037 036AC 1 EWC COVER, Timing Case 5 5245 525AC 1 EWC ROTOR SET, Oil Pump 6 5037 048AB 1 EWC SCREW, Torx Head, .25-20x.75 8 5037 214AC 1 EWC INDICATOR, Engine Oil Level 9 5037 215AC 1 EWC TUBE, Engine Oil Indicator 10 5037 312AD 1 EWC SCREW, Pan Head, .19-24x.5 12 6032 920 1 EWC SCAEW, Pan Head, .19-24x.5 12 6032 920 1 EWC SEAL, Oil Pick Up Tube 13 5037 333AA 1 EWC FILTER, Engine Oil 14 5300 7563 1 EWC CONNECTOR, Oil Filter 15 5037 165AC 1 EWC GASKET, Oil Pan 17 5037 159AC 1 EWC GASKET, Oil Pan 18 6035 666 16 EWC SCREW, Hex Flange Head, .25-20x1.00 19 4763 738 1 EWC SEAL, Drain Plug 20 6035 417 1 EWC SEAL, Drain Plug 20 6035 417 1 EWC SEAL, Drain Plug 20 6035 17 EWC PLUG, Oil Drain 21 5037 158AC 1 EWC PLUG, Oil Drain 21 5037 158AC 1 EWC PLUG, Oil Drain	2		1							,
4 5037 036AC 1			-				_			•
5 5245 525AC 1 EWC ROTOR SET, Oil Pump 6 5037 048AB 1 EWC COVER, Engine Oil Pump 7 6034 475 7 EWC SCREW, Torx Head, .25-20x.75 8 5037 214AC 1 EWC INDICATOR, Engine Oil Level 9 5037 215AC 1 EWC TUBE, Engine Oil Indicator 10 5037 312AD 1 EWC PICKUP, Engine Oil 11 0154 601 15 EWC SCREW, Pan Head, .19-24x.5 12 6032 920 1 EWC SEAL, Oil Pick Up Tube 13 5037 333AA 1 EWC FILTER, Engine Oil 14 5300 7563 1 EWC CONNECTOR, Oil Filter 15 5037 316AB 1 EWC GASKET, Oil Pan 17 5037 159AC 1 EWC GASKET, Oil Pan 17 5037 159AC 1 EWC PAN, Engine Oil 18 6035 666 16 EWC SCREW, Hex Flange Head, .25-			1							· · · · · · · · · · · · · · · · · · ·
6 5037 048AB 1 EWC COVER, Engine Oil Pump 7 6034 475 7 EWC SCREW, Torx Head, .25-20x.75 8 5037 214AC 1 EWC INDICATOR, Engine Oil Level 9 5037 215AC 1 EWC TUBE, Engine Oil Indicator 10 5037 312AD 1 EWC PICKUP, Engine Oil 11 0154 601 15 EWC SCREW, Pan Head, .19-24x.5 12 6032 920 1 EWC SEAL, Oil Pick Up Tube 13 5037 333AA 1 EWC FILTER, Engine Oil 14 5300 7563 1 EWC CONNECTOR, Oil Filter 15 5037 316AB 1 EWC GASKET, Oil Pan 17 5037 163AC 1 EWC GASKET, Oil Pan 17 5037 159AC 1 EWC SCREW, Hex Flange Head, .25-20x1.00 19 4763 738 1 EWC SEAL, Drain Plug 20 6035 417 1 EWC PLUG, Oil Drain 21 5037 158AC 1 EWC PLUG, Oil Drain 21 5037 158AC 1 EWC PLUG, Oil Drain 21 5037 158AC 1 EWC TRAY, Windage	5	5245 525AC	1							•
7 6034 475 7 EWC SCREW, Torx Head, .25-20x.75 8 5037 214AC 1 EWC INDICATOR, Engine Oil Level 9 5037 215AC 1 EWC TUBE, Engine Oil Indicator 10 5037 312AD 1 EWC PICKUP, Engine Oil 11 0154 601 15 EWC SCREW, Pan Head, .19-24x.5 12 6032 920 1 EWC SEAL, Oil Pick Up Tube 13 5037 333AA 1 EWC FILTER, Engine Oil 14 5300 7563 1 EWC CONNECTOR, Oil Filter 15 5037 316AB 1 EWC CONNECTOR, Engine Oil Cooler 16 5037 163AC 1 EWC GASKET, Oil Pan 17 5037 159AC 1 EWC PAN, Engine Oil 18 6035 666 16 EWC SCREW, Hex Flange Head, .25-	6		1				EWC			•
8 5037 214AC 1 EWC INDICATOR, Engine Oil Level 9 5037 215AC 1 EWC TUBE, Engine Oil Indicator 10 5037 312AD 1 EWC PICKUP, Engine Oil 11 0154 601 15 EWC SCREW, Pan Head, .19-24x.5 12 6032 920 1 EWC SEAL, Oil Pick Up Tube 13 5037 333AA 1 EWC FILTER, Engine Oil 14 5300 7563 1 EWC CONNECTOR, Oil Filter 15 5037 316AB 1 EWC CONNECTOR, Engine Oil 15 5037 163AC 1 EWC GASKET, Oil Pan 17 5037 159AC 1 EWC PAN, Engine Oil 18 6035 666 16 EWC SCREW, Hex Flange Head, .25-	_		7				_			, ,
9 5037 215AC 1	8	5037 214AC	1				EWC			
10 5037 312AD 1 EWC PICKUP, Engine Oil 11 0154 601 15 EWC SCREW, Pan Head, .19-24x.5 12 6032 920 1 EWC SEAL, Oil Pick Up Tube 13 5037 333AA 1 EWC FILTER, Engine Oil 14 5300 7563 1 EWC CONNECTOR, Oil Filter 15 5037 316AB 1 EWC GASKET, Oil Pan 16 5037 163AC 1 EWC GASKET, Oil Pan 17 5037 159AC 1 EWC PAN, Engine Oil 18 6035 666 16 EWC SCREW, Hex Flange Head, .25-20x1.00 19 4763 738 1 EWC SEAL, Drain Plug 20 6035 417 1 EWC PLUG, Oil Drain 21 5037 158AC 1 EWC TRAY, Windage	9	5037 215AC	1				EWC			. 3
12 6032 920 1 EWC SEAL, Oil Pick Up Tube 13 5037 333AA 1 EWC FILTER, Engine Oil 14 5300 7563 1 EWC CONNECTOR, Oil Filter 15 5037 316AB 1 EWC CONNECTOR, Engine Oil Cooler 16 5037 163AC 1 EWC GASKET, Oil Pan 17 5037 159AC 1 EWC PAN, Engine Oil 18 6035 666 16 EWC SCREW, Hex Flange Head, .25-20x1.00 19 4763 738 1 EWC SEAL, Drain Plug 20 6035 417 1 EWC PLUG, Oil Drain 21 5037 158AC 1 EWC TRAY, Windage	10	5037 312AD	1				EWC			
13 5037 333AA 1 EWC FILTER, Engine Oil 14 5300 7563 1 EWC CONNECTOR, Oil Filter 15 5037 316AB 1 EWC CONNECTOR, Engine Oil Cooler 16 5037 163AC 1 EWC GASKET, Oil Pan 17 5037 159AC 1 EWC PAN, Engine Oil 18 6035 666 16 EWC SCREW, Hex Flange Head, .25-20x1.00 19 4763 738 1 EWC SEAL, Drain Plug 20 6035 417 1 EWC PLUG, Oil Drain 21 5037 158AC 1 EWC TRAY, Windage	11	0154 601	15				EWC			SCREW, Pan Head, .19-24x.5
14 5300 7563 1 EWC CONNECTOR, Oil Filter 15 5037 316AB 1 EWC CONNECTOR, Engine Oil Cooler 16 5037 163AC 1 EWC GASKET, Oil Pan 17 5037 159AC 1 EWC PAN, Engine Oil 18 6035 666 16 EWC SCREW, Hex Flange Head, .25-20x1.00 19 4763 738 1 EWC SEAL, Drain Plug 20 6035 417 1 EWC PLUG, Oil Drain 21 5037 158AC 1 EWC TRAY, Windage	12	6032 920	1				EWC			SEAL, Oil Pick Up Tube
15 5037 316AB 1 EWC CONNECTOR, Engine Oil Cooler 16 5037 163AC 1 EWC GASKET, Oil Pan 17 5037 159AC 1 EWC PAN, Engine Oil 18 6035 666 16 EWC SCREW, Hex Flange Head, .25-20x1.00 19 4763 738 1 EWC SEAL, Drain Plug 20 6035 417 1 EWC PLUG, Oil Drain 21 5037 158AC 1 EWC TRAY, Windage	13	5037 333AA	1				EWC			FILTER, Engine Oil
16 5037 163AC 1 EWC GASKET, Oil Pan 17 5037 159AC 1 EWC PAN, Engine Oil 18 6035 666 16 EWC SCREW, Hex Flange Head, .25-20x1.00 19 4763 738 1 EWC SEAL, Drain Plug 20 6035 417 1 EWC PLUG, Oil Drain 21 5037 158AC 1 EWC TRAY, Windage	14	5300 7563	1				EWC			CONNECTOR, Oil Filter
17 5037 159AC 1 EWC PAN, Engine Oil 18 6035 666 16 EWC SCREW, Hex Flange Head, .25-20x1.00 19 4763 738 1 EWC SEAL, Drain Plug 20 6035 417 1 EWC PLUG, Oil Drain 21 5037 158AC 1 EWC TRAY, Windage	15	5037 316AB	1				EWC			CONNECTOR, Engine Oil Cooler
18 6035 666 16 EWC SCREW, Hex Flange Head, .25-20x1.00 19 4763 738 1 EWC SEAL, Drain Plug 20 6035 417 1 EWC PLUG, Oil Drain 21 5037 158AC 1 EWC TRAY, Windage	16	5037 163AC	1				EWC			GASKET, Oil Pan
20x1.00 19 4763 738 1 EWC SEAL, Drain Plug 20 6035 417 1 EWC PLUG, Oil Drain 21 5037 158AC 1 EWC TRAY, Windage	17	5037 159AC	1				EWC			PAN, Engine Oil
19 4763 738 1 EWC SEAL, Drain Plug 20 6035 417 1 EWC PLUG, Oil Drain 21 5037 158AC 1 EWC TRAY, Windage	18	6035 666	16				EWC			SCREW, Hex Flange Head, .25-
20 6035 417 1 EWC PLUG, Oil Drain 21 5037 158AC 1 EWC TRAY, Windage										20x1.00
21 5037 158AC 1 EWC TRAY, Windage	19	4763 738	1			_	EWC			SEAL, Drain Plug
	20	6035 417	1				EWC			PLUG, Oil Drain
	21	5037 158AC	1				EWC			TRAY, Windage
22	22	J012 0375	4							NUT, Hex, .250-20


DODGE VIPER (ZB)— SERIES L S = SRT-10 D = X = Coupe LINE

D = Dodge

BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI

Manifolds, Intake and Exhaust [EWC] Figure 8.3L-810




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
									_
NOTE: Sa	ales Code:								
[EWC] =	8.3L V10 SFI I	Engine							
1	5037 217AA	2				EWC			GASKET, Intake Manifold
2	6036 495AA	20				EWC			SCREW, Hex Flange Head, .25-
									20x1.00
3	5037 192AC	1				EWC			MANIFOLD, Intake
4	5037 195AA	2				EWC			GASKET, Exhaust Manifold
5	5037 284AA	1				EWC			SHIELD, Exhaust Manifold, Inner,
									Left
6									MANIFOLD, Exhaust
	5037 196AC	1				EWC			Right
	5037 197AC	1				EWC			Left
7	6034 595	20				EWC			WASHER, Coned, .340 x .750 x .180
8	6036 066AA	6				EWC			STUD, [.312-18/.312-24X2.12]
9	5037 245AA	1				EWC			SHIELD, Exhaust Manifold, Outer,
									Right
10	6034 856	6				EWC			NUT AND WASHER, Hex Nut-E
									Teeth Washer, .312-24
11	0154 881AA	14				EWC			BOLT, Hex Head

DODGE VIPER (ZB)— SERIES L S = SRT-10 D LINE D = Dodge X = Coupe


BODY 27 = Convertible 29 = Coupe


ENGINE EWC = 8.3L 10 Cyl SFI

Crankcase Ventilation [EWC] Figure 8.3L-910




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
>TE)-l ()								
	Sales Code:	Engino							
vvC] = 1	8.3L V10 SFI I 5037 306AC	=ngine 1				EWC			HARNESS, PCV
2	5037 300AC 5037 308AC	1				EWC			HARNESS, CCV To Air Cleaner
3	2946 079	1				EWC			GROMMET, Crankcase Vent
-4	6033 369	3				EWC			CLAMP, Hose, PCV Harness
-5	0000 000	J				LVVO			FILTER, Crankcase Vent
O	5037 336AA-	1				EWC			Cylinder Head Cover
	5303 0254	1				EWC			cymnaet riedd cere.
IGE VIP	FR (ZR)								
OGE VIP	PER (ZB)————————————————————————————————————		BODY P.7 = Converti		ENGINE WC = 8.3L 10		TRANS DEC = 6	SMISSIO	N






	-1110									
		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1	5037 249AB	1				EWC			ADAPTER, Oil Cooler
_	2	6035 854	2				EWC			FITTING, Y-Style
	3	5037 316AC	2							CONNECTOR, Engine Oil Cooler
	4	5290 014AA	1							COOLER, Engine Oil
_	5	6101 718	3							SCREW AND WASHER, Oval Head,
										M6x1x25
	6	5290 004AA	1							LINE, Oil Cooler Inlet
	7	5290 001AA	1							LINE, Oil Cooler Outlet
_	8									COVER, Dust -Purchased in Line
										Assy., (NOT SERVICED) (Not
	0	5027 020 A A	4				EWC			Serviced) GASKET, Oil Cooler
	-9	5037 039AA-	1				EVVC			GASKET, Oil Cooler
_										
_										
_										
_										
_										
	DGE VIPI ERIES	ER (ZB)———— LINE		BODY		ENGINE		TRANS	MISSIO	
S =	SRT-10			27 = Converti	ble EV	NC = 8.3L 1	0 Cyl SFI	DEC = 6	Speed N	Manual
X =	= Coupe		2	29 = Coupe				DBB = A	II Manua	I
_										


Group – 011 Exhaust





GROUP 11 - Exhaust


Illustration Title	Group-Fig. No
Exhaust System	
Exhaust System	Fig. 011-110
Heat Shields	
Heat Shield	Fig. 011-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	i i i i i i i i i i i i i i i i i i i			02.1120	202.		110.000	1111111	
1	5290 211AC	1							PIPE, Exhaust
2	5290 179AB	1							SPOUT, Exhaust, Left
3	5290 212AA	1							PIPE, Exhaust
4	4763 667AC	2							ISOLATOR, Exhaust
5									NUT PLATE, Exhaust, (NOT
									SERVICED) (Not Serviced)
6	5290 154AB	4			27				SUPPORT, Exhaust Isolator
7	5290 387AB	2							RESONATOR, Exhaust, Left
8	4848 935AA	2			27				CLAMP, Exhaust, [2.5 Inch]
9	5290 265AA	2			27				ISOLATOR, Exhaust, Dual Har
									Rod
10									SCREW, (NOT SERVICED) (N
									Serviced)
11	5264 999AC	1			27				CONVERTER, Catalytic, Left
12	5290 111AA	2							CLAMP, Exhaust Manifold
13	56041 706AA	2				EWC			SENSOR, Oxygen
14	5264 998AB	1							CONVERTER, Catalytic, Right
15	5290 178AD	1							SPOUT, Exhaust, Right

DODGE VIPER (ZB)— SERIES L S = SRT-10 D = X = Coupe

LINE D = Dodge BODY 27 = Convertible 29 = Coupe ENGINE EWC = 8.3L 10 Cyl SFI





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SHIELD, Heat
'	5290 160AB	1							Sill Inner, Right
	5290 160AB 5290 161AB	1							Sill Inner, Left
2	3290 101AB								SHIELD, Heat
-2	E200 224AA	4			27				
	5290 324AA-	1			27				Repair 8 Inch x 20 Inch, Right
	5290 325AA-	1			27				Repair 8 Inch x 20 Inch, Left
3									NUT, M8, (NOT SERVICED) (No
	5000 000 A D								Serviced)
4	5290 088AB	1			27				SHIELD, Fuel Tank Heat
-5	5290 256AA-	1			27				SHIELD, Fuel Tank Heat, Front
6									NUT, Hex, .250-20, (NOT
									SERVICED) (Not Serviced)
7									SCREW, Hex Head, [.190-16X.5
									(NOT SERVICED) (Not Service
8									SHIELD, Heat
	5290 148AC	1			27				Torque Box, Right
	5290 149AC	1			27				Torque Box, Left
9									SHIELD, Heat
	5290 230AB	1			27				Right
	5290 231AB	1			27				Left
-10	5290 328AA-	2			27				SHIELD, Heat, B Pillar Isolator
-11									STUD, Collared, .25-14/.25-20x2
									Shield to Frame, (NOT SERVI
									(Not Serviced)
12	0152 493	4							NUT, U nut 1' thread size, Heat
									Shield to rear Belly Pan
-13	5290 364AA-	2			27				SHIELD, Heat, A Pillar Isolator
-14	5290 273AA-	1			27				SHIELD, Heat


DODGE VIPER (ZB)— SERIES L S = SRT-10 D = X = Coupe


LINE D = Dodge

BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI

Group – 013 Frames and Bumpers






GROUP 13 - Frames and Bumpers

Illustration Title	Group-Fig. No
Frames	
Frame	Fig. 013-110
Front Bumper and Fascia	
Fascia, Front	Fig. 013-210
Rear Bumper and Fascia	
Fascia, Rear	Fig. 013-310

Frame Figure 013-110

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
2	1 2 -3 -4	4865 494AB 5290 045AB 5290 047AA- 6503 571	1 1 12 4						C S S	RAME ROSSMEMBER, Front Frame PACER, Crossmember CREW AND WASHER, M10x1. 50x35, Crossmember to Frame
	DODGE VIPI SERIES S = SRT-10 X = Coupe	ER (ZB) LINE D = Dodge	e 2 2	BODY 7 = Convert 9 = Coupe	ible EV	ENGINE VC = 8.3L 10) Cyl SFI	TRANS DEC = 6 DBB = A	SMISSION S Speed Mar NI Manual	nual



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									BOLT, M10x1.50x35, (NOT
									SERVICED) (Not Serviced)
2									NUT, M10, (NOT SERVICED) (No
									Serviced)
3	6101 448	4							NUT AND WASHER, Hex Nut-Col
									Washer, M10 x 1.5
4	6102 224AA	10							SCREW AND CONED WASHER,
									Hex Head, M5x0.80x20
5	4865 643AA	1							BUMPER, Fascia, Front
6	5029 208AA	4							REINFORCEMENT, Front Bumpe
7	5029 154AB	1			27				FASCIA, Front, Primed
-8	4865 890AB-	6			27				TAPPING PLATE, Fascia to Bum
-9	5029 222AA-	1							FRAME, License Plate
-10	6502 407	4							SCREW AND WASHER, Hex Hea
									M6x1x20, License Plate Mountin
-11	6023 925	2			27				NUT, Plastic Snap-in
12	6100 840	2							NUT, Spring
13	5029 137AA	2							PLATE, Fender Attach
14	6504 513	2							NUT AND WASHER, Hex Nut-Co
									Washer, M6 x 1.00
15	6035 625	6							SCREW
16	6507 483AA	10							NUT/RIVET
17	5029 234AA	1							SEAL


DODGE VIPER (ZB)— SERIES L S = SRT-10 D = X = Coupe

LINE D = Dodge

BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI

Fascia, Rear Figure 013-310




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4865 654AA	1							BUMPER, Fascia, Rear,
									Reinforcement
2	5029 568AA	1			27				BRACKET, Fascia
3	6101 442	2			27				U-NUT, M6 x 1.00, M6x1.00
4	0152 493	1			27				NUT
5	6100 558	2			27				BOLT AND CONED WASHER, Hex
									Head, M6x25x14
6									BOLT, Square Neck, M10x1.50,
									(NOT SERVICED) (Not Serviced)
7	6100 842	4			27				NUT, Push On
8	6101 448	4							NUT AND WASHER, Hex Nut-Coned
									Washer, M10 x 1.5
9	6507 326AA	4							PIN, Push
10									FOAM, Rear Bumper Fascia
	5029 164AA	1							Right
	5029 165AA	1							Left
11	6504 513	2							NUT AND WASHER, Hex Nut-Coned
									Washer, M6 x 1.00
12									RETAINER, Fascia
	5029 200AB	1			27				Right
	5029 201AB	1			27				Left
13	5029 155AC	1			27				FASCIA, Rear, Primed
14	6100 840	4							NUT, Spring
15									RETAINER, Fascia
	4865 914AB	1			27				Right
	4865 915AB	1			27				Left
16	6501 067	6							PIN, Push, M6.3x20.5
17	5029 209AA	4							REINFORCEMENT, Rear Bumper

DODGE VIPER (ZB)— SERIES L S = SRT-10 D = X = Coupe

BODY 27 = Convertible 29 = Coupe LINE D = Dodge


ENGINE EWC = 8.3L 10 Cyl SFI

Group – 014




GROUP 14 - Fuel

Illustration Title	Group-Fig. No
Tank, Fuel	
Fuel Tank	Fig. 014-110
Fuel Tank Filler Tube	
Fuel Filler Tube	Fig. 014-210
Fuel Lines	
Fuel Lines and Filter	Fig. 014-310
Fuel Rail	
Fuel Supply Tube	Fig. 014-410
Fuel Pump and Sending Unit	
Fuel Module	Fig. 014-510
Throttle Body	
Throttle Body	Fig. 014-610
Air Cleaner	
Air Cleaner	Fig. 014-810
Accelerator Pedal	
Accelerator Pedal	Fig. 014-1110



Fuel Tank Figure 014-110



UI	4-110									
		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1	5290 164AA	1							BLOCKER, Fuel Tank
	2	6504 572	2							NUT AND WASHER, Hex Nut-Coned
		5000 000 4 4	_							Washer, M8 x 1.25
	3 4	5290 089AA 5290 097AA	1 1							STRAP, Fuel Tank TANK, Fuel, Control Valve ORVR
_		3230 031 AA	'							serviced with Tank
	5									BRACKET, Serviced with Tank,
										(NOT SERVICED) (Not Serviced)
_	6	5290 088AA	1							SHIELD, Fuel Tank Heat
	-7									SCREW AND WASHER, Hex Head,
										M8x1.25x25, (NOT SERVICED) (Not Serviced)
										(Not Gerviced)
_										
_										
_										_
_										
-										
_										
-										
_										
ח	ODGE VIPI	=R (7R)								
5	SERIES	LINE		BODY		ENGINE		TRANS	MISSIO	<u></u>
	= SRT-10 = Coupe	D = Dodge		?7 = Converti !9 = Coupe	ble E\	NC = 8.3L 10	Cyl SFI	DEC = 6 DBB = A	Speed N Il Manua	∕lanual I
	• '			•						

1	
9	3 9 4 5 6


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5290 145AA	1							CAP, Fuel Filler
-2	6502 720	1							NUT, Hex Flange Lock, M8x1.25
3	4865 738AB	1			27				DOOR, Fuel Fill, Paint As Required
4	6504 791	2							SCREW, TAPPING, BUTTON HEAD
									M6 X 1.00 X 18.00
5	6036 491AA	4							NUT, Spring U Type, For .164-18
									Screw
6	5290 917AA	1							TUBE, Fuel Filler
7									SCREW, Attach Filler Tube, (NOT
									SERVICED) (Not Serviced)
8	4865 906AB	1							HOUSING, Fuel Filler
9	5029 238AA	2							BUMPER, Fuel Door
10									SCREW, Fuel Filler Housing Attach,
									(NOT SERVICED) (Not Serviced)
-11	5290 087AA-	1			27				HOSE, Fuel Filler Tube

DODGE VIPER (ZB)— SERIES L S = SRT-10 D = X = Coupe

LINE D = Dodge BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI

Fuel Lines and Filter Figure 014-310




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5290 801AA	1							FILTER, Fuel
2	6101 447	1			27				NUT, Filter to Frame
3									TUBE, Fuel Vapor
	5290 105AB	1			27				
	5290 092AC	1			27				[NF2]
4									TUBE, Fuel Supply
	5290 104AC	1							
	5290 091AC	1			27				[NF2]
5									TUBE, Vacuum
	5290 106AB	1							
	5290 093AC	1			27				[NF2]
6									CLIP, Fuel Bundle
	5278 914AA	5			27				
	5085 043AA	5			27				5 Tube Underbody
7	5290 103AB	1							TUBE, Brake
-8									NUT, Tube, Serviced with Tube,
									(NOT SERVICED) (Not Serviced)
-9	6507 312AA-	1			27				NUT, Hex
10	5290 153AA	1							TUBE, Leak Detection Pump
									Vacuum Supply
11	5290 098AA	1							HARNESS, Engine to Purge
									Solenoid
-12	5290 151AA-	1			27				SEPARATOR, Fuel Vapor
-13	5290 283AA-	1			27				CLIP, Fuel Line, 3/4 Inch Single Line
-14	5290 282AB-	1			27				BRACKET, Fuel Line

DODGE VIPER (ZB)— SERIES L S = SRT-10 D = X = Coupe


LINE D = Dodge BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI

Fuel Supply Tube Figure 014-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE Sa	les Code								
[EWC] = 8	3.3L V10 SFI E	Engine							
1	5096 292AA	1				EWC			RAIL, Fuel, with O Ring
2	6035 666	1				EWC			SCREW, Hex Flange Head, .25-
									20x1.00
3	4418 257AB	10				EWC			CLIP, Fuel Injector
4	5037 224AA	10				EWC			INJECTOR, Fuel
-5	4723 971	10				EWC			O RING PACKAGE, Fuel Injector




DODGE VIPER (ZB)— SERIES L S = SRT-10 D = X = Coupe LINE D = Dodge

BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI

Fuel Module Figure 014-510



ITEM	PART	QTY	LINE	SERIES	BODY	FNOINE	TRANS	TDIM	DESCRIPTION
	NUMBER	QIT	LINE	SERIES	ВОДТ	ENGINE	IKANS	TRIM	DESCRIPTION
1	5200 5389	1			27				NUT, Fuel Pump Module
2	5201 8808	1			27				SEAL, Fuel Pump and Level Unit
3	5086 489AA	1			27				MODULE KIT, Fuel Pump/Level Unit
4	5086 615AA	1			27				LEVEL UNIT KIT, Fuel
5									FILTER KIT, Fuel, Serviced in
									Module, (NOT SERVICED) (Not
									Serviced)
									-
-									
DODGE VI	PER (ZB)								
SERIES S = SRT-1	LINE		BODY 7 = Converti	blo ==	ENGINE	n Cyl SEI	TRANS	MISSIO	N Manual
S = SRT-1 X = Coupe			?7 = Converti !9 = Coupe	nie E/	NC = 8.3L 1	u Cyi SFI	DEC = 6 DBB = A	ا Speed ال الا Manua	viariudi
			1				-		

3

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	ales Code								
[EWC] =	8.3L V10 SFI I	Engine							
1	5037 112AA	1				EWC			THROTTLE BODY
2	4686 360AB	1			27	EWC			SENSOR, Throttle Position
3	5290 098AA	1							HARNESS, Engine to Purge
									Solenoid
4									CONNECTOR, Serviced with
									Harness, (NOT SERVICED) (Not
									Serviced)
-5	5037 191AA-	1				EWC			GASKET, Throttle Body To Intake
6	6035 666	3				EWC			SCREW, Hex Flange Head, .25-
									20x1.00
-7	5037 288AA-	1							CABLE, Accelerator
-8	4287 736	1							RETAINER, Throttle Cable
9	5037 285AA	1				EWC			BRACKET, Accelerator Cable
-10	4778 637AB-	1				EWC			MOTOR KIT, A.I.S.
-11	5037 342AB-	1			27				HOSE, Clean Air Tube to A.I.S.
									Motor
-12	8350 3642	1			27	EWC			O RING, Throttle Body, IAC Steppe
									Motor Valve


SERIES LINE
S = SRT-10 D = Doo
X = Coupe

D = Dodge

BODY 27 = Convertible 29 = Coupe


ENGINE EWC = 8.3L 10 Cyl SFI

Air Cleaner Figure 014-810



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5037 292AA	1			27				COVER, Air Cleaner, Upper
2	5066 221AB	6			27				SCREW, Air Cleaner Cover
3	6503 823	1			27				WINGNUT, M6-1.00
4	5029 171AA	1							SEAL, Air Cleaner, Foam
5	5037 331AA	2			27				CLAMP, Air Cleaner Duct
6	5037 295AA	1							TUBE, Clean Air
7	5037 297AA	1			07	EW/O			DUCT, Air Cleaner to Throttle Bod
8	4606 487AB	1			27	EWC			SENSOR, Charge Air Temp
9	5037 294AA	2							ELEMENT, Air Cleaner
10	5037 293AA	1			27				BODY, Air Cleaner, Lower
DGE VIPI	ER (ZB)		BODY		ENGINE		TRANS	SMISSIO	N.

AR = Use as required -= Non illustrated part # = New this model year



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				02:11:20					
1	5290 890AA	1							PEDAL, Brake, Clutch, and
									Accelerator
-2	4306 150	1							ISOLATOR, Throttle Cable
-3	5604 2387	1							SWITCH, Electric Pedal Adjust
4	6102 167AA	2							NUT AND WASHER, Sled
5	J400 3909	4							NUT, Hex Flange With Serration
6									SCREW, [M5X0.8X10.00], (NOT
									SERVICED) (Not Serviced)
7	5029 211AA	1							BRACKET, Wiring Harness
8	4294 036	1							CLIP
9	6101 444	2							NUT AND WASHER, Hex, M6x1.0
									Gas Pedal To Floor
10	5029 206AB	1							BRACKET, Stop Lamp Switch
11	5083 344AA	1							SWITCH PACKAGE, Stop Lamp
12									WIRING, Instrument Panel, See
									Electrical Group, (NOT SERVIC
									(Not Serviced)
-13	5037 288AA-	1							CABLE, Accelerator
14	5102 047AA	1			27				PAD, Accelerator Pedal

DODGE VIPER (ZB)— SERIES L S = SRT-10 D = X = Coupe

BODY 27 = Convertible 29 = Coupe LINE D = Dodge

ENGINE EWC = 8.3L 10 Cyl SFI

Group – 016


Propeller Shafts and U-Joints


GROUP 16 - Propeller Shafts and U-Joints

Illustration Title Group-Fig. No.

Propeller Shaft


Shaft, Propeller, Rear, 1 Piece Fig. 016-110





Shaft, Propeller, Rear, 1 Piece Figure 016-110

1	5037 750AA	1				SHAFT, Drive
2	4797 307AB	2				U JOINT
3	4428 723	2				CLAMP, U-Joint
4	6502 581	4				BOLT, Hex Flange Head, M8x1.0x19





DODGE VIPER (ZB)— SERIES L S = SRT-10 D = X = Coupe

LINE D = Dodge BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI

Group – 017 Rear Suspension






GROUP 17 - Rear Suspension

Group-Fig. No. Illustration Title **Rear Suspension** Fig. 017-120 Suspension, Rear

	Sales Codes:
	[SDE]= SPORT GROUP
	1 5290 040AE 2
	2 5290 263AA 2
(20)	3 5290 128AB 2
	-4 5290 233AA- 2
$ \begin{array}{c c} \hline 6 \end{array} $	5 6102 081AA 2
21	6 6502 698 4
	7 6504 189 2
(25) (50)	8
	5086 730AA 1
$\begin{array}{c} (3) \\ (29) \\ (3) \\ (4) \\ (4) \\ (5) \\ (6) \\ (7) \\ (8) \\ (8) \\ (8) \\ (8) \\ (8) \\ (9) \\ (1) \\ (1) \\ (2) \\ (2) \\ (3) \\ (4) \\ (4) \\ (4) \\ (4) \\ (5) \\ (4) \\ (4) \\ (4) \\ (4) \\ (4) \\ (4) \\ (5) \\ (4) $	5086 731AA 1
	9 4848 174 1
$\begin{array}{c} \begin{array}{c} \begin{array}{c} \\ \\ \end{array} \end{array} $	-10 5200 6404 1
	-11 6030 099 1
(24) (16) (18)	-12 4848 173 1
	13 4848 716 1
	-14 4848 171 1
28 31 2 2	-15 6035 642 4
	-10 0033 042 4
(35) (32)	16 6502 293 2
$(34) \qquad (36) \qquad (19)$	17 6502 294 1
	18 4293 167 2
	19 6500 336 2
	20 5290 117AA 2
41)	21 5200 6404 1
	22 6030 099 1
5	23 6035 641 2
	24 0120 123 2
47	25 6502 046 4
(42)	26 6502 585 4
46	27 6101 707 2
(46) (45)	28 6502 337 2
$(43) \qquad \qquad \bigcirc$	29 6101 063 2
\sim (49)	
(44)	30 5290 168AA 2
	31 4763 159AB 2
(24)	32 4709 309 2
	DODGE VIPER (ZB)————————————————————————————————————

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
ales Co									
SDE]= S	SPORT GROUP	•							
1	5290 040AE	2			27				SHOCK ABSORBER, Suspension
									Rear, With Bushings
2	5290 263AA	2			27				SPRING, Rear Coil
3	5290 128AB	2							BRACKET, Suspension
-4	5290 233AA-	2							BUSHING, Upper and Lower Sho
5	6102 081AA	2							SCREW, Hex Flange Head, M14x
									00x140.00, Shock Absorber Low
		_							Mounting
6	6502 698	4							NUT, Hex Flange Lock, Shock
									Mounting
7	6504 189	2							SCREW
8									KNUCKLE, Rear
	5086 730AA	1							Right
_	5086 731AA	1							Left
9	4848 174	1			27				BALL JOINT, Lower Control Arm
-10	5200 6404	1							SEAL, Ball Joint
-11	6030 099	1							FITTING, Ball Joint, Zirc
-12	4848 173	1			27				GASKET, Ball Joint
13	4848 716	1							HUB AND BEARING, Brake
-14	4848 171	1							GASKET, Hub And Bearing
-15	6035 642	4							SCREW AND WASHER, Hex Hea
									Locking, .50-20x2.25 Grade 8, F
	0500 000								and Bearing to Knuckle
16	6502 293	2							WASHER, Flat, M23x43x4
17	6502 294	1							NUT, Hex Flange, M22x1.25
18	4293 167	2							NUT AND WASHER PACKAGE,
40	0500 220								Front Hub, Or Rear
19	6500 336	2							PIN, Cotter, M5x36.00
20	5290 117AA	2							ARM, Control, Upper
21	5200 6404	1							SEAL, Ball Joint
22	6030 099	1							FITTING, Ball Joint, Zirc
23	6035 641	2							NUT, Hex, .625-18
24	0120 123	2							PIN, Cotter
25	6502 046	4							BOLT, Suspension Upper Arm
26	6502 585	4							NUT POLT M10v1 50v75
27	6101 707 6502 337	2 2							BOLT, M10x1.50x75 NUT, M10x1.5
28	6101 063								
29	0101 003	2							SCREW AND WASHER, M10x1. 5x45
30	5290 168AA	2							END, Tie Rod
30 31	4763 159AB								LINK, Trailing Rear Suspension
31	4763 159AB 4709 309	2 2							ROD, Toe Link
32	4109 309								NOD, TOE LITIK
	PER (ZB)								
RIES : SRT-10	LINE D = Dodge	, 2	BODY 7 = Convertil	ble F\	ENGINE VC = 8.3L 10	0 Cvl SFI	TRANS DEC = 6	MISSIO	
Coupe	, D = Douge		9 = Converti 9 = Coupe	~.U	J J 0.0L I	- O _j . Oi i	DBB = A		




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-33									SHIM, Tow Link To Frame
	4643 912	AR							[NOM]
	4643 914	AR							[4U]
	4643 915	AR							[6U]
	4643 985	AR							[2D]
	4643 986	AR							[4D]
	4643 987	AR							[6D]
34	6036 525AA	4							BOLT, Control Arm Cam
35	6036 467AA	4							NUT, Hex Lock, .50-20
36	6036 469AA	4							WASHER, Control Arm
-37	6100 219	2							NUT, Hex Jam, M10x1.5, Link to Bar
38	5290 169AA	1							BAR, Rear Sway
39	4709 289	2							LINK, Rear Suspension Assist
40	4404 219AB	2							RETAINER, Sway Bar
41	4643 004	2							BUSHING, Sway Bar
42									SCREW, M10x1.5x30, (NOT
									SERVICED) (Not Serviced)
43									ARM, Control
	5290 118AA	1							Right
	5290 119AA	1							Left
44	6502 556	2							NUT, Hex, M10-1.5
45	4848 052AB	1							BUSHING
46	4848 050	2							BUSHING, Control Arm
47	6503 357	3							BOLT, Hex Flange Head, M10x1.
									50x55
-48	6502 696	3							NUT, Hex Flange Lock, M10x1.5
49	6035 670	4							NUT, Hex, .687-18
50	6035 641	2							NUT, Hex, .625-18


DODGE VIPER (ZB)—
SERIES L
S = SRT-10 D
X = Coupe

LINE D = Dodge BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI

Group – 019 Steering






GROUP 19 - Steering

Illustration Title	Group-Fig. No
Steering Wheel Wheel, Steering	Fig. 019-120
Steering Column Column Assembly And Mounting	Fig. 019-230
Steering Gear	
Gear, Rack & Pinion Power And Attaching Parts	Fig. 019-310
Power Steering Pump Pump And Hoses, Power Steering	Fig. 019-510

PART

	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM DESCRIPTION
		T000 41/04 4							WW.551 0
	1	TQ90 1X9AA TQ91 DX9AA							WHEEL, Steering COVER, Steering Wheel, Back
	3	TQ87 DX9AB							AIR BAG, Driver
	4	6503 771	3						SCREW, Hex Flange Head,
									M6x1x23, Air Bag Module To
	5	4671 789AC	1						Steering Wheel CLOCKSPRING
	6	6505 656AA	1						SCREW, Hex Flange Head, M10x1.
									5x35., Steering Wheel Attaching
(1)									
									_
(3)									
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$									
									_
$\frac{1}{2}$									
	DODGE VIII	3ED /7D\							
	DODGE VIF SERIES S = SRT-10	LINE		BODY		ENGINE	0.10=	TRANSM	IISSION
	S = SRT-10 X = Coupe	0 D = Dodge	2	27 = Convertik 29 = Coupe	oie EV	/C = 8.3L 10	Cyl SFI	DEC = 6 S DBB = All	IISSION Speed Manual Manual

Column Assembly And Mounting Figure 019-230



	PART	0.TV		055150	, nany	ENGINE			DECODIDE
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4865 679AC	1							COLUMN, Steering, Tilt
2									LEVER, Tilt Column Release,
									Serviced in item # 1, (NOT
									SERVICED) (Not Serviced)
3									SPRING, (NOT SERVICED) (No
									Serviced)
4	4147 362AB	1							BEARING, Steering Column Sha
									Export Only
-5	4664 130	1							RETAINER, Spring
6	6503 182	4							NUT AND WASHER, Hex Lock I
									Coned Teeth Washer, M8 x 1.2
7	4671 104	1							LAMP, Ignition Switch
8	4671 789AC	1							CLOCKSPRING
9	6035 434	2							SCREW AND WASHER, Pan He
									Shrouds Attaching
10	UC77 DX9AA	1							SHROUD, Steering Column, Upp
11	UC78 DX9AA	1							SHROUD, Steering Column, Lov
12	6102 204AA	2							SCREW
13	5290 070AD	1							SHAFT, Steering Column
14	4865 588AC	1							SHAFT, Steering Column
15	5290 187AA	1							BEARING, Steering Column Sha
16	6504 926AA	3							SCREW, Hex Flange Head, M10
									5x40

X = Coupe

DODGE VIPER (ZB)— SERIES L S = SRT-10 D LINE


D = Dodge

BODY 27 = Convertible 29 = Coupe


ENGINE EWC = 8.3L 10 Cyl SFI

Gear, Rack & Pinion Power And Attaching Parts Figure 019-310

PART



Pump And Hoses, Power Steering Figure 019-510




ITEM	PART	OTV	LINE	OFFICE	DODY	ENGINE	TRANG	TDIM	DESCRIPTION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IOTE: S	ales Code								
	8.3L V10 SFI								
1	5093 985AA	1				EWC			PUMP, Power Steering
-2	4778 797AB-	1				EWC			SEAL, Power Steering Pump
-3	2537 833	1				EWC			SPRING, Power Steering Pump Flow
4	5103 202AA	1				EWC			RESERVOIR, Power Steering Pump,
7	3103 202AA	'				LVVO			Kit, Contains: 2-Clips, Throat Tube,
									O'Ring
5	5073 626AA	1				EWC			CAP, Power Steering Reservoir
6	5290 139AA	1				EWC			PULLEY, Power Steering Pump
7	5290 009AA	1				LVVO			LINE, Power Steering, To Cooler
8	5290 009AA 5290 010AA	1							HOSE, Power Steering Return
9	5093 235AA	1							COOLER KIT, Power Steering
-10	5290 238AA-	2							CONNECTOR, Power Steering
10	0200 2007 (7)	_							Cooler
11	5086 999AA	1							LINE, Power Steering, Fan to
• •	0000 0007 (7)	•							Steering Gear
12	5086 998AA	1							LINE, Power Steering, Power
									Steering Pump to Fan
13									LINE, Power Steering
. •	5290 008AA	1							Fan to Power Steering Pump
	5290 008AC	1							Fan to Power Steering Pump Up to
	0_00 000,10								3/17/03
	5290 008AD	1							Fan to Power Steering Pump After
		-							3/17/03
14	52088 914AA	1				EWC			FITTING, Quick Disconnect
-15	5019 705AA-	1				EWC			O RING
16	52088 116AB	1							FITTING, Quick Connect
17									CLIP, Line
	52079 928AA	1							Pressure Line 1/2 Inch
	52079 929AB	1							Pressure Line 3/8 Inch
18	5290 177AA	1							CLIP, Power Steering Return Hose

DODGE VIPER (ZB)— SERIES L S = SRT-10 D = X = Coupe

LINE D = Dodge BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI

Group - T56 Manual Transmission 6 Speed




T56-100 Transmission	T56–200 Case & Extension	T56–300 Transmission Mounting	T56-400 Gear Train
			00000
T56–900 Forks and Rails	T56-1200 Gear Shift Controls		
The state of the s			

GROUP T56 - Manual Transmission 6 Speed

Illustration Title	Group-Fig. No.
Transmission	
Transmission Assembly [DEC]	Fig. T56-110
Case & Extension	
Case & Extension [DEC]	Fig. T56-210
Transmission Mounting	
Transmission Mounting [DEC]	Fig. T56-310
Transmission, Rear Mounting [DEC]	Fig. T56-320
Skid Plate [DEC]	Fig. T56-330
Gear Train	
Input Shaft, Mainshaft & Countershaft [DEC]	Fig. T56-410
Countershaft Extension [DEC]	Fig. T56-420
Reverse Idler & Driven Gears [DEC]	Fig. T56-430
Forks and Rails	
Shift Forks & Rails [DEC]	Fig. T56-910
Gear Shift Controls	
Gear Shift [DEC]	Fig. T56-1210


Transmission Assembly [DEC] Figure T56-110

Sales Co	ode:					
[DEC]=6	Speed Manual	Transr	nission			
1	5093 033AA	1			DEC	TRANSMISSION, 6 speed
2	0153 371	4				BOLT, Hex Head, .375-16x2.25
3	0154 927AA	4				SCREW
4	0181 148	2				SCREW, Hex Head, .437-14x2.
5	9417 838	2				WASHER, Flat
6	4865 928AB	1				WIRING, Transmission



DODGE VIPER (ZB)—
SERIES L
S = SRT-10 D
X = Coupe BODY 27 = Convertible 29 = Coupe TRANSMISSION DEC = 6 Speed Manual DBB = All Manual ENGINE EWC = 8.3L 10 Cyl SFI LINE D = Dodge

Case & Extension [DEC] Figure T56-210




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			ļ	<u> </u>	ļ	<u> </u>			
1	5093 034AA	1					DEC		HOUSING, Clutch
2	4626 462	1					DEC		CUP
3	4626 460	1					DEC		CASE, Transmission
-4	4626 573	1					DEC		BREATHER, Transmission Case
5	4626 591	1						PLUG, Oil Fill	
6	4626 593	<u>·</u> 1					DEC		SWITCH, Back Up Lamp
7	4626 572	1					DEC		SOLENOID, Transmission Skip Shift
8	4626 567	1					DEC		MAGNET, Transmission
9	4626 508	2					DEC		BOLT, Shift Lever Guide
10	4626 569	1					DEC		PLATE, Transmission Shifter
11	4626 571	4					DEC		BOLT, Shifter Cover
12	4626 592	1					DEC		VENT, Transmission Pipe
13	4626 570	1					DEC		CLIP, Vent Tube
14	4626 577	1					DEC		DETENT, Gearshift
15	4626 526	1					DEC		BALL, Check
16	4626 521	1					DEC		PLATE, Transmission Shifter
17	4626 527	2					DEC		BOLT
18	4626 523	1					DEC		SPRING, Detent Offset
19	4626 513	2					DEC		DOWEL, Transmission Case
20	4626 512	1					DEC		BUSHING, Shift Rail
21	4626 579	1					DEC		LEVER, Offset, Front
22	4626 493	1					DEC		PIN, Roll
23	5093 288AA	1					DEC		EXTENSION HOUSING,
									transmission
-24	4626 461	2					DEC		STUD, Extension Housing To
									Transmission Case.
25	4626 520	6					DEC		BOLT, Transmission Case
-26	4626 568	2					DEC		NUT, Transmission Case
27	4762 005	1					DEC		HOUSING, reverse lockout, Includes
									Reverse Lockout Solenoid
28	4746 271	1					DEC		SOLENOID, Transmission, Reverse
00	4700 004						DEO		Lockout
-29	4762 004	1					DEC		O RING
30	4762 008	1					DEC		BOLT, Reverse Lockout Solenoid
24	4700 004	4					DEC		Mounting O RING
31 32	4762 004 5093 271AA	1 1					DEC DEC		
							DEC		LEVER, Offset, Rear PIN, Roll
33 34	4626 493 4626 588	1 1					DEC		LEVER, Gearshift
3 4 35	4626 571	4					DEC		BOLT, Shifter Cover
36	4626 571	8					DEC		BOLT, Transmission Case
37	4531 216AB	0 1					DEC		SEAL, Output Shaft
31	+001 Z 10AD	ı					DEC		OLAL, Output Shall

DODGE VIPER (ZB)—
SERIES L
S = SRT-10 D
X = Coupe

LINE D = Dodge BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI

Transmission Mounting [DEC] Figure T56-310



Transmission, Rear Mounting [DEC] Figure T56-320

5
4
2

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11 - 141	NOWIBER	<u> </u>	LINL	SERIES	ВОВТ	LINGINE	TRANS	TIKIM	DESCRIPTION
1	5037 263AA	1							CROSSMEMBER, Transmission
2	6101 761	2							NUT, Coned Washer, M10 x 1.50
	0101 701	1							
3	6101 058	4							BOLT AND WASHER, Hex Head,
4	6501 596	2							M10x1.50x20 SCREW AND WASHER, Hex Hea
5	4643 318	1							M10x1.5x45 MOUNT, Transmission
6									TRANSMISSION, 6 speed, See Illustration 110, (NOT SERVICED (Not Serviced)
DGE VIP	ER (ZB)———— LINE		BODY		ENGINE			SMISSIO	

Skid Plate [DEC] Figure T56-330

Figure T	56-330									
	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-	1 2	5290 078AA 6505 070AA								BELLY PAN, Rear SCREW, Pan Head
-										
2										

 DODGE VIPER (ZB)

 SERIES
 LINE


 S = SRT-10
 D = Dodge

 X = Coupe
 D = Dodge

BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI


Input Shaft, Mainshaft & Countershaft [DEC] Figure T56-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
								•	
NOTE:									
Shim Kit	Contains All TI	ne Shim	ns Require	d For Com	plete Trans	smission R	epair.		
Sales Co	odes:								
[DEC]=6	Speed Manual	Transn	nission						
1	5093 265AA	1					DEC		ADAPTER, Transmission
2	4626 514	2					DEC		DOWEL, Transmission Case, Adapter Front
3	4626 520	6					DEC		BOLT, Transmission Case
4	4626 512	1					DEC		BUSHING, Shift Rail
5	4626 513	2					DEC		DOWEL, Transmission Case
6	4626 515	1					DEC		SEAL, Input Shaft
7	5018 856AA	1					DEC		SHIM KIT, Transmission
8	4626 490	1					DEC		CUP
9	4626 510	1					DEC		CONE, Input Shaft
10	4626 737	1					DEC		BEARING PACKAGE, Input Shaf
11	4626 574AB	1					DEC		SHAFT PACKAGE, input, Include
									Shaft, Bearing Cone & Cup
12	4626 519	1					DEC		CUP, Countershaft Bearing
13	4626 465	1					DEC		BEARING
14	5093 255AA	1					DEC		COUNTERSHAFT
15	4626 466	1					DEC		BEARING, Rear
16	4626 517	1					DEC		CUP
17	4626 476	2					DEC		STOP RING, Synchronizer, 3rd &
									Stop Ring
18	4626 487	1					DEC		SNAP RING
19	5018 859AA	1					DEC		SYNCHRONIZER, Third and Fou
20	4626 471	1					DEC		GEAR, Third
21	5093 261AA	1					DEC		SPACER, Third Gear
22	4626 469	2					DEC		NEEDLE BEARING
23	4626 563	1					DEC		BEARING, Mainshaft Small Tape
24	4626 467	1					DEC		MAINSHAFT, Transmission
25	4626 469	2					DEC		NEEDLE BEARING
26	4626 478	1					DEC		GEAR, Second
27	4626 486	2					DEC		THRUST WASHER, First And
									Second Gear
28	4626 484	1					DEC		CONE, Inner
29	5093 262AA	2					DEC		FRICTION CONE, Second Gear
		_							Inner
30	4626 483	2					DEC		RING, 1st and 2nd Speed Blocke
31	5018 860AA	1					DEC		SYNCHRONIZER, First and Second
32	4626 484	1					DEC		CONE, Inner
33	4626 486	2					DEC		THRUST WASHER, First And Second Gear
ODGE VIP	ER (ZB)————		BODY		ENGINE		TRANG	SMISSIO	N
= SRT-10 = Coupe			27 = Converti 29 = Coupe	ble EV	VC = 8.3L 10	Cyl SFI	DEC = 6 DBB = A	Speed I	Manual

>>

Input Shaft, Mainshaft & Countershaft [DEC] **Figure T56-410**



TEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
34	4626 536	1					DEC		SNAP RING
35	4626 488	1					DEC		NEEDLE BEARING, First Gear
36	4626 489	1					DEC		GEAR, First
37	4626 490	1					DEC		CUP, Bearing
38	4626 463	1					DEC		CUP, Bearing Race

LINE

DODGE VIPER (ZB)— SERIES S = SRT-10 D X = Coupe


D = Dodge

BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI

Countershaft Extension [DEC] Figure T56-420

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									



NOTE:				
Shim Kit	Contains All The	e Shims Required For Complete Transmis	ssion Repair	
Internal	Parts For Synchr	ronizers Are Not Servived.		
Sales Co	odes:			
[DEC]=6	Speed Manual 7	Fransmission		
1				CASE, Transmission, See Illustration
				210, (NOT SERVICED) (Not
				Serviced)
2	4626 462	1	DEC	CUP
3	4626 541	1	DEC	THRUST WASHER, Sixth Gear
4	5093 272AA	1	DEC	GEAR, Sixth
5	4626 538	1	DEC	BEARING, Sixth Gear
6	4626 496	2	DEC	PAD, Shift Fork
7	4626 553	1	DEC	FORK, Transmission
8	4626 561	1	DEC	SNAP RING, Shift Fork
9	4626 535	2	DEC	STOP RING, Synchronizer
10	4626 537	1	DEC	SPACER, Sixth Gear
11	4626 536	1	DEC	SNAP RING
12	5018 863AA	1	DEC	SYNCHRONIZER, Fifth and Sixth
13	5093 273AA	1	DEC	GEAR, Fifth
14	4626 530	1	DEC	NEEDLE BEARING, Fifth Gear
15	4626 540	1	DEC	FORK, Fifth Shift
16	4626 542	1	DEC	SNAP RING, Shift Fork
17	4626 496	2	DEC	PAD, Shift Fork
18	4626 529	1	DEC	COUNTERSHAFT, Extension
19	4626 468	1	DEC	BEARING
20	4626 544	1	DEC	CUP
21	5018 856AA	1	DEC	SHIM KIT, Transmission
22	4626 545	1	DEC	FUNNEL, Counter Shaft
23				EXTENSION, Transmission, See
				Illustration 210, (NOT SERVICED)
				(Not Serviced)
				`

DODGE VIPER (ZB)—
SERIES L
S = SRT-10 D
X = Coupe

LINE D = Dodge BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI

Reverse Idler & Driven Gears [DEC] Figure T56-430

	Internal I
	Sales Co
	[DEC]=6
	1
23	2
	3
	4
	5
	6
	7
	8
	9
TOTAL (19CH)	10
76-19-210	7) 11
	12
	13
	6 14
	15
(5)	16
	// 17
	18
	19
	20
$\langle (15) \rangle / \langle (15) \rangle $	21
	22
$\begin{array}{c} (14) \\ (15) \\ (1$	23

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
nternal	Parts For Synch	nronizer	s Are Not	Servived.					
Sales C									
DEC]=6	Speed Manual	Transn	nission						
1									CASE, Transmission, See Illustrsti
									210, (NOT SERVICED) (Not
									Serviced)
2	4626 552	1					DEC		GEAR, Fifth, Driven
3	5018 865AA	1					DEC		SYNCHRONIZER, Reverse
4	4626 555	1					DEC		WASHER, Reverse Thrust
5	4626 536	1					DEC		SNAP RING
6	4626 557	1					DEC		RING, Reverse Blocker
7	4626 556	1					DEC		WASHER, Reverse Wave
8	4626 558	1					DEC		NEEDLE BEARING, Reverse Gea
9	5093 287AA	1					DEC		GEAR, Reverse
10	4626 560	1					DEC		WASHER, Reverse Thrust
11	4626 562	2					DEC		WASHER, Mainshaft
12	4626 563	1					DEC		BEARING
13	4626 562	2					DEC		WASHER, Mainshaft
14	4626 564	1					DEC		SNAP RING, Mainshaft
15	4626 463	1					DEC		CUP
16	4626 527	3					DEC		BOLT
17	4626 551	1					DEC		BRACKET, Reverse Idler Shaft
18	5093 289AA	1					DEC		SNAP RING
19	4626 548	1					DEC		GEAR, Reverse Idler
20	4626 549	1					DEC		BEARING CONE, Idler Gear
21	4626 547	1					DEC		IDLER SHAFT, Transmission
22	4626 555	1					DEC		WASHER, Reverse Thrust
23									EXTENSION, Transmission, See
									Illustration 210, (NOT SERVICEI
									(Not Serviced)

DODGE VIPER (ZB)-

SERIES S = SRT-10 X = Coupe

LINE D = Dodge BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI

Shift Forks & Rails [DEC] Figure T56-910

	-
9 3 11) 8 11) 7 6 5 10	-
	-

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
No Servi	ce Parts For 5/	6 & Re	verse Shift	: Rail					
Sales Co	odes:								
[DEC]=6	Speed Manual	Transn	nission						
1	5018 861AA	1					DEC		RAIL, Reverse Shift
-2	4626 496	2					DEC		PAD, Shift Fork
3	4626 498	1					DEC		RAIL, Top
4	4626 502	2					DEC		PAD, Shift Fork
5	5018 862AA	1					DEC		FORK, Third and Fourth
6	4626 507	1					DEC		PLATE, interlock
7	4626 506	1					DEC		ARM, Gearshift Selector
8	5093 271AA	1					DEC		LEVER, Offset, Skip Shift & Offset
									Lever
9	4626 505	1					DEC		FORK, First and Second
10	4626 502	2					DEC		PAD, Shift Fork
11	4626 493	1					DEC		PIN, Roll
12	4626 503	1					DEC		LINK, Shift
-13	4886 342AA-	1					DEC		CLIP
-14	4626 587	1					DEC		O RING, Reverse Inhibitor, Manua
									Transmission
-15	4626 586	1					DEC		SNAP RING, Reverse Inhibitor

X = Coupe


DODGE VIPER (ZB)— SERIES L S = SRT-10 D LINE

D = Dodge


BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI

Gear Shift [DEC] **Figure T56-1210**



Group – 022 Wheels, Covers and Jacks




022–200 Wheel Covers and Center Caps	

GROUP 22 - Wheels, Covers and Jacks

Illustration Title	Group-Fig. No
Wheels and Hardware	
Wheels And Hardware	Fig. 022-110
Wheel Covers and Center Caps	
Caps, Wheel	Fig. 022-210

Wheels And Hardware Figure 022-110

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	TW85 XZAAA	. 1							WHEEL, Front
2	TW89 XZAAA	. 1							WHEEL, Rear
3	6036 310AA	24							NUT, Wheel, .50x20, Chrome
-4	52088 990AA	- 1							SENSOR, Tire Pressure, valve stem
-5	52088 961AA	- 1							NUT, TIRE AIR PRESSURE
									SENSOR
6	TW94 XZAAA	4							CAP, Wheel Center
-7	5103 357AA-	1			27				CAP, Valve Stem, Chrome



GE VIPER (ZB)

IES LINE BODY ENGINE TRANSMISSIO

DODGE VIPER (ZB)

SERIES LINE BODY

S = SRT-10 D = Dodge 27 = Convertible

X = Coupe 29 = Coupe


ENGINE EWC = 8.3L 10 Cyl SFI


Caps, Wheel Figure 022-210

					ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
						•								
l	1					8" ALUMINUM								
						8" ALUMINUM TW94 XZAAA		NTED						CAP, Wheel Center
				1										
)													
				1										
ı				1										
1				ĺ										
1														
		,												
I														
					DODGE VIPER SERIES S = SRT-10	LINE D = Dodge		BODY		ENGINE VC = 8.3L 10		TRANS	MISSION	N
					S = SRT-10 X = Coupe	D = Dodge	27 29	BODY 7 = Convertib 9 = Coupe	ole EV	VC = 8.3L 10) Cyl SFI	TRANS DEC = 6 DBB = A	Speed N II Manua	Manual I

Group – 23D

Wiper/Lock Cylinder and Keys






GROUP 23D - Wiper/Lock Cylinder and Keys


Illustration Title	Group-Fig. No
Lock Cylinders and Keys	
Lock Cylinders and Keys	Fig. 23D-105
Windshield Wiper and Washer Systems	
Windshield Wiper and Washer	Fig. 23D-205

Lock Cylinders and Keys Figure 23D-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				1					
IOTE: A	All Lock Cylinde	rs are l	Jncoded						
1	5102 103AA	1			27				KEY, Blank
2	5003 843AB	1							CYLINDER, Ignition Lock
3	5010 879AA	1							TUMBLER, Ignition Number 1,
									Sidebar
-4	5010 880AA-	1							TUMBLER, Ignition Number 2,
									Sidebar
-5	5010 881AA-	1							TUMBLER, Ignition Number 3,
									Sidebar
-6	5010 882AA-	1							TUMBLER, Ignition Number 4,
									Sidebar
-7	5010 883AB-	1							SPRING, Ignition Tumbler, Side
8	4778 147	1							CYLINDER, Deck Lid Lock
-9	5086 729AA-	1							CYLINDER, Door Lock
10	4778 117	1							TUMBLER, Door and Deck Nur
									1, Wide
-11	4778 118	1							TUMBLER, Door and Deck Nun
									2, Wide
-12	4778 119	1							TUMBLER, Door and Deck Nun
									3, Wide
-13	4778 120	1							TUMBLER, Door and Deck Nun
									4, Wide
14	4778 121	1							SPRING, Door and Deck Tumb
15	4778 448	1							CYLINDER, Glove Box Lock
16	5257 132	1							TUMBLER, Ignition Number 1
-17	5257 133	1							TUMBLER, Ignition Number 2
-18	5257 134	1							TUMBLER, Ignition Number 3
19	5257 135	1							TUMBLER, Ignition Number 4
20	4746 873	1							SPRING, Lock Cylinder Tumble
21	4054 202	. 1							NUT, Cylinder Lock
22	3695 321	1							GASKET, Lock Cylinder
23	4723 494	1							LEVER, Deck Lid Lock Cylinder
24	4686 669AB	1							MODULE, Keyless Entry Receiv
25	4602 260AA	2							TRANSMITTER, Keyless Entry
26	4778 149	1							CAP, Door Lock Cylinder, Brigh
27	4378 799	1							CAP, Lock Cylinder, Large Blace
28	5019 605AA	1							SHUTTER, Lock Cylinder
-29	5080 900AA-	1							SHUTTER, Lock Cylinder
-30	5086 732AA-	1							LEVER
31	4378 793	1							SPRING, Cylinder Return
-32	4865 876AA-	1							BRACKET, Key Cylinder
	1000 07 07 11 1	•							Diaterization Symmetri
	NED (ZC)								
DGE VIP ERIES : SRT-10	LINE D = Dodge		BODY 27 = Convert		ENGINE WC = 8.3L 1		TRANS	MISSIO	N

Windshield Wiper and Washer Figure 23D-205




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4389 440	2							CAP, Wiper Arm Nut
2	6500 165	2							NUT, Wiper Arm
3									ARM, Wiper
	4865 504AA	1							Right
	4865 505AA	1							Left
4									BLADE, Wiper
	4865 506AA	1							Right
	4865 507AA	1							Left
5	4865 508AA	1							MOTOR, Wiper
6	4865 510AA	1							PIVOT AND LINKAGE, Wiper
7	6503 992	2							SCREW AND WASHER, Hex Head,
									M6x1x30
8	6503 664	1							NUT AND WASHER, Hex Nut-Cone
									Washer, M6 x 1.00
9	4865 497AA	1							HOSE, Windshield Washer, Located
									in cowl
10	55077 551AA	2							NOZZLE, Washer, Windshield
11									SCREEN, Cowl Top
	UC22 RXFAB	1							Right
	UC23 RXFAB	1							Left
12	5029 173AA	1							RESERVOIR, Washer
13	4630 249	1							CAP, Washer Reservoir
14	6102 050AA	1							SCREW, Hex Flange Head, M6.3 x
									1.81 x 15.00
15	HWV00 532AE	3 8							HOSE 1FT, Windshield Washer, 5/
									32"
-16	55077 241AB-	· 1							PUMP, Washer, Windshield
-17	5011 809AA-	1							GROMMET, Windshield Washer
									Pump


DODGE VIPER (ZB)—
SERIES L
S = SRT-10 D
X = Coupe

BODY 27 = Convertible 29 = Coupe LINE D = Dodge

ENGINE EWC = 8.3L 10 Cyl SFI

Group – 024 Air Conditioning & Heater






	024–200 Air Conditioner and Heater Plumbing	024–300 Air Conditioner and Heater Controls	024–400 Air Conditioning Compressor
1 - E 11 1 1 1 1 1 1 1 1			
024-600 Air Ducts and Outlets			

GROUP 24 - Air Conditioning & Heater

Illustration Litle	Group-Fig. No
Air Conditioner and Heater Units Hevac Unit	Fig. 024-120
Air Conditioner and Heater Plumbing	
Heater Plumbing	Fig. 024-210
Plumbing, A/C Unit	Fig. 024-220
Air Conditioner and Heater Controls	
Control Assembly	Fig. 024-310
Air Conditioning Compressor	
Compressor, A/C	Fig. 024-410
Air Ducts and Outlets	
Vents And Outlets	Fig. 024-610

Hevac Unit Figure 024-120



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5093 237AA	1							HOUSING, A/C And Heater, Includes
									Plates, Bracket, Shaft, Foot, Panel
									and Air Mix Doors, Clamp.
-2	6101 442	1							U-NUT, M6 x 1.00, M6x1.00
-3	4720 533	32							SCREW, Heater Housing
4	5093 244AA	1							HOUSING, Air Inlet, Includes Servo,
									2 Plate's, Door, Case, Screws
5	5019 631AA	4							SERVO, A/C Temperature Door
-6	4720 533	3							SCREW, Heater Housing
7	5093 245AA	1							SEAL KIT, A/C And Heater Unit
8	5093 246AA	1							EVAPORATOR, Air Conditioning
-9	5104 821AA-	1			27				DRAIN KIT, A/C and Heater, Tube
									and Grommet
-10	5093 249AA-	1							TUBE, Drain
-11	5029 345AA-	1			27				BRACKET, A/C Drain Tube
12	5093 247AA	1							CORE, Heater
13	4720 533	1							SCREW, Heater Housing
14	5093 248AA	1							MOTOR, Blower with Wheel
-15	2837 680	1							CLAMP, Blower Motor Wheel
16	5014 212AA	1							RESISTOR, Blower Motor
17	5093 250AA	1							WIRING, A/C and HEATER
-18	6504 909AA-	1			27				STUD, HVAC Unit mounting


DODGE VIPER (ZB)— SERIES L S = SRT-10 D = X = Coupe

LINE D = Dodge ENGINE EWC = 8.3L 10 Cyl SFI

TRANSMISSION DEC = 6 Speed Manual DBB = All Manual

BODY 27 = Convertible 29 = Coupe

Heater Plumbing Figure 024-210




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	ales Codes:								
[EWC] =	8.3L V10 SFI								
1	5043 002AA	1							BOTTLE, Pressurized Coolant
2	4596 198	1							CAP, Radiator
3	6503 698	3							SCREW AND WASHER, Truss
									Head, M6-1.00x30.00
4	6503 422	2			27				CLAMP, Supply Hose, 26 mm
									Diameter
5	6502 018	3			27				CLAMP, Hose, M28.9 x 1.60
6	5037 987AC	1			27				HOSE, Heater Return
7	5264 929AB	1			27				HOSE, Heater Supply
8	5290 217AA	1			27				CLIP, Heater Hose
9	5264 931AA	1							HOSE, Coolant Bottle Inlet
10	5290 218AA	1							HOSE, Oil Cooler Return
11	5290 014AA	1							COOLER, Engine Oil
12	5290 001AC	1			27				LINE, Oil Cooler Outlet
13	5290 004AC	1			27				LINE, Oil Cooler Inlet

DODGE VIPER (ZB)— SERIES L S = SRT-10 D = X = Coupe

LINE D = Dodge BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•			•				•	
1	5264 927AA	1							LINE, A/C Discharge
2	5093 080AA	1							TRANSDUCER, Air Conditioning
3	5011 346AA	1							VALVE CORE, Service Port
4	5080 519AA	1			27				O RING, A/C Line
5	5093 079AA	1			27				CLIP, A/C Discharge Line
6	5072 868AA	2							O RING, A/C Line
7	5264 988AA	1							LINE, A/C Suction
8									VALVE CORE, Service Port
	5011 346AA	1							,
		1			27				
9									CAP, A/C Check Valve
	5019 242AA	1							*
		1			27				
10	5093 081AA	3			27				CLIP, A/C Line
11	5072 893AA	2							O RING, A/C Line
12	5264 926AA	1							LINE, A/C Liquid
-13	5093 077AA-	1							ORIFICE, Liquid Line
14	5011 346AA	1			27				VALVE CORE, Service Port
15	5072 866AA	1							CAP, A/C Charge Valve
16	5015 598AA	2							O RING, A/C Line
17	5093 078AA	1							CLIP, A/C Liquid Line
18	5015 603AA	1							O RING, A/C Line
19	5264 928AA	1							LINE, A/C Suction
20	5072 893AA	2							O RING, A/C Line
-21	6035 877AA-	2			27				SCREW AND WASHER, Hex Head,
									.25-20x.875, Suction Line attaching
22	5264 990AA	1							ACCUMULATOR, Air Conditioning
23	5290 274AA	1			27				SWITCH, A/C Low Pressure Cut Off
24	5096 245AA	1			27				O RING, A/C Line
25	6501 400	2			27				SCREW, Flange Head, M10x1.5x65,
									Accumulator attaching
-26	6101 982	2							SCREW, Line to Accumulator
27	5093 234AA	1			27				CONDENSER KIT, Air Conditioning
-28	0154 910AA-	3							SCREW, A/C Line attach to Frame


DODGE VIPER (ZB)—
SERIES L
S = SRT-10 D
X = Coupe

LINE D = Dodge BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI


Control Assembly Figure 024-310

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1	4865 810AA	•	LINE	OLNILO	5051	LHOINE	INANO		CONTROL, A/C And Heater
	2	5093 433AA								KNOB, A/C And Heater Control - Rotary
(2)										
	DODGE VIP SERIES S = SRT-10	PER (ZB)———— LINE		BODY		ENGINE		TRANS	MISSION	N
	S = SRT-10 X = Coupe	LINE) D = Dodg	e 2 2	BODY 27 = Converti 29 = Coupe	ble EV	ENGINE VC = 8.3L 10	0 Cyl SFI	TRANS DEC = 6 DBB = A	Speed N	Manual I



024-410									
	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•				•	•		•	
NOTE: S	ales Codes:								
	8.3L V10 SFI								
1	5290 012AB	1				EWC			COMPRESSOR, Air Conditioning
2	5093 485AA	1				EWC			PULLEY HUB KIT, A/C Compressor
-3	5066 228AA-	1				EWC			CLUTCH OVERHAUL KIT, A/C
									Compressor
-4	5264 454	1				EWC			SNAP RING KIT, A/C Clutch
-5	5003 681AA-					EWC			COIL, Air Conditioning Clutch
6	6034 789	4				EWC			SCREW AND WASHER, Hex Head
									Coned Lock Washe, .312-18x3.75,
-7	5037 348AC-	1			27	EWC			Compressor Mounting BRACKET, A/C Compressor
-7	5037 346AC-				21	EVVC			BRACKET, A/C Compressor
-									
DODGE VIP SERIES	ER (ZB)———— LINE		BODY		ENGINE		TRANS	MISSIO	
S = SRT-10			7 = Converti	ble E	WC = 8.3L 1	0 Cyl SFI	DEC = 6	Speed I	Manual
X = Coupe		2	9 = Coupe				DBB = A	ıı Manua	I

Vents And Outlets Figure 024-610



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	0153 816	4							SCREW, Tapping, .164-18x.75
2	4865 640AB	1							PLENUM, Fresh Air Inlet
3	4865 554AA	1							DUCT, Defroster
4	4865 809AA	1							DUCT, Floor
5	6100 840	1							NUT, Spring
6	6505 300AA	2							SCREW
7	WP74 DX9AA	. 1							GRILLE, Defroster
8	4865 541AA	1							DUCT, Defroster
9									OUTLET, Air Conditioning & Heater
	5GD76 DX9A	A 2							Center
		1							Left
10	5093 545AA	1							HOUSING, Air Conditioning Outlet,
									Left
11	5093 546AA	1							HOUSING, Air Conditioning Outlet,
									Center
12	4865 545AA	1							DUCT, Instrument Panel, Left
13	4865 552AA	1							DUCT, Instrument Panel, Center
14	4865 546AA	1							DUCT, Instrument Panel, Right
-15									SCREW, M4X1.5X18.0, (NOT
									SERVICED) (Not Serviced)


DODGE VIPER (ZB)— SERIES L S = SRT-10 D = X = Coupe


LINE D = Dodge ENGINE EWC = 8.3L 10 Cyl SFI


TRANSMISSION
DEC = 6 Speed Manual
DBB = All Manual

BODY 27 = Convertible 29 = Coupe

Group – 025 Emission Systems








GROUP 25 - Emission Systems

Illustration Title	Group-Fig. No
Emission Labels	
Emission Labels	Fig. 025-110
Vacuum Canister	
Vacuum Canister	Fig. 025-310
Emission Harness	
Emission Harness	Fig. 025-410
Duty Cycle	Fig. 025-420
Leak Detection Pump	Fig. 025-450




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	E029 101	1							LABEL, Emission, [NAA] Federal
1	5038 101AA	1							LABEL, Emission, [NAA] Federal
DODGE VIPE	R (ZB)		DCD::						
SERIES S = SRT-10	LINE D = Dodge	e 2	BODY 27 = Converti	ble EV	ENGINE VC = 8.3L 10	Cyl SFI	DEC = 6	MISSIOI Speed I	Manual
X = Coupe		2	29 = Coupe				DBB = A	ıı ıvlanua	I

2

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-								
1	53013 096AB	1			27				CANISTER, Vapor
2									BRACKET, Vapor Canister, Service
									with Fuel Tank Assy., (NOT
									SERVICED) (Not Serviced)
-3	6100 048	2			27				NUT, Hex, M6x1.00
-4									SCREW, Tapping Hex Flange Head .250x14x.875, (NOT SERVICED) (Not Serviced)
ODGE VIP	ER (ZB)								
SERIES S = SRT-10 (= Coupe	LINE	e 2	BODY 27 = Convertib 29 = Coupe	ole E\	ENGINE VC = 8.3L 10	0 Cyl SFI	TRANS DEC = 6 DBB = A		Manual


Emission Harness Figure 025-410



IT	PART		Livie	OFDIES.	BODY.	ENOUS	TDANO	TD:	BECODIETION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IOTEO									
	Sales Code	Fnaina							
⊑vvCj = 1	8.3L V10 SFI 5290 098AA								HADNESS Engine to Durge
1	5290 096AA	1							HARNESS, Engine to Purge Solenoid
2									CONNECTOR, Not Serviced in
									Harness, (NOT SERVICED) (Not
									Serviced)
3	4669 475AB	1							SOLENOID, Duty Cycle Purge
4	6100 270	2							SCREW AND WASHER, M6x1x40
5	4762 085	1							BRACKET, Duty Cycle Purge
3	4702 003	'							Solenoid
6	4669 268	2							GROMMET
7	3502 916	2							SPACER, Speed Control Servo
8	3420 1358	2							NUT AND WASHER, Hex Nut-
Ü	3420 1330	2							Sealing Washer, M6 x 1.00
9									ELBOW, Vapor Tube Harness, .25
Ü									25 90 Degree, (NOT SERVICED)
									(Not Serviced)
									(. 101 00. 11000)
DDGE VIP	PER (ZB)								
ERIES	LINE		BODY		ENGINE			MISSIO	
		- 0	7 = Converti	:LI	MC 001 4	O C L CEL	DE0 0	0	
= SRT-10 = Coupe	D = Dodg		9 = Converti 9 = Coupe	ible Ev	VC = 8.3L 1	J Cyl SFI	DEC = 6 DBB = A		

Duty Cycle Figure 025-420

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4762 085	1							BRACKET, Duty Cycle Purge
									Solenoid
2	4669 475AB	1							SOLENOID, Duty Cycle Purge
3	4669 268	2							GROMMET
4	3502 916	2							SPACER, Speed Control Servo
5	5303 0987	1							BUSHING, Isolator
6	6100 270	2							SCREW AND WASHER, M6x1x40
-7	5003 974AA-	1			27				BRACKET PACKAGE, DCP, Bracket
									and Bushing




DODGE VIPER (ZB)— SERIES L S = SRT-10 D = X = Coupe LINE

D = Dodge

BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI

Leak Detection Pump Figure



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4891 543AA	1			27				PUMP, Leak Detection
2	4612 901	1			27				FILTER, Fuel Vapor Vent
3	5290 153AA	1							TUBE, Leak Detection Pump
									Vacuum Supply
4	5290 141AA	1			27				BRACKET, Leak Detection Pump
5	5290 115AA	1							BOLT, Leak Detection Pump Bracket
									Mtg.
-6									SCREW, Tapping, .19-16x.375,
									(NOT SERVICED) (Not Serviced)
-7									NUT, Hex Flange Serration, M6x1,
_		_							(NOT SERVICED) (Not Serviced)
-8	4669 177	2			27				GROMMET, Air Cleaner Bracket,
									Leak Detection Pump Bracket

 DODGE VIPER (ZB)

 SERIES
 LINE

 S = SRT-10
 D = Dodge


 X = Coupe
 D = Dodge


BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI

Group – DZB

Doors and Related Parts






GROUP DZB - Doors and Related Parts

Illustration Title	Group-Fig. No.
Front Door	
Door, Front Shell And Hinges	Fig. DZB-110
Door , Front Glass And Regulator	Fig. DZB-125
Door, Front Lock And Controls	Fig. DZB-130
Exterior Mirror	
Mirrors, Exterior	Fig. DZB-510
Weatherstrips and Seals	
Door, Front Seals	Fig. DZB-610
Weatherstrips, Body	Fig. DZB-620

Door, Front Shell And Hinges Figure DZB-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DOOR, Front, Paint as Required
	4865 592AC	1			27				Right
	4865 593AC	1			27				Left
2									FLAG, Door
	4865 580AA	1							Right
	4865 581AA	1							Left
3									PANEL, Access
	5029 068AA	1							Right
	5029 069AA	1							Left
4	6101 455	6							SCREW AND WASHER, Hex Head
									M6x1x20
5	6101 444	2							NUT AND WASHER, Hex, M6x1.0
6	4865 462AA	2							HINGE, Front Door
7	6502 549	4							SCREW, Pan Head, M8x1.25x30
8	6503 351	4							SCREW AND WASHER, Hex Head
									M8x1.25x35
9	6507 853AA	8			27				SCREW
10	2860 332	2							PLUG, Anti-Rattle
11									WATERSHIELD, Front Door
	4865 586AA	1							Right
	4865 587AA	1							Left
-12	6101 767	2			27				SCREW AND WASHER, M8x1.
									25x25, Hinge reinforcement


DODGE VIPER (ZB)—
SERIES L
S = SRT-10 D
X = Coupe

LINE D = Dodge ENGINE EWC = 8.3L 10 Cyl SFI

TRANSMISSION DEC = 6 Speed Manual DBB = All Manual


BODY 27 = Convertible 29 = Coupe

Door , Front Glass And Regulator Figure DZB-125



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									GLASS, Door, With Liftplate
-	4865 616AA	1							Right
	4865 617AA	1							Left
2	4512 685	2							BUSHING, Door Glass, Liftplate to
	4540.004	2							Glass
3 4	4512 684 6504 791	4							RETAINER, Glass to Liftplate SCREW, TAPPING, BUTTON HEA
_									M6 X 1.00 X 18.00
5	6101 444	14							NUT AND WASHER, Hex, M6x1.0
6	1005 01015								REGULATOR, Front Door Window
	4865 610AB	1							Right
	4865 611AB	1							Left
CE VID	ER (ZB)								
RIES	LINE		BODY 27 = Converti		ENGINE		TRANS	SMISSIO	N

Door, Front Lock And Controls Figure DZB-130




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LATCH, Front Door
	4865 726AA	1							Right
	4865 727AA	1							Left
2	6501 373	6							SCREW AND WASHER, Hex Head,
									M6x1x20
3	4643 066	2							STRIKER, Door Latch, Right
4	4643 067	AR							SPACER, Door Lock Striker, Left
5	6507 852AA	4			27				SCREW, Striker attaching
6									HANDLE, Front Door Exterior
	5029 144AA	1							Right
	5029 145AA	1							Left
7	6101 650	4							SCREW AND WASHER, M5X.
									80X20.00
8									COVER, Handle
	TR32 LRNAB	1			27				[RN], Right
	TR33 LRNAB	1			27				[RN], Left
	TR32 MX3AB	1			27				[X3], Right
	TR33 MX3AB	1			27				[X3], Left
	TR32 VA9AB	1			27				[A9], Right
	TR33 VA9AB	1			27				[A9], Left
-9	3420 2688	2			27				CLIP, Latch&Line, Inside Door
									Handle Cable to Door inner
-10	5073 039AA-	2			27				STRAP, Tie, Latch release cable to
									Door Beam


DODGE VIPER (ZB)— SERIES L S = SRT-10 D = X = Coupe

LINE D = Dodge BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
4 0	100 101 1 1								NUIT AND WACHED Have refer 0
1 6	102 101AA	6							NUT AND WASHER, Hex, m5x0.8 MIRROR, Outside Rearview
	R36 LRNAB	1			27				[RN,GSK], Right
	R37 LRNAB				27				[RN,GRK], Left
	R36 MX3AB				27				[X3,GSK], Right
	R37 MX3AB				27				[X3,GRK], Left
	R36 VA9AB				27				[A9,GSK], Right
Т	R37 VA9AB	1			27				[A9,GRK], Left
ODGE VIPER SERIES	(ZB)———		BODY		ENGINE		TRANS	SMISSIO	N
OODGE VIPER SERIES S = SRT-10 C = Coupe	(ZB) LINE D = Dodge	e 2 2	BODY 27 = Convertib 29 = Coupe	ole E\	ENGINE VC = 8.3L 1	0 Cyl SFI	TRANS DEC = 6 DBB = A	SMISSIO S Speed I	Manual




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WEATHERSTRIP, Door Belt, Ou
	4865 584AA	1							Right
	4865 585AA	1							Left
2	0154 818	4							SCREW
3	6032 723	14							SCREW, Self Tapping, M4.2x1.
									69x19.05
4									WEATHERSTRIP, Door Belt, Inn
	4865 578AA	1							Right
	4865 579AA	1							Left
5									WEATHERSTRIP, Front Door Si
									Secondary
	4865 564AA	1							Right
	4865 565AA	1							Left
6	4658 673	6							PIN PUSH, .150x.410
-7	5029 281AB-	2			27				ISOLATOR, Door Surround Seal
DGE VIP RIES SRT-10	ER (ZB)— LINE D = Dodge		BODY 7 = Convertil		ENGINE VC = 8.3L 10		TRANS DEC = 6	MISSIO	

Weatherstrips, Body Figure DZB-620



ITEM		l atv l		CEDIEC	DODY	ENGINE	TDANC	TDIM	DESCRIPTION
	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4865 574AB	1							RETAINER, Weatherstrip
2									RETAINER, Weatherstrip
	4865 576AA	1							Right
	4865 577AA	1							Left
3	6505 026AA	2							SCREW, M5x16
4									WEATHERSTRIP, Front Door
									Opening
	4865 562AA	1							Right
	4865 563AA	1							Left
5									NUT AND WASHER, Hex Nut-Cone
									Washer, M5 x 0.80, (NOT
6	4965 564 A A	4							SERVICED) (Not Serviced)
6	4865 561AA	1							WEATHERSTRIP, Header and A pillar
7	4658 673	2							PIN PUSH, .150x.410
•	1000 070	_							1 11 CON, 11 COX. 11 C
DGE VIPI ERIES	ER (ZB)———— LINE		BODY		ENGINE		TRANS	SMISSIO	N

Group – EZB Exterior Ornamentation




EZB-100 Medallions	EZB-300 Decals	
	WiFER TO	

GROUP EZB - Exterior Ornamentation

Illustration Title	Group-Fig. No
Medallions	
Nameplates	Fig. EZB-110
Decals	
Decals	Fig. EZB-310


Nameplates Figure EZB-110

ITEM	PART NUMBER	QTY	LINE S	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	so see DECA UW37 AAAA		tion						MEDALLION, Viper Head
_	_	_	_	_	_	_			
DODGE VIDE	·								
DODGE VIPE SERIES	LINE		BODY		ENGINE		TRANS	SMISSIO	N




AR = Use as required -= Non illustrated part # = New this model year

Decals Figure EZB-310



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: A	lso see NAME	PLATE	Illustration						
1									DECAL, Viper
	WN73 VADA								[KEA]
	WN73 WRRAWN73 PX3A								[KER] [KEX]
2	WINTSTAGA	<u> </u>							DECAL, Dodge
_	WN80 VADA	A 1							[KSA]
	WN80 WRRA								[KSR]
	WN80 PX3A	A 1							[KSX]
3									DECAL, Viper, SRT-10
	WN81 VADA								[KDA]
	WN81 WRRA								[KDR]
	WN81 PX3A	В 2							[KCX]
DODOE \#=	ED /ZD\								
DODGE VIPI SERIES	LINE		BODY		ENGINE			MISSIO	
S = SRT-10	D = Dodg	je 2	7 = Converti	ble EV	NC = 8.3L 10	Cyl SFI	DEC = 6 DBB = A	Speed N	Manual
X = Coupe		2	9 = Coupe				אם = A	ıı ıvıarıua	ı

Group – IZB Interior Trim




IZB-100 Headliner and Visor	IZB-200 Quarter Panels and Scuff Plates	IZB-300 Carpets, Mats and Insulation	IZB-400 Door Trim Panels-Front
IZB-500 Front Seats	IZB-700 Seat Belts Front-Outer and Inner		

GROUP IZB - Interior Trim

Illustration Litle	Group-Fig. No
Headliner and Visor	
Visors And Footrest	Fig. IZB-110
Quarter Panels and Scuff Plates	
Molding Windshield	Fig. IZB-205
Rear Bulkhead Panels	Fig. IZB-210
Quarter, Cowl And Rear Bulkhead Attaching Panels	Fig. IZB-215
Door Sill Scuff Plate, & Footrest	Fig. IZB-220
Panel - Sill Outer	Fig. IZB-225
Carpets, Mats and Insulation	
Carpet Front	Fig. IZB-310
Carpet Rear - Slingwell	Fig. IZB-315
Door Trim Panels-Front	
Door Panel	Fig. IZB-410
Front Seats	
Seat, Front	Fig. IZB-510
Seat Belts Front-Outer and Inner	
Belts - Front	Fig. IZB-710


Visors And Footrest Figure IZB-110




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
4									VICOR
1	UZ10 1X7AB	1						00	VISOR Right
	UZ11 1X7AB	1						00	Left
	6507 672AA	4						00	SCREW, Visor Attaching
-3									SCREW, .190-16x.500, Model 29
									Visor screws not serviced, (NOT
									SERVICED) (Not Serviced)
4									SCREW, [.164-18x.625], (NOT
									SERVICED) (Not Serviced)
5									FOOTREST, Part Of Frame Chass
6	4595 749AA-	4							(NOT SERVICED) (Not Serviced
-6	4595 /49AA-	1							LABEL, Air Bag Warning, English/ French
									FIERICII
DGE VIPE	R (ZB)								
RIES	LINE		BODY		ENGINE		TRANS	MISSIO	N

Molding Windshield Figure IZB-205

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	TR82 RXFAA	1						00	MOLDING, Windshield Garnis Right
	TR83 RXFAA							00	Left
"									
DODGE VIPE	R (ZB)								
SERIES S = SRT-10	LINE D = Dodge	e 2	BODY 7 = Convertil	ble EV	ENGINE VC = 8.3L 1	0 Cyl SFI	TRANS DEC = 6	MISSIOI Speed I	N Manual
X = Coupe		2	9 = Coupe		5 0.02 1	j. - . i	DEC = 6 DBB = A	II Manua	al



Rear Bulkhead Panels Figure IZB-210




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SCREW, .190-16x1.00, (NOT
									SERVICED) (Not Serviced)
2									PANEL, Bulkhead Trim
	5029 072AB	2			27				
	TS04 DX9AB	2			27			00	Deluxe Model
-3	5093 777AA-	8			27				NUT, U, Bulkhead Attaching
4									SPORT HOOP, Bulkhead
	TS38 DX9AB	1						O0	Right
	TS39 DX9AB	1						O0	Left
5	6031 869	2							NUT, Push, .19, Bulkhead Trim
									Attaching
6	TS04 DX9AB	1			27			O0	PANEL, Bulkhead Trim
7	6101 722	4							SCREW AND WASHER, Hex Head
									M8x1.25x60
8	6102 103AA	4							SCREW AND WASHER, Hex Head
									M6x1x20
9	6032 058	2							NUT, Snap In
10	6032 058	2							NUT, Snap In
-11	5029 290AA-	1							PLATE, Child Tether Anchor
-12	5093 846AA-	4			27			00	SCREW, Bulkhead


DODGE VIPER (ZB)— SERIES L S = SRT-10 D = X = Coupe

LINE D = Dodge BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI

Quarter, Cowl And Rear Bulkhead Attaching Panels Figure IZB-215





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11 - 141	NOMBER	QII	LINE	SERIES	ВОВТ	LINGINE	IKANO	1 IXIIVI	DESCRIPTION
NOTE: S	ales Code								
SDP] =	Service Dealer	Paint							
1	5029 072AB	1			27				PANEL, Bulkhead Trim
-2	5096 016AA-	1							PANEL, Bulkhead Support
3									NUT AND WASHER, Hex, M6x1
									(NOT SERVICED) (Not Service
4	6101 722	4							SCREW AND WASHER, Hex He
_									M8x1.25x60
5	\(\(\frac{1}{2}\)								COVER, Bulkhead
	XK36 DX9AA	1						00	Right
•	XK37 DX9AA	1						O0	Left
6									NUT, For [.190-16] Screw, (NOT
									SERVICED) (Not Serviced)
7	LIDEO DVOAA	,						00	PANEL, Cowl Side Trim
	UR52 DX9AA							00	Right
•	UR53 DX9AA							00	Left
8	5DV6 2DX9	3						00	FASTENER, Trim Panel Attachir
9									SCREW, Tap Hex Flange Head,
									.190-16x1.0, (NOT SERVICED
40									(Not Serviced)
10	XK36 DX9AA	1							COVER, Bulkhead
	XK37 DX9AA							O0 O0	Right
-11	5093 696AA-	1			27			00	Left SCREW Band Bulkhard Attach
-11 -12	5029 058AA-	8 2			21				SCREW, Panel Bulkhead Attach BRACKET, Close-Out
-13	3029 030AA-								PANEL, Quarter
-13	4865 796AB-	1			27				[SDP], Right
	4865 797AB-	1			27				[SDP], Left
	4000 7377LD	'			21				[ODI], Loit
DGE VIP	ER (7R)								
ERIES SRT-10	LINE		BODY 27 = Converti	hle F\	ENGINE VC = 8.3L 10) Cyl SEI	TRANS DEC = 6	SMISSIO	

Door Sill Scuff Plate, & Footrest Figure IZB-220


5
6

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11 - 141	HOMBER	Q I I	LINE	OLIVILO	ВОВТ	LIVOINE	TRAITO	TIXIII	DEGOMI HON
1									SILL COVER, Interior
	TR88 DX9AB	1			27			00	Right
	TR89 DX9AB	1			27			O0	Left
2									SCREW, Tap Hex Flange Head,
									.190-16x1.0, (NOT SERVICED)
									(Not Serviced)
3									PANEL, Reference - See III. 215,
									(NOT REQUIRED)
4	5DV6 2DX9	3						00	FASTENER, Trim Panel Attaching
5	4865 929AC	1			27				FOOTREST
6	6101 737	2							SCREW, M6x1.0x18, Footrest
									Attaching
-7	4865 830AB-	2							BRACKET, Sill To Fender, Right &
									Left
-8									PANEL, Sill
	5086 368AC-	1			27				Service Dealer Painted, Right
	5086 369AC-	1			27				Service Dealer Painted, Left


DODGE VIPER (ZB)— SERIES L S = SRT-10 D X = Coupe

LINE D = Dodge BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI



TEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NOMBER	Q	LINE	OLIVIEO	ВОВТ	LITOINE	IIIAIIO	11111111	DEGGKII HOK
1	TU02 DX9AB	1						O0	CARPET, Front Floor, Right
2	TU03 DX9AB	1						00	CARPET, Front Floor, Left
-3	4865 929AC-	1			27				FOOTREST
-4	6101 737	2							SCREW, M6x1.0x18, Footrest
									Attaching
-5	5102 048AA-	1			27				PAD, Foot Rest
-6	5096 017AA-	1						00	PANEL, Bulkhead



 DODGE VIPER (ZB)

 SERIES
 LINE

 S = SRT-10
 D = Doo

 X = Coupe
 D = Doo

D = Dodge

BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI

Carpet Rear - Slingwell

Figure IZB-315									
ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1			LINE	SERIES	BODY	ENGINE	TRANS	00	SLINGWELL, Folding Top, Top Stack Carpet FASTENER, Trim Panel Attaching, Carpet Attaching PANEL, Bulkhead Trim Rear, Reference, (NOT SERVICED) (Not Serviced)

 DODGE VIPER (ZB)

 SERIES
 LINE


 S = SRT-10
 D = Dodge

 X = Coupe
 D = Dodge


BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI

Door Panel Figure IZB-410




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5GC71 DX9A	A 6						O0	FASTENER, Push Pin
2									PANEL, Door Trim Front
	XC87 1X9AA	1						00	[X9], Left
	XC92 1X9AA	1						00	[X9], Right
3	LE82 DX9	2						00	CAP, Pull Cup Screw Cover
4									APPLIQUE, Door
	UA36 SZ6AA	1						00	Right,Grab Handle
	UA37 SZ6AA	1						00	Left,Grab Handle
5	6036 430AA	2							SCREW, Attaching, Grab Handle
6									NUT/SPRING, "U" 1 THD, .190-16,
									(NOT SERVICED) (Not Serviced)
-7	0153 754	14							SCREW, .190-16x1.00, Door Panel
									Attaching



DODGE VIPER (ZB)— SERIES L S = SRT-10 D = X = Coupe

LINE D = Dodge BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Front
	XD05 1X9AA	1						CL	Left
	XD04 1X9AA	1						CL	Right
2	XD03 1X9AA	1						CL	COVER, Front Seat Back, Right &
									Left
3									CUSHION, Front Seat
	XD02 1X9AA	1						CL	Right
	XD01 1X9AA	1						CL	Left
4	6101 448	4							NUT AND WASHER, Hex Nut-Coned
									Washer, M10 x 1.5, Attaching,
									Front Seat
5	6101 085	4							SCREW/WASHER, Attaching, Front
									Seat
-6									TRACK, Seat Adjuster
	5093 206AA-	1						CL	Outboard,Right
	5093 207AA-	1						CL	Inboard,Right
	5093 208AA-	1						CL	Outboard,Left
	5093 209AA-	1						CL	Inboard,Left
-7	5018 530AA-	1						CL	HANDLE, FOLD FLAT
-8	5018 529AA-	1						CL	HANDLE, Recliner
-9	5083 950AA-	1						00	HANDLE/SWITCH, Right
-10	5096 019AA-	1						00	HANDLE/SWITCH, Left
-11	5093 210AA-	1						CL	TOWEL BAR, Seat Adjuster Handle
-12									RECLINER, Seat Back
	5093 212AA-	1						CL	Passenger,Outboard
	5093 213AA-	1						CL	Passenger,Inboard
	5093 214AA-	1						CL	Driver,Inboard
	5093 215AA-	1						CL	Driver,Outboard
-13	6503 675	4			27				SCREW AND WASHER, Hex Head,
									M10x1.5x40, Front Seat Attaching

 DODGE VIPER (ZB)


 SERIES
 LINE

 S = SRT-10
 D = Dodge

 X = Coupe
 D = Dodge

BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI



	PART								
 ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	UB64 1X9AB	1			27			00	SEAT BELT, Front, Right
2	5029 126AB	1							TURNING LOOP, Seat Belt, Right
3	6101 758	4							SCREW, Hex Head, M8x1.25x20,
									Turn Loop Attachment Front
4									TURNING LOOP, Seat Belt
	5029 126AB	1			27				Right
	5029 127AB	1			27				Left
5	UB65 1X9AB	1			27			00	SEAT BELT, Front, Left
 6	6503 571	4							SCREW AND WASHER, M10x1.
									50x35, Retractor Attaching
7	6036 512AA	2							SCREW, Pan Head, .437-20x1.375,
									To Frame Tunnel, Seat Belt
 8	6101 569	1							SCREW AND WASHER, Hex Head,
									M8-1.25x40, Child Seat Teather
9	5029 290AA	1							PLATE, Child Tether Anchor
10	6501 850	1						00	SPACER, Child Seat Teather
11	TQ88 1X9AB	1						CL	SEAT BELT, Buckle Half
-12	XN61 1X9AA-	· 1						CL	BUCKLE
-13	5086 227AA-	1						00	EXTENDER, Seat Belt
-14	6100 583	1			27				BOLT AND CONED WASHER, Hex
									Head, M8x25x20, Child Seat
									Teather
-15	5093 280AA-	1						O0	BUTTON, BELT WEBBING

 DODGE VIPER (ZB)

 SERIES
 LINE

 S = SRT-10
 D = Dodge


 X = Coupe
 D = Dodge

BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI

Group – SZB


Body Sheet Metal Except Doors



SZB-200	SZB-400		SZB-600
Floor Pan	Fender	Hood & Hood Release	Cowl and Dash Panel
SZB-700 Glass, Windshield, Backlite, Mirror	SZB-900 Quarter Panel	SZB-1000 Splash Shields	SZB-1100 Roof - Hard & Folding Top

Group – SZB


Body Sheet Metal Except Doors



GROUP SZB - Body Sheet Metal Except Doors

Illustration little	Group-Fig. No.
Floor Pan	
Floor Pan	Fig. SZB-205
Floor Pan - Sport Hoop Mounting	Fig. SZB-210
Floor Pan - Attaching Parts	Fig. SZB-215
Pan - Trunk	Fig. SZB-220
Fender	
Front Fender & Attaching Parts	Fig. SZB-405
Front Fender	Fig. SZB-410
Fender Shield	Fig. SZB-420
Shields - Splash	Fig. SZB-425
Loose Panels	Fig. SZB-430
Hood & Hood Release	
Hood	Fig. SZB-510
Hood Silencer	Fig. SZB-515
Hood Sealer	Fig. SZB-520
Cowl and Dash Panel	
Dash Panel	Fig. SZB-610
Cowl Panel	Fig. SZB-615
Glass, Windshield, Backlite, Mirror	
Panel - Windshield Surround	Fig. SZB-705
Glass Windshield, Frame And Mirror (Convertible)	Fig. SZB-710
Quarter Panel	3
Quarter Panel - Rear	Fig. SZB-910
Panel - Tail Lamp	Fig. SZB-920
Loose Panels	Fig. SZB-930
Splash Shields	3
Weatherstrips	Fig. SZB-1010
Shields - Rear Wheelhouse	Fig. SZB-1010
	1 lg. 02b-1020
Roof - Hard & Folding Top	E: 075 4446
Folding Top	Fig. SZB-1110
Folding Top - Attaching Parts	Fig. SZB-1115
Deck Lid	
Deck Lid	Fig. SZB-1320
Fuel Filler Door	Fig. SZB-1330

Floor Pan Figure SZB-205



	PART												
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION				
1	5290 078AD	1							BELLY PAN, Rear				
2	6505 070AA	20							SCREW, Pan Head, Rear Belly Pan				
									To Frame				
3	5290 221AB	2			27				EXTENSION, Floor Pan				
4	0152 493	4							NUT, Heat Shield to Rear Pan				
5	5290 247AA	1							SHIELD, Heat				
6	5290 137AD	1			27				BELLY PAN, Extension Rear				
7	6035 625	4							SCREW				
-8	5029 239AA-	1							PANEL, Fuel Access, Trunk				
9	5136 832AA	1			27				PANEL, Fuel Tank Close Out				

SERIES LINE
S = SRT-10 D = Doo
X = Coupe


D = Dodge

ENGINE EWC = 8.3L 10 Cyl SFI

TRANSMISSION DEC = 6 Speed Manual DBB = All Manual

BODY 27 = Convertible 29 = Coupe

Floor Pan - Sport Hoop Mounting Figure SZB-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IIEW	NUMBER	QII	LINE	SERIES	ВОВТ	ENGINE	IRANS	I KIIVI	DESCRIPTION
1									FRAME, Reference, (NOT
									REQUIRED)
2	5290 108AA	1							BRACKET, Sport Hoop Mounting
									Right,Outer
3	5290 048AA	1							BRACKET, Sport Hoop Mounting
									Right,Inner
4	5290 049AA	1							BRACKET, Sport Hoop Mounting
									Left,Inner
5	6102 122AA	4							BOLT
6	6034 383	8							SCREW, Pan Head, .437-20x1.5
7	6506 890AA	2							WASHER, Flat
8	5290 109AA	1							BRACKET, Sport Hoop Mounting
									Left,Outer

DODGE VIPER (ZB)— SERIES L S = SRT-10 D = X = Coupe


LINE D = Dodge BODY 27 = Convertible 29 = Coupe


ENGINE EWC = 8.3L 10 Cyl SFI

Floor Pan - Attaching Parts Figure SZB-215



	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-										
	1	6035 625	4							SCREW, Front Extension to
_										Headlamp Bracket
	2	6504 118	8			27				U-NUT, M6 x 1.00, M6x1.00, Front,
										Extension
	3	0152 493	9							NUT, To Fascia, Front, Extension
	4	5290 136AD	1			27				BELLY PAN, Extension Front
	5	6035 625	9							SCREW
	6									FRAME, Referance, (NOT
										REQUIRED)
Ī	7	6505 070AA	4							SCREW, Pan Head, Front Belly Par
										Extension To Frame
	8	5290 246AA	1			27				PLATE, Check wed.
_	9	0152 493	4							NUT, Belly Pan to Rear Extension,
										Rear
	10	6035 625	6							SCREW
	11	5290 137AD	1			27				BELLY PAN, Extension Rear
	12									SCREW
_		6035 625	4							
			9							
	-13	5029 233AA-	2							REINFORCEMENT, Trunk Pan






DODGE VIPER (ZB)—
SERIES L
S = SRT-10 D
X = Coupe

BODY 27 = Convertible 29 = Coupe LINE D = Dodge


ENGINE EWC = 8.3L 10 Cyl SFI




BODY	ENCINE	TDANE	тым	DESCRIPTION			
BODY	ENGINE	TRANS	TRIM	DESCRIPTION			
27				PAN, Trunk Primed, [S.D.P.]			
		SCREW AND WASHER, [M8x1.					
				25x30.00], (NOT SERVICED) (Not			
				Serviced)			
				WASHER, [ID13.07 OD48.00 THK 3			
				50], (NOT SERVICED) (Not			
				Serviced)			
				NUT/RIVET, [M8x1.25x17.78], (NOT			
				SERVICED) (Not Serviced)			
				FRAME, Reference, (NOT			
				REQUIRED)			
				PLUG, Trunk Seal, Shock Service			
				Plug			
				SCREW, [M8x1.25x25.00], (NOT			
				SERVICED) (Not Serviced)			
				WASHER, [ID13.07 OD48.00 THK 3			
				50], (NOT SERVICED) (Not			
				Serviced)			
				NUT AND WASHER, Hex Nut-Coned			
				Washer, M6 x 1.00, Trunk Pan			
				Attaching			
				SEAL, Serviced With Item 1, (NOT			
				SERVICED) (Not Serviced)			
				SCREW, Hex Head, M6x1x20, Trunk			
				Pan To Frame Crossmember			
				BRACKET, Trunk Pan To Frame C/			
				Member			
				SCREW, Hex Head, M6x1x20, Trunk			
				Pan To Outboard Frame Bracket			
				WASHER, Flat, [ID M11.12 OD 28.			
				00 THK 2.80], (NOT SERVICED)			
				(Not Serviced)			
				SCREW, Hex Head, M6x1x20, Truck			
27				Pan to Frame Crossmember			
27				SEAL, Quarter Panel to Trunkpan,			
27				Front			
21				SEAL, Quarter Panel to Trunkpan, Rear			
				PANEL, Fuel Access, Trunk			
				TANLE, Tuel Access, Hullik			
_							

ENGINE EWC = 8.3L 10 Cyl SFI

Front Fender & Attaching Parts Figure SZB-405



Front Fender & Attaching Parts Figure SZB-405



Front Fender Figure SZB-410

3	5	6	
			8)
1 2			9

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
lote:									
	= Paint As Requ								
1	3502 2112	AR							SPACER, Fender, 1.5
2	3502 2111	AR							SPACER, Fender, 1.0
3									SUPPORT, Fender
	4865 636AB	1							Right
	4865 637AB	1							Left
4	6102 153AA	4							SCREW, Tapping, M8x20, Fender
									Support to Frame Attaching
5	6101 445	2							NUT AND WASHER, Hex Nut-Cor
									Washer, M8 x 1.25, Fender
									Support to Toe Box Attaching
6									NUT/SPRING, Snap In, .164-18,
									(NOT SERVICED) (Not Serviced
7	TP57 RXFAA	1							FRAME, Windshield Surround
8	4865 495AA	1							PANEL, Dash
9									FRAME, Reference, (NOT
									REQUIRED)
-10									FENDER, Front
	5029 102AB-	1							[P.A.R.], Right
	5029 103AB-	1							[P.A.R.], Left
-11	4865 822AA-	1							PANEL, Fog Lamp
• • •	4000 0227V	'							17ttvLL, 1 og Lamp

 DODGE VIPER (ZB)

 SERIES
 LINE


 S = SRT-10
 D = Dodge

 X = Coupe
 D = Dodge

BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI

Fender Shield Figure SZB-420




	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION						
_		· I				!	!									
	1								SHIELD, Splash							
_		4865 490AA	1							Right,Front Fender						
		4865 491AA	1							Left,Front Fender						
	2	6102 050AA	4							SCREW, Hex Flange Head, M6.3 x						
										1.81 x 15.00						
	3									SHIELD, Splash						
		4865 724AA	1							Splash Front Extension, Right						
		4865 725AA	1							Splash Front Extension, Left						
	4	6504 521	6							PIN, Push, To Frame Attaching,						
										Splash Shield						
	5	6507 453AA	2							BOLT AND RETAINER, M6.35x12.						
										70, Splash Extension to Splash						
										Shield Attaching						
	6	4708 180	4							SCREW, Splash Shield, Attaching,						
										Front						
	7									FRAME, For Part Number See ILL						
										410 Item-3, (NOT REQUIRED)						
_																

DODGE VIPER (ZB)— SERIES L S = SRT-10 D = X = Coupe LINE D = Dodge

BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI



	PART													
 ГЕМ	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION					
1								SHIELD, Splash						
	4865 646AC	1			27				Right,Rear,Lower					
	4865 647AC	1			27				Left,Rear,Lower					
2									SCREW, Tapping, [.250-14x.875],					
								(NOT SERVICED) (Not Service FRAME, Reference, (NOT						
3														
									REQUIRED)					
4									SHIELD, Splash					
	4865 648AC	1			27				Right,Rear,Upper					
	4865 649AC	1			27				Left,Rear,Upper					
5	6035 625	30							SCREW, Splash Shield Attaching					
6	6507 528AA	6							NUT, Snap In, M4.8x1.6, Barbs -					
									Splash Shield					
7	6100 877	2			27		WASHER, Flat, M6							
8	6504 118	8			27				U-NUT, M6 x 1.00, M6x1.00					


DODGE VIPER (ZB)— SERIES L S = SRT-10 D = X = Coupe

LINE D = Dodge ENGINE EWC = 8.3L 10 Cyl SFI

TRANSMISSION DEC = 6 Speed Manual DBB = All Manual


BODY 27 = Convertible 29 = Coupe

Loose Panels Figure SZB-430



DESCRIPTION

Hood Figure SZB-510




		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1									HOOD, Reference, (NOT REQUIRED)
	2	6503 999	14							PIN, Ground Shield To Chassis
	3	4865 684AA								SILENCER, Hood
	4									PUSH PIN, Serviced With Item 3,
	-									(NOT SERVICED) (Not Serviced)
	5									STRAP, Ground, Serviced With Item 3, (NOT SERVICED) (Not
										Serviced)
$\binom{2}{3}$										
										_
	-									
4)										
(5)										
	-									
	202021/2	ED (ZD)								
	DODGE VIP SERIES S = SRT-10	LINE D = Dodg		BODY	n. 1.	ENGINE VC = 8.3L 10	0.04.05	TRANS	SMISSIO	N
	S = SRT-10 X = Coupe	υ = Dodg	je 2 2	BODY 7 = Converti 9 = Coupe	idie EV	vC = 8.3L 10	u Cyi SFI	TRANS DEC = 6 DBB = A	Speed I All Manua	Manuai Il

Hood Sealer Figure SZB-520

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1 2 3	5029 272AA 5029 171AA 5029 047AA	1 1 1						HOOD SEAL, Ai DEFLEC	r Cleaner TOR, Air
3										
	DODGE VIP	ER (ZB)								
	DODGE VIP SERIES S = SRT-10 X = Coupe	LINE D = Dodge	e 27 29	BODY 7 = Converti 9 = Coupe	ible EV	ENGINE VC = 8.3L 10) Cyl SFI	TRANS DEC = 6 DBB = Al	MISSION Speed Manual I Manual	

Dash Panel Figure SZB-610



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-						-		
1									NUT, U Type Multi Thread, M8 x 1.
									25, (NOT SERVICED) (Not
									Serviced)
2	3502 2111	AR							SPACER, Fender, 1.0, Alignment,
									Front Fender
3	3502 2112	AR							SPACER, Fender, 1.5, Alignment,
									Front Fender
4	6101 793	22							SCREW AND WASHER, Hex Head,
									M8x1.25x25, To Frame Attaching,
									Dash Panel
5	6101 809	3							NUT AND WASHER, Hex, M8x1.25,
									To Frame Attaching, Dash Panel
6	4865 495AA	1							PANEL, Dash
7									NUT/RIVET, [M8x1.25x17.78], (NOT
									SERVICED) (Not Serviced)
8									FRAME, Reference, (NOT
									REQUIRED)
9									STUD, 1.End,Spec. [M8x1.25x16.00],
									(NOT SERVICED) (Not Serviced)
10									BRACKET, Dash
	5029 188AA	1							Right
	5029 189AA	1							Left
11	6101 326	4							BOLT, Bracket Assy. To Frame
-12	6101 799	3			27				BOLT AND WASHER, Hex Head,
									M8x1.25x20, Hinge Pillar to
									Support
13									SHIELD, Heat
	5029 318AA	1							Right
	5029 319AA	1							Left
-14	6031 694	8			27				SCREW AND WASHER, Hex Head,
									.164-18x1.0, Heat Shield Attaching
-15	5029 235AA-	2							SEAL, Hinge to Front of Dash


LINE

DODGE VIPER (ZB)—
SERIES L
S = SRT-10 D
X = Coupe

BODY 27 = Convertible 29 = Coupe D = Dodge


ENGINE EWC = 8.3L 10 Cyl SFI

Cowl Panel Figure SZB-615



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	l l				I				
1	6102 086AA	2							SCREW AND WASHER, Hex Hea
									M5x0.80x25.00, Cowl to Windsh
2									Attaching SCREEN, Cowl Top
2	UC22 RXFAB	1							Right
	UC23 RXFAB								Left
3	6036 445AA	9							SCREW, .164-18x1.00, Cowl Pane
									Attaching
4	4865 985AA	1							WEATHERSTRIP, Hood to Cowl
	FR (7R)								
GE VIP									
GE VIP RIES SRT-10	LINE		BODY 27 = Convertib	ole Ev	ENGINE VC = 8.3L 10) CVI SEI	TRANS DEC = 6	MISSION	N Manual

Panel - Windshield Surround Figure SZB-705



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	TP57 RXFAB	1							FRAME, Windshield Surround
2									SCREW AND WASHER, [M8x2.
									50x30.0], (NOT SERVICED) (No
									Serviced)
3	6503 351	10							SCREW AND WASHER, Hex Hea
									M8x1.25x35, Windshield Surrou
									to Folding Top
4	3502 2112	AR							SPACER, Fender, 1.5
5	3502 2111	AR							SPACER, Fender, 1.0
6	4865 495AA	1							PANEL, Dash
7	6102 224AA	2							SCREW AND CONED WASHER,
									Hex Head, M5x0.80x20
8									NUT AND WASHER, Hex, M8x1.2
	6101 809	4							Bracket to folding Attaching
		1							Brace to Instrument Panel
9									BRACKET, Dash
	5029 188AA	1							Front of Dash, Right
	5029 189AA	1							Front of Dash, Left
10									DOWEL, Windshield Surround
	TP60 RXFAA	1							Right
	TP61 RXFAA	1							Left
11	6505 026AA	2							SCREW, M5x16, Dowel Receiver
									Attaching
12	5029 330AA	2							SEAL, Foam, Windshield Surroun
-13	5029 081AC-	1			27				BACKLITE


DODGE VIPER (ZB)— SERIES L S = SRT-10 D = X = Coupe

LINE D = Dodge ENGINE EWC = 8.3L 10 Cyl SFI

TRANSMISSION DEC = 6 Speed Manual DBB = All Manual

BODY 27 = Convertible 29 = Coupe


Glass Windshield, Frame And Mirror (Convertible) Figure SZB-710




SZE	3-710									
		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4	5000 540AA	4							WINDCHIELD Chimping Assembly
_	1	5086 542AA	1							WINDSHIELD, Shipping Assembly - 05 Lite Glass
	-2	4643 847	AR							SHIM, Windshield
	3	5029 067AB	1			27				MIRROR, Inside Rear View, Lighted
	<u>4</u> 5	5507 6401	1			27				BUTTON, Rear View Mirror SCREW, Pan Head Tapping, .19-
										16x.375, [.19-16X.375], (NOT
	0	5000 054 4 4	4							SERVICED) (Not Serviced)
_	-6 -7	5029 051AA- 5029 064AA-	1							LAMP, Indicator, Lens RETAINER
	•	0020 00 17 8 1	·							
										-
_										
_										
SE	DGE VIPE	ER (ZB)———— LINE		BODY		ENGINE		TRANS	SMISSIO	N
S =	: SRT-10 : Coupe	D = Dodge	2	7 = Convert 9 = Coupe	ible EV	NC = 8.3L 1	0 Cyl SFI	DEC = 6 DBB = A	Speed I	Manual
Λ-	Осирс			.c = Coupe				230 - 7	iviaituo	

Quarter Panel - Rear Figure SZB-910

PART



Quarter Panel - Rear Figure SZB-910




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5029 261AA	1							Left
-23	4865 768AA-	2							BRACKET, Quarter Inner, Right 8
									Left
-24									SEAL, Quarter Panel
	5029 174AB-	1			27				B-Pillar To Frame, Right
	5029 175AB-	1			27				B-Pillar To Frame, Left
	5029 212AA-	1			27				B-Pillar Upper, Right
	5029 213AA-	1			27				B-Pillar Upper, Left
-25									SHIM, Quarter Panel
	5029 487AA-	AR			27				1.5mm
	5029 488AA-	AR			27				2.5mm
26									SEAL, Quarter Panel
	5029 404AA	1			27				Right
	5029 405AA	1			27				Left

DODGE VIPER (ZB)— SERIES L S = SRT-10 D X = Coupe

BODY 27 = Convertible 29 = Coupe LINE D = Dodge

ENGINE EWC = 8.3L 10 Cyl SFI




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Taillamp Mounting
	5029 124AA	1							Right
	5029 125AA	1							Left
2	6503 698	4							SCREW AND WASHER, Truss
									Head, M6-1.00x30.00, Cover
									Attaching, Lamp
3									PANEL, Quarter Trim, Rear
									[Referance], (NOT REQUIRED)
4	6101 442	4							U-NUT, M6 x 1.00, M6x1.00, Lam
									Quarter Attaching
-5									BRACKET, Tail Lamp
	5029 120AA-	1							Right
	5029 121AA-	1							Left

DODGE VIPER (ZB)—
SERIES I
S = SRT-10 D
X = Coupe

BODY 27 = Convertible 29 = Coupe LINE D = Dodge

ENGINE EWC = 8.3L 10 Cyl SFI

Loose Panels Figure SZB-930




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									FRAME, Reference Only, (NOT
									REQUIRED)
2									FOIL, Insulator, (NOT SERVICED
									(Not Serviced)
3									PANEL, Door Surround
	4865 888AA	1							Right
	4865 889AA	1							Left
4	6035 625	6							SCREW, Door Surround To Fram
•	0000 020	Ū							Sill Attaching
5	6035 625	8							SCREW, Door Surround To L-
Ū	0000 020	· ·							Bracket and Frame
6	4865 891AA	4							BRACKET, Door Surround
7	1000 00 17 17 1	•							FOAM, Door Surround, (NOT
									SERVICED) (Not Serviced)
8	6504 118	8			27				U-NUT, M6 x 1.00, M6x1.00
9	0304 110	O			21				BRACKET, B-Pillar
9	5029 350AA	1			27				Right
	5029 350AA 5029 351AA	1			27				Left

ENGINE EWC = 8.3L 10 Cyl SFI

BODY 27 = Convertible 29 = Coupe

LINE D = Dodge

Weatherstrips Figure SZB-1010



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4865 561AA	1							WEATHERSTRIP, Header and A
									pillar
2									NUT AND WASHER, Hex, M5x.8
									(NOT SERVICED) (Not Serviced
3									WEATHERSTRIP, Front Door
									Opening
	4865 562AA	1							Right
	4865 563AA	1							Left
4	4658 673	2							PIN PUSH, .150x.410, Attaching,
									Lower,A Pillar Weatherstrip
5	4865 574AA	1							RETAINER, Weatherstrip, Windsh
									Header
6	6505 026AA	2							SCREW, M5x16, Weatherstrip
									Attaching
7	6505 026AA	2							SCREW, M5x16, Weatherstrip
									Attaching
8									RETAINER, Weatherstrip
	4865 576AA	1							A-Pillar, Right
	4865 577AA	1							A-Pillar, Left
9									CONVERTIBLE TOP, Reference,
									(NOT REQUIRED)
10									WEATHERSTRIP, Folding Top S
									Rail
	4865 568AA	1							Rear,Right
	4865 569AA	1							Rear,Left
11									WEATHERSTRIP, Folding Top S
									Rail
	4865 566AA	1							Right,Front
	4865 567AA	1							Left,Front
-12	0153 732	3							SCREW, .164-15x.500
13									TAPE, (NOT SERVICED) (Not
									Serviced)


DODGE VIPER (ZB)— SERIES L S = SRT-10 D = X = Coupe LINE

D = Dodge

BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI

Shields - Rear Wheelhouse Figure SZ



	PART								
TEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SHIELD, Splash
	4865 646AA	1							Right,Rear,Lower
	4865 647AA	1							Left,Rear,Lower
2									FRAME, Referance, (NOT
									REQUIRED)
3									SHIELD, Splash
	4865 648AA	1							Right,Rear,Upper
	4865 649AA	1							Left,Rear,Upper
4									SCREW, Tapping Hex Flange Hea
									.250x14x.875, (NOT SERVICED)
									(Not Serviced)
5	6507 528AA	28							NUT, Snap In, M4.8x1.6, Splash
									Shield
6	6035 625	28							SCREW, Attaching, Splash Shield
									5, 1


DODGE VIPER (ZB)—
SERIES L
S = SRT-10 D
X = Coupe LINE

D = Dodge


BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI


Folding Top Figure SZB-1110



Folding Top Figure SZB-1110




Folding Top - Attaching Parts Figure SZB-1115



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
					I				
1	4865 936AC	1			27				LATCH AND BASE, Folding Top
2	5256 749	2							BUMPER, Deck Lid Adjuster
3	6101 968	2							NUT, M6x1.00, Downstack Bumper and Latch
4	6503 351	4							SCREW AND WASHER, Hex Head M8x1.25x35, Folding Top Attachir
5	4854 372AA	2							BRACKET
6	6102 050AA	4							SCREW, Hex Flange Head, M6.3 x 1.81 x 15.00, Bracket Attaching
7	6102 238AA	14							NUT, M6x1
	ED (7D)								
odge vip i Series	LINE		BODY		ENGINE			SMISSIO	

Deck Lid Figure SZB-1320




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
I I E IVI	NOMBER	Q I I	LINE	JERIES	ВОВТ	ENGINE	IKANS	I KIIVI	DESCRIPTION
Note: Sal									
	Service Dealer								DE0141D 0 : D D : 1
1	4865 482AB	1							DECKLID, Service Dealer Painted
2	4763 384AB	1							STRIKER, Backlite
3	6101 651	2							SCREW, Hex Head, M6x1x16,
									Striker Attaching
4									RIVET, Blind Bulb, [.125x.445], (I
									SERVICED) (Not Serviced)
5	6100 877	2			27				WASHER, Flat, M6, Decklid Latc
6	5029 156AB	1			27				LATCH, Decklid, With Cable and
									Switch
7	6101 718	2							SCREW AND WASHER, Oval He
									M6x1x25, Latch Attaching to
									Decklid
8									HINGE, Deck Lid
	4865 618AA	1							Right
	4865 619AA	1							Left
9	4865 981AA	2							PROP, Deck Lid
10	6101 636	6							SCREW AND WASHER, Hex He
									M8x1.25x25, Body to Decklid H
11									SCREW AND WASHER, Hex He
									M8x1.25x25, Serviced in Assen
									(NOT SERVICED) (Not Service
12	5029 136AA	1							ISOLATOR, Decklid, Decklid to
									Convertible Top
13	5029 232AA	2							BUMPER, Deck Lid Overslam, R
-14	5256 749	2							BUMPER, Deck Lid Adjuster
15	6035 625	3							SCREW, [.190-16x.750]
16	4865 876AA	1							BRACKET, Key Cylinder
17	5029 039AA	1							WEATHERSTRIP, Decklid
18	5029 210AA	2							BRACKET, Deck Lid Overslam
19	6034 844	4							RIVET, Blind, .250x.375/.562,
									Overslam Bracket to Trunk Pan
20	4103 165	2							BUMPER, Hood, Decklid Forward
									Overslam
-21									WATERDAM, Liftgate, (NOT
									SERVICED) (Not Serviced)
-22	4865 778AA-	1							BRACKET, Deck Lid Striker
- -		•							Mounting
-23	5257 245	1			27				SPRING, Deck Lid Return
		•							,

DODGE VIPER (ZB)— SERIES L S = SRT-10 D = X = Coupe

LINE D = Dodge

BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI



SZ	SZB-1330									
	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
							!	!	•	
	1	5290 145AA	1							CAP, Fuel Filler
•	2									DOOR, Fuel Fill
		TR72 LRNAB	1			27				[LRN]
		TR72 MX3AB	3 1			27				[MX3]
		TR72 VA9AB				27				[VA9]
	3	6504 791	2							SCREW, TAPPING, BUTTON HEAD,
										M6 X 1.00 X 18.00, Fuel Door to
										Quarter Panel
_	4									SCREW, .164-18x.625, (NOT
										SERVICED) (Not Serviced)
	5	5029 238AA	2							BUMPER, Fuel Door
	6	4865 906AB	1							HOUSING, Fuel Filler
-	7	6036 491AA	4							NUT, Spring U Type, For .164-18
	0									Screw
	8									SCREW, .190-16 X .750, (Serviced
										in Kit 05101758AA), (NOT
-										SERVICED) (Not Serviced)
-										
-										_
-										
-										
-										

 DODGE VIPER (ZB)

 SERIES
 LINE

 S = SRT-10
 D = Dodge


 X = Coupe
 D = Dodge


BODY 27 = Convertible 29 = Coupe

ENGINE EWC = 8.3L 10 Cyl SFI

Group – LBLS

Labels All Vehicle Locations







GROUP LBLS - Labels All Vehicle Locations


Illustration Title	Group-Fig. No.
Interior	
Instrument Panel, Visors and Trim	Fig. LBLS-110
Under Hood	
Engine Compartment	Fig. LBLS-210
Doors	
Doors and Pillars	Fig. LBLS-310

Instrument Panel, Visors and Trim Figure LBLS-110

PART







DODGE VIPER (ZB)-SERIES S = SRT-10 BODY 27 = Convertible ENGINE EWC = 8.3L 10 Cyl SFI TRANSMISSION DEC = 6 Speed Manual LINE D = Dodge DBB = All Manual X = Coupe 29 = Coupe

Engine Compartment Figure LBLS-210

ITEM

PART

NUMBER


QTY


LINE

SERIES

BODY

ENGINE





DODGE VIPER (ZB)-

SERIES S = SRT-10 X = Coupe

LINE D = Dodge BODY 27 = Convertible 29 = Coupe


ENGINE EWC = 8.3L 10 Cyl SFI

TRANSMISSION DEC = 6 Speed Manual DBB = All Manual

TRIM

DESCRIPTION

TRANS



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LABEL, Exhaust Warning
	4708 021	2							
	4708 021AB	2			27				Use After 2/07/03
	4708 337	2							English/French
	4708 337AB	2			27				English/French After 2/07/03
2	4708 022	2							LABEL, Warning Bar
3									LABEL, Tire Pressure, (NOT
									SERVICED) (Not Serviced)
4									LABEL, Certification, Canada
									Specifications, (NOT SERVICED)
									(Not Serviced)
5									LABEL, Certification, U.S.
									Specifications, (NOT SERVICED)
									(Not Serviced)
6	4040 858	1			27				OVERLAY, Vehicle Certification
	1 2 3 4	1 4708 021 4708 021AB 4708 337 4708 337AB 2 4708 022 3 4	1 4708 021 2 4708 021AB 2 4708 337 2 4708 337AB 2 2 3 4708 022 2 3 4708 022 5 5	1 4708 021 2 4708 021AB 2 4708 337 2 4708 337AB 2 2 4708 022 2 3 3 4	ITEM NUMBER QTY LINE SERIES 1 4708 021 2 4708 021AB 2 4708 337 2 4708 337AB 2 4708 022 2 3 4 5 5 5 5 5 6 7 6 6 7 6 7 6 7 6 7 6 7 6 7 6 7 7 6 7	ITEM NUMBER QTY LINE SERIES BODY 1 4708 021 2 2 27 <td>ITEM NUMBER QTY LINE SERIES BODY ENGINE 1 4708 021 2 2 27 4708 021AB 2 27 4708 337 2 27</td> <td>ITEM NUMBER QTY LINE SERIES BODY ENGINE TRANS 1 4708 021 2 2 27 4708 021 AB 2 27 4708 337 AB 2 27<</td> <td>ITEM NUMBER QTY LINE SERIES BODY ENGINE TRANS TRIM 1 4708 021 2 2 27 4708 021 AB AB</td>	ITEM NUMBER QTY LINE SERIES BODY ENGINE 1 4708 021 2 2 27 4708 021AB 2 27 4708 337 2 27	ITEM NUMBER QTY LINE SERIES BODY ENGINE TRANS 1 4708 021 2 2 27 4708 021 AB 2 27 4708 337 AB 2 27<	ITEM NUMBER QTY LINE SERIES BODY ENGINE TRANS TRIM 1 4708 021 2 2 27 4708 021 AB

DODGE VIPER (ZB)— SERIES L S = SRT-10 D = X = Coupe

BODY 27 = Convertible 29 = Coupe LINE D = Dodge

ENGINE EWC = 8.3L 10 Cyl SFI